Index of Authors and Titles

Abrieu, A., Lorca, T., Labbé, J.-C., Morin, N., Keyse, S. and Dorée, M. MAP kinase does not inactivate, but rather prevents the cyclin degradation pathway from being turned on in *Xenopus* egg extracts **109**, 239

Adachi, Y. *See* Okishio, N.

Adamczewski, J. *See* Strausfeld, U. P.

Addicks, K. *See* Fassler, R.

Adesnik, M. *See* Mayer, A.

Adoutte, A. *See* Bré, M.-H.

Agard, D. A. *See* Paddy, M. R.

Agius-Fernandez, A. *See* Zhao, M.

Ahringer, J. *See* Goedert, M.

Aihara, M. S. *See* Ishida, M.

Airey, J. A. *See* Castellani, L.

Alakangas, A. *See* Rahkila, P.

Albrecht, R. *See* Rivero, F.

Alemà, S. *See* Castellani, L.

Allen, A. C. *See* Kedzierski, W.

Allen, R. D. *See* Ishida, M.

Allen, T. D. *See* Zhang, C.

Allende, C. C. *See* Santos, J. A.

Allende, J. E. *See* Santos, J. A.

Allshire, R. *See* Ekwall, K.

Andereggen, E. *See* Regazzi, R.

Anderson, T. J. *See* Gleeson, P. A.

Andersson, T. *See* Ng-Sikorski, J.

Andreason, G. L. *See* Baker, S. E.

Ansorge, W. *See* Rapp, S.

Anton, M. *See* Rapp, S.

Aota, S.-i. *See* Moursi, A. M.

Ardouin, O. *See* Soussi-Yanicostas, N.

Arikawa, K. *See* Hallett, M. A.

Armstrong, C. G. *See* Snaith, H. A.

Armstrong, J., Thompson, N., Squire, J. H., Smith, J., Hayes, B. and Solari, R. Identification of a novel member of the Rab8 family from the rat basophilic leukaemia cell line, RBL.2H3 **109**, 1265

Aroeti, B. *See* Reich, V.

Asai, D. J. *See* Criswell, P. S.

Ascaso, R. *See* Collins, M. K. L.

Ashbridge, K. *See* Ludin, B.

Atkinson, M. M. *See* Churchill, G. C.

Aurade, F. *See* Montarras, D.

Avila, J. *See* Zabala, J. C.

Avis, J. M. and Clarke, P. R. Ran, a GTPase involved in nuclear processes: its regulators and effectors **109**, 2423

Azarian, S. M. *See* Kedzierski, W.

Baeza-Squiban, A. *See* Boland, S.

Bagutti, C. *See* Chluba-de Tapia, J.

Baker, S. E., Hopkinson, S. B., Fitchmun, M., Andreason, G. L., Frasier, F., Plopper, G., Quaranta, V. and Jones, J. C. R. Laminin-5 and hemidesmosomes: role of the α3 chain subunit in hemidesmosome stability and assembly **109**, 2509

Bangs, P. L. *See* Odgren, P. R.

Banting, G. *See* Girotti, M.

Banting, G. *See* Ponnambalam, S.

Banyard, J. *See* Schor, S. L.

Barbé, E., Huitinga, I., Döpp, E. A., Bauer, J. and Dijkstra, C. D. A novel bone marrow frozen section assay for studying hematopoietic interactions in situ: the role of stromal bone marrow macrophages in erythroblast binding **109**, 2937

Barnard, R. J. O. *See* Kibble, A. V.

Barnes, K., Shimada, K., Takahashi, M., Tanzawa, K. and Turner, A. J. Metallopeptidase inhibitors induce an up-regulation of endothelin-converting enzyme levels and its redistribution from the plasma membrane to an intracellular compartment **109**, 919

Barrandon, Y. *See* Magnaldo, T.

Barrandon, Y. *See* Roudier-Pujol, C.

Bartles, J. R., Wierda, A. and Zheng, L. Identification and characterization of espin, an actin-binding protein localized to the F-actin-rich junctional plaques of Sertoli cell ectoplasmic specializations **109**, 1229

Barwise, J. L. and Walker, J. H. Annexins II, IV, V and VI relocate in response to rises in intracellular calcium in human foreskin fibroblasts **109**, 247

Bastians, H. and Ponstingl, H. The novel human protein serine/threonine phosphatase 6 is a functional homologue of budding yeast Sit4p and fission yeast ppe1, which are involved in cell cycle regulation **109**, 2865

Batard, P. *See* Panterne, B.

Baudhuin, P. *See* Veithen, A.

Bauer, A. and Kölling, R. The *SAC3* gene encodes a nuclear protein required for normal progression of mitosis **109**, 1575

Bauer, J. *See* Barbé, E.

Baulieu, E.-E. *See* Meng, X.

Baur, C. P. *See* Goedert, M.

Bayley, P. M. *See* Symmons, M. F.

Béchade, C. *See* Escher, G.

Beckhelling, C. *See* Chevalier, S.

Beckmann, R. *See* Zoellner, H.

Beech, P. L., Pagh-Roehl, K., Noda, Y., Hirokawa, N., Burnside, B. and Rosenbaum, J. L. Localization of kinesin superfamily proteins to the connecting cilium of fish photoreceptors **109**, 889

Belkaid, Y. *See* Bouckson-Castaing, V.

Bement, W. M. *See* Wirth, J. A.

Ben-Ari, Y. *See* Ferhat, L.

Bendayan, M. and Rasio, E. A. Transport of insulin and albumin by the microvascular endothelium of the rete mirabile **109**, 1857

Benos, D. J. *See* Tousson, A.

Bentley, D. *See* Zachow, K. R.

Berens, M. E. *See* Giese, A.

Berg, T. *See* Tjelle, T. E.

Bernard, A. *See* Ferhat, L.

Bernasconi, E., Fasel, N. and Wittek, R. Cell surface expression of a functional rubella virus E1 glycoprotein by addition of a GPI anchor **109**, 1195

Berruti, G. and Borgonovo, B. sp42, the boar sperm tyrosine kinase, is a male germ cell-specific product with a highly conserved tissue expression extending to other mammalian species **109**, 851

Besse, S. and Puvion-Dutilleul, F. HSV-1 induced rRNA alterations **109**, 119

Betton, J.-M. *See* Soussi-Yanicostas, N.

Beven, A. F., Lee, R., Razaz, M., Leader, D. J., Brown, J. W. S. and Shaw, P. J. The organization of ribosomal RNA processing correlates with the distribution of nucleolar snRNAs **109**, 1241

Bielek, E. *See* Zoellner, H.

Bilski, J. *See* Lechtreck, K.-F.

Binder, B. R. *See* Zoellner, H.

Bischoff, F. R. *See* Dickmanns, A.

Blackbourn, H. D. and Jackson, A. P. Plant clathrin heavy chain: sequence analysis and restricted localisation in growing pollen tubes **109**, 777

Blader, I. J. *See* Jackson, T. R.

Blanchard, B. *See* Santo, P. D.

Blanchard, J.-M. *See* Veyrune, J.-L.

Blanton, R. L. *See* Grimson, M. J.

Bloch, W. *See* Fassler, R.

Blow, J. J. *See* Strausfeld, U. P.

Blystone, S. D. *See* Buckley, C. D.

Bode, H. R. The interstitial cell lineage of hydra: a stem cell system that arose early in evolution **109**, 1155

Boerth, N. *See* Murphy-Ullrich, J. E.

Boisvieux-Ulrich, E. *See* Boland, S.

Bok, D. *See* Kedzierski, W.

Boland, S., Boisvieux-Ulrich, E., Houcine, O., Baeza-Squiban, A., Pouchelet, M., Schoëvaërt, D. and Marano, F. TGFβ1 promotes actin cytoskeleton reorganization and migratory phenotype in epithelial tracheal cells in primary culture **109**, 2207

Bolard, J. *See* Seksek, O.

Bolton, S. J. *See* Hemmings, L.

Bonilha, V. L. *See* Marmorstein, A. D.

Bonnec, G. *See* Le Cahérec, F.

Bonner, M. *See* Tourkin, A.

Bonvalet, J. P. *See* Roudier-Pujol, C.

Bordes, N. *See* Moudjou, M.

Borgonovo, B. *See* Berruti, G.

Borgstrøm, B. *See* Ekwall, K.

Bornens, M. *See* Moudjou, M.

Bornens, M. *See* Paoletti, A.

Bouchaud, C. *See* Decaens, C.

Bouckson-Castaing, V., Moudjou, M., Ferguson, D. J. P., Mucklow, S., Belkaid, Y., Milon, G. and Crocker, P. R. Molecular characterisation of ninein, a new coiled-coil protein of the centrosome **109**, 179

Bourdon, M. A. *See* Deryugina, E. I.

Bovia, F. and Strub, K. The signal recognition particle and related small cytoplasmic ribonucleoprotein particles **109**, 2601

Bozzaro, S. *See* Rivero, F.

Brandsma, M. *See* Sanders, J.

Bré, M.-H., Redeker, V., Quibell, M., Darmanaden-Delorme, J., Bressac, C., Cosson, J., Huitorel, P., Schmitter, J.-M., Rossier, J., Johnson, T., Adoutte, A. and Levilliers, N. Axonemal tubulin polyglycylation probed with two monoclonal antibodies: widespread evolutionary distribution, appearance during spermatozoan maturation and possible function in motility **109**, 727

Brech, A. *See* Tjelle, T. E.

Breitbart, H. *See* Spungin, B.

Bressac, C. *See* Bré, M.-H.

Bretscher, M. S. Expression and changing distribution of the human transferrin receptor in developing *Drosophila* oocytes and embryos **109**, 3113

Brettel, M. *See* Herrmann, H.

Breviario, F. *See* Valiron, O.

Brewer, J. W. and Corley, R. B. Quality control in protein biogenesis: thiol-mediated retention monitors the redox state of proteins in the endoplasmic reticulum **109**, 2383

Bright, N. A. *See* Reaves, B. J.

Bright, N. A. *See* Shurety, W.

Brill, J. A. *See* Hime, G. R.

Brinkley, B. R. *See* He, D.

Brisch, E., Daggett, M. A. F. and Suprenanat, K. A. Cell cycle-dependent phosphorylation of the 77 kDa echinoderm microtubule-associated protein (EMAP) in vivo and association with the $p34^{cdc2}$ kinase **109**, 2885

Bröcker, E.-B. *See* Goebeler, M.

Brodsky, F. M. *See* Mallet, W. G.

Bron, P. *See* Le Cahérec, F.

Brooks, R. A. and Winton, D. J. Determination of spatial patterns of DNA damage and repair in intestinal crypts by multi-cell gel electrophoresis **109**, 2061

Brown, D. L. *See* Weaver, V. M.

Brown, E. J. *See* Buckley, C. D.

Brown, J. W. S. *See* Beven, A. F.

Brown, K. D., Wood, K. W. and Cleveland, D. W. The kinesin-like protein CENP-E is kinetochore-associated throughout poleward chromosome segregation during anaphase-A **109**, 961

Brundell, E. *See* Starborg, M.

Buchner, K. *See* Schmalz, D.

Buckley, C. D., Doyonnas, R., Newton, J. P., Blystone, S. D., Brown, E. J., Watt, S. M. and Simmons, D. L. Identification of $\alpha_v\beta_3$ as a heterotypic ligand for CD31/PECAM-1 **109**, 437

Bullard, B. *See* Gautel, M.

Burden, M. J. *See* de la Luna, S.

Burga, C. R. *See* Jackson, T. R.

Burger, K. *See* Pomorski, T.

Burgoyne, R. D. *See* Kibble, A. V.

Burnside, B. *See* Beech, P. L.

Burnside, B. *See* King-Smith, C.

Buschmann, M. D., Hunziker, E. B., Kim, Y.-J. and Grodzinsky, A. J. Altered aggrecan synthesis correlates with cell and nucleus structure in statically compressed cartilage **109**, 499

Bush, J. M. *See* Temesvari, L. A.

Butterweck, A. *See* Dahl, E.

Butz, S. *See* Hertig, C. M.

Buxbaum, E. and Woodman, P. G. The speed of partial reactions of the uncoating ATPase Hsc70 depends on the source of coated vesicles **109**, 705

Cabañas, C. *See* Ruggiero, F.

Cabanié, L. *See* Soussi-Yanicostas, N.

Cáceres, A. *See* DiTella, M. C.

Callaini, G. *See* Riparbelli, M. G.
Cammer, M. *See* Novikoff, P. M.
Campbell, G. P. *See* Veyrune, J.-L.
Campbell, K. *See* Cartaud, A.
Campbell, S. J., Carlotti, F., Hall, P. A., Clark, A. J. and Wolf, C. R. Regulation of the *CYP1A1* promoter in transgenic mice: an exquisitely sensitive on-off system for cell specific gene regulation **109**, 2619
Canfield, A. E., Sutton, A. B., Hoyland, J. A. and Schor, A. M. Association of thrombospondin-1 with osteogenic differentiation of retinal pericytes in vitro **109**, 343
Caniggia, I. *See* Xu, J.
Capel, B., Hawkins, J. R., Hirst, E., Kioussis, D. and Lovell-Badge, R. Establishment and characterization of conditionally immortalized cells from the mouse urogenital ridge **109**, 899
Cardelli, J. A. *See* Temesvari, L. A.
Cardoso, A. *See* Panterne, B.
Carlile, G. *See* Carter, T. D.
Carlotti, F. *See* Campbell, S. J.
Carpenter, D. A. and Ip, W. Neurofilament triplet protein interactions: evidence for the preferred formation of NF-L-containing dimers and a putative function for the end domains **109**, 2493
Carr, A. M. *See* Muris, D. F. R.
Carri, N. *See* DiTella, M. C.
Carson, C. E. *See* Weaver, V. M.
Cartaud, A., Ludosky, M. A., Haasemann, M., Jung, D., Campbell, K. and Cartaud, J. Non-neural agrin codistributes with acetylcholine receptors during early differentiation of *Torpedo* electrocytes **109**, 1837
Cartaud, J. *See* Cartaud, A.
Carter, T. D., Chen, X. Y., Carlile, G., Kalapothakis, E., Ogden, D. and Evans, W. H. Porcine aortic endothelial gap junctions: identification and permeation by caged $InsP_3$ **109**, 1765
Cary, L. A., Chang, J. F. and Guan, J.-L. Stimulation of cell migration by overexpression of focal adhesion kinase and its association with Src and Fyn **109**, 1787
Cassio, D. *See* Decaens, C.
Castellani, L., Reedy, M., Airey, J. A., Gallo, R., Ciotti, M. T., Falcone, G. and Alemà, S. Remodeling of cytoskeleton and triads following activation of v-Src tyrosine kinase in quail myotubes **109**, 1335
Castle, A. M. *See* Castle, J. D.
Castle, A. M. *See* Stahl, L. E.
Castle, J. D. *See* Stahl, L. E.
Castle, J. D. and Castle, A. M. Two regulated secretory pathways for newly synthesized parotid salivary proteins are distinguished by doses of secretagogues **109**, 2591
Catelli, M.-G. *See* Meng, X.
Cavalier, A. *See* Le Cahérec, F.
Cervello, M., Matranga, V., Durbec, P., Rougon, G. and Gomez, S. The GPI-anchored adhesion molecule F3 induces tyrosine phosphorylation: involvement of the FNIII repeats **109**, 699
Challacombe, J. F., Snow, D. M. and Letourneau, P. C. Actin filament bundles are required for microtubule reorientation during growth cone turning to avoid an inhibitory guidance cue **109**, 2031
Chaly, N. *See* Weaver, V. M.
Chandley, A. C., Speed, R. M. and Leitch, A. R. Different distributions of homologous chromosomes in adult human Sertoli cells and in lymphocytes signify nuclear differentiation **109**, 773
Chang, F., Woollard, A. and Nurse, P. Isolation and characterization of fission yeast mutants defective in the assembly and placement of the contractile actin ring **109**, 131
Chang, J. F. *See* Cary, L. A.
Chartrain, I. *See* Chevalier, S.
Chavrier, P. *See* Dutartre, H.
Chen, P. *See* King-Smith, C.
Chen, X. Y. *See* Carter, T. D.
Cherel, Y. *See* Solari, F.
Cheresh, D. A. *See* Filardo, E. J.
Cherry, R. J. *See* Wilson, K. M.
Chesneau, V., Prat, A., Segretain, D., Hospital, V., Dupaix, A., Foulon, T., Jégou, B. and Cohen, P. NRD convertase: a putative processing endoprotease associated with the axoneme and the manchette in late spermatids **109**, 2737
Chevalier, S. *See* Strausfeld, U. P.
Chevalier, S., Couturier, A., Chartrain, I., Le Guellec, R., Beckhelling, C., Le Guellec, K., Philippe, M. and Ford, C. C. *Xenopus* cyclin E, a nuclear phosphoprotein, accumulates when oocytes gain the ability to initiate DNA replication **109**, 1173
Chevrier, V. *See* Valiron, O.
Chiflet, S. *See* Marmorstein, A. D.
Chiquet-Ehrismann, R. *See* Sakai, T.
Chitaev, N. A. *See* Troyanovsky, R. B.
Chluba-de Tapia, J., Bagutti, C., Cotti, R. and Eberle, A. N. Induction of constitutive melanogenesis in amelanotic mouse melanoma cells by transfection of the human melanocortin-1 receptor gene **109**, 2023
Chou, Y.-H., Opal, P., Quinlan, R. A. and Goldman, R. D. The relative roles of specific N- and C-terminal phosphorylation sites in the disassembly of intermediate filament in mitotic BHK-21 cells **109**, 817
Chrispeels, M. J. *See* Hohl, I.
Chu, M.-L. *See* Sasaki, T.
Churchill, G. C., Atkinson, M. M. and Louis, C. F. Mechanical stimulation initiates cell-to-cell calcium signaling in ovine lens epithelial cells **109**, 355
Cibert, C. *See* Gagnon, C.
Ciotti, M. T. *See* Castellani, L.
Clabecq, A. *See* Johannes, L.
Clark, A. J. *See* Campbell, S. J.
Clark, J. M. *See* Gabrielli, B. G.
Clarke, G. A. *See* Wilson, D. J. A.
Clarke, M. *See* Liu, T.
Clarke, P. R. *See* Avis, J. M.
Clarke, P. R. *See* Le Romancer, M.
Cleveland, D. W. *See* Brown, K. D.
Cluett, E. B. and Machamer, C. E. The envelope of vaccinia virus reveals an unusual phospholipid in Golgi complex membranes **109**, 2121
Cohen, P. *See* Chesneau, V.
Cohen, P. T. W. *See* Snaith, H. A.
Collart, F. R. *See* Salzberg, S.
Collas, P. and Poccia, D. Distinct egg membrane vesicles differing in binding and fusion properties contribute to sea urchin male pronuclear envelopes formed in vitro **109**, 1275
Collins, M. K. L., Furlong, I. J., Malde, P., Ascaso, R., Oliver, J. and Rivas, A. L. An apoptotic endonuclease activated either by decreasing pH or by increasing calcium **109**, 2393
Colucci, S., Giannelli, G., Grano, M., Faccio, R., Quaranta, V. and Zambonin Zallone, A. Human osteoclast-like cells selectively recognize laminin isoforms, an event that induces migration and activates Ca^{2+} mediated signals **109**, 1527
Compton, D. A. *See* Saredi, A.
Comte, J. *See* Ruggiero, F.
Condeelis, J. *See* Edmonds, B. T.
Cook, P. R. *See* Iborra, F. J.
Cooke, F. *See* Jackson, T. R.
Corley, R. B. *See* Brewer, J. W.
Cornwell, T. L. *See* Murphy-Ullrich, J. E.
Cosson, J. *See* Bré, M.-H.
Cosson, J. *See* Gagnon, C.
Cosulich, S. C. *See* Le Romancer, M.
Cotti, R. *See* Chluba-de Tapia, J.
Coudrier, E. *See* Durrbach, A.
Coukell, M. B. *See* Xie, Y.
Coulomb, B. *See* Schaefer, T.
Courtoy, P. J. *See* Kokorine, I.
Courtoy, P. J. *See* Veithen, A.
Courty, Y. *See* Laoide, B. M.
Couturier, A. *See* Chevalier, S.
Cranston, G. *See* Ekwall, K.
Creanor, J. and Mitchison, J. M. The kinetics of the B cyclin $p56^{cdc13}$ and the phosphatase $p80^{cdc25}$ during the cell cycle of the fission yeast *Schizosaccharomyces pombe* **109**, 1647
Creveaux, I. *See* Gobron, S.
Criswell, P. S., Ostrowski, L. E. and Asai, D. J. A novel cytoplasmic dynein heavy chain: expression of DHC1b in mammalian ciliated epithelial cells **109**, 1891
Critchley, D. R. *See* Hemmings, L.
Crocker, P. R. *See* Bouckson-Castaing, V.
Cross, G. A. M. *See* Haynes, P. A.
Cudmore, S., Reckmann, I., Griffiths, G. and Way, M. Vaccinia virus: a model system for actin-membrane interactions **109**, 1739
Cupers, P. *See* Veithen, A.
Dabauvalle, M.-C. *See* Ewald, A.
Daggett, M. A. F. *See* Brisch, E.
Dahl, E., Winterhager, E., Reuß, B., Traub, O., Butterweck, A. and Willecke, K. Expression of the gap junction proteins connexin31 and connexin43 correlates with communication compartments in extraembryonic tissues and in the gastrulating mouse embryo, respectively **109**, 191
Damsky, C. H. *See* Moursi, A. M.
Darchen, F. *See* Johannes, L.
Darmanaden-Delorme, J. *See* Bré, M.-H.
Dastugue, B. *See* Gobron, S.
Davoust, J. *See* Dutartre, H.
Dawson, A. P. *See* Webb, C. P.
de Kloet, E. R. *See* van Steensel, B.
de la Luna, S., Burden, M. J., Lee, C.-W. and La Thangue, N. B. Nuclear accumulation of the E2F heterodimer regulated by subunit composition and alternative splicing of a nuclear localization signal **109**, 2443
De Souza, C. P. C. *See* Gabrielli, B. G.
Decaens, C., Rodriguez, P., Bouchaud, C. and Cassio, D. Establishment of hepatic cell polarity in the rat hepatoma-human fibroblast hybrid WIF-B9. A biphasic phenomenon going from a simple epithelial polarized phenotype to an hepatic polarized one **109**, 1623
Dejana, E. *See* Valiron, O.
del Mar Arroyo-Jimenez, M. *See* Soussi-Yanicostas, N.
Delaat, J. L. *See* Hallett, M. A.
Deming, S. L. *See* Filardo, E. J.
Depoortere, F., Dumont, J. E. and Roger, P. P. Paradoxical accumulation of the cyclin-dependent kinase inhibitor $p27^{kip1}$ during the cAMP-dependent mitogenic stimulation of thyroid epithelial cells **109**, 1759
Deryugina, E. I. and Bourdon, M. A. Tenascin mediates human glioma cell migration and modulates cell migration on fibronectin **109**, 643
Desbruyeres, E. *See* Gagnon, C.
Descombes, P. *See* Strausfeld, U. P.
Détraves, C. *See* Lajoie-Mazenc, I.
Devaux, P. F. *See* Pomorski, T.
Devin, J. *See* Meng, X.
Dhut, S. *See* Toda, T.
Dickmanns, A., Bischoff, F. R., Marshallsay, C., Lührmann, R., Ponstingl, H. and Fanning, E. The thermolability of nuclear protein import in tsBN2 cells is suppressed by microinjected Ran-GTP or Ran-GDP, but not by RanQ69L or RanT24N **109**, 1449
Dijk, J. *See* Sanders, J.
Dijkstra, C. D. *See* Barbé, E.
Dike, L. E. and Ingber, D. E. Integrin-dependent induction of early growth response genes in capillary endothelial cells **109**, 2855
DiTella, M. C., Feiguin, F., Carri, N., Kosik, K. S. and Cáceres, A. MAP-1B/TAU functional redundancy during laminin-enhanced axonal growth **109**, 467
Dive, C. *See* Pullan, S.
Dolman, C. *See* Schor, S. L.
Donnez, J. *See* Kokorine, I.
Döpp, E. A. *See* Barbé, E.
Dorée, M. *See* Abrieu, A.
Doty, S. B. *See* Moursi, A. M.
Doussau, F. *See* Johannes, L.
Doyonnas, R. *See* Buckley, C. D.
Duance, V. C. *See* Wardale, R. J.
Dumont, J. E. *See* Depoortere, F.
Dundr, M., Leno, G. H., Lewis, N., Rekosh, D., Hammarskjöld, M.-L. and Olson, M. O. J. Location of the HIV-1 Rev protein during mitosis: inactivation of the nuclear export signal alters the pathway for postmitotic reentry into nucleoli **109**, 2239
Dupaix, A. *See* Chesneau, V.
Durand-Schneider, A.-M. *See* Hemery, I.

Durbec, P. *See* Cervello, M.
Durbeej, M. *See* Falk, M.
Durrbach, A., Louvard, D. and Coudrier, E. Actin filaments facilitate two steps of endocytosis **109**, 457
Dutartre, H., Davoust, J., Gorvel, J.-P. and Chavrier, P. Cytokinesis arrest and redistribution of actin-cytoskeleton regulatory components in cells expressing the Rho GTPase CDC42Hs **109**, 367
Eberle, A. N. *See* Chluba-de Tapia, J.
Eckerskorn, C. *See* Stoeckelhuber, M.
Eddé, B. *See* Gagnon, C.
Eddison, M. *See* Toda, T.
Edmonds, B. T., Wyckoff, J., Yeung, Y.-G., Wang, Y., Stanley, E. R., Jones, J., Segall, J. and Condeelis, J. Elongation factor-1α is an overexpressed actin binding protein in metastatic rat mammary adenocarcinoma **109**, 2705
Edwards, G. M. *See* Pullan, S.
Eeckhout, Y. *See* Kokorine, I.
Egel, R. *See* Ekwall, K.
Eierman, D. *See* Ng-Sikorski, J.
Ekblom, M. *See* Falk, M.
Ekblom, P. *See* Falk, M.
Ekwall, K., Nimmo, E. R., Javerzat, J.-P., Borgstrøm, B., Egel, R., Cranston, G. and Allshire, R. Mutations in the fission yeast silencing factors *clr4*$^+$ and *rik1*$^+$ disrupt the localisation of the chromo domain protein Swi6p and impair centromere function **109**, 2637
Ellem, K. A. O. *See* Gabrielli, B. G.
Ellis, I. *See* Schor, S. L.
Endow, S. A. and Komma, D. J. Centrosome and spindle function of the *Drosophila* Ncd microtubule motor visualized in live embryos using Ncd-GFP fusion proteins **109**, 2429
Eppenberger, H. M. *See* Hertig, C. M.
Eppenberger-Eberhardt, M. *See* Hertig, C. M.
Escher, G., Béchade, C., Levi, S. and Triller, A. Axonal targeting of agrin in cultured rat dorsal horn neurons **109**, 2959
Escoubet, B. *See* Roudier-Pujol, C.
Eugène, E. *See* Roudier-Pujol, C.
Evans, R. M. *See* Lieber, J. G.
Evans, W. H. *See* Carter, T. D.
Ewald, A., Kossner, U., Scheer, U. and Dabauvalle, M.-C. A biochemical and immunological comparison of nuclear and cytoplasmic pore complexes **109**, 1813
Fabry, A. *See* Zoellner, H.
Faccio, R. *See* Colucci, S.
Falah, M. *See* Soltys, B. J.
Falcone, G. *See* Castellani, L.
Falk, M., Salmivirta, K., Durbeej, M., Larsson, E., Ekblom, M., Vestweber, D. and Ekblom, P. Integrin α6Bβ1 is involved in kidney tubulogenesis in vitro **109**, 2801
Falk-Marzillier, J. *See* Plopper, G.
Fambrough, D. M. *See* Kaprielian, Z.
Fanning, E. *See* Dickmanns, A.
Fantes, P. *See* Stettler, S.
Farman, N. *See* Roudier-Pujol, C.
Fasel, N. *See* Bernasconi, E.
Fässler, R., Rohwedel, J., Maltsev, V., Bloch, W., Lentini, S., Guan, K., Gullberg, D., Hescheler, J., Addicks, K. and Wobus, A. M. Differentiation and integrity of cardiac muscle cells are impaired in the absence of β$_1$ integrin **109**, 2989
Feiguin, F. *See* DiTella, M. C.
Feldmann, G. *See* Hemery, I.
Felgner, H., Frank, R. and Schliwa, M. Flexural rigidity of microtubules measured with the use of optical tweezers **109**, 509
Ferguson, D. J. P. *See* Bouckson-Castaing, V.
Ferhat, L., Represa, A., Bernard, A., Ben-Ari, Y. and Khrestchatisky, M. MAP2d promotes bundling and stabilization of both microtubules and microfilaments **109**, 1095
Fernandez, N. *See* Wilson, K. M.
Ferreira, A. and Kosik, K. S. Accelerated neuronal differentiation induced by p53 suppression **109**, 1509
Fewell, J. W. and Kuff, E. L. Intracellular redistribution of Ku immunoreactivity in response to cell-cell contact and growth modulating components in the medium **109**, 1937
Fey, E. G. *See* Odgren, P. R.
Fiedler, K. and Simons, K. Characterization of VIP36, an animal lectin homologous to leguminous lectins **109**, 271
Filardo, E. J., Deming, S. L. and Cheresh, D. A. Regulation of cell migration by the integrin β subunit ectodomain **109**, 1615
Fischman, D. A. *See* Gilbert, R.
Fishkind, D. J., Silverman, J. D. and Wang, Y.-l. Function of spindle microtubules in directing cortical movement and actin filament organization in dividing cultured cells **109**, 2041
Fitchmun, M. *See* Baker, S. E.
Fitchmun, M. *See* Plopper, G.
Flamant, F. *See* Solari, F.
Fleury, A. *See* Laurent, M.
Flinn, H. M. and Ridley, A. J. Rho stimulates tyrosine phosphorylation of focal adhesion kinase, p130 and paxillin **109**, 1133
Fok, A. K. *See* Ishida, M.
Fontalba, A. *See* Zabala, J. C.
Ford, C. C. *See* Chevalier, S.
Forer, A. *See* Yin, B.
Forrester, J. V. *See* Zhao, M.
Forscher, P. *See* Thompson, C.
Foulon, T. *See* Chesneau, V.
Fouquet, B. *See* Herrmann, H.
Frank, R. *See* Felgner, H.
Franzen, L. *See* Ng-Sikorski, J.
Fraser, M. J., Tynan, S. J., Papaioannou, A., Ireland, C. M. and Pittman, S. M. Endo-exonuclease of human leukaemic cells: evidence for a role in apoptosis **109**, 2343
Frasier, F. *See* Baker, S. E.
Frenz, L. M and Glover, D. M. A maternal requirement for glutamine synthetase I for the mitotic cycles of syncytial *Drosophila* embryos **109**, 2649
Fried, M. *See* Ponnambalam, S.
Frins, S. *See* Lechtreck, K.-F.
Fujimoto, K. *See* Furuse, M.
Fujimoto, K., Umeda, M. and Fujimoto, T. Transmembrane phospholipid distribution revealed by freeze-fracture replica labeling **109**, 2453
Fujimoto, T. *See* Fujimoto, K.
Fuller, C. M. *See* Tousson, A.
Fuller, M. T. *See* Hime, G. R.
Funamoto, S. and Ochiai, H. Antisense RNA inactivation of gene expression of a cell-cell adhesion protein (gp64) in the cellular slime mold *Polysphondylium pallidum* **109**, 1009
Fünfschilling, U. *See* Ludin, B.
Furlong, I. J. *See* Collins, M. K. L.
Fürst, D. O. *See* Gautel, M.
Furukawa, Y. *See* Sakai, T.
Furuse, M. *See* McCarthy, K. M.
Furuse, M., Fujimoto, K., Sato, N., Hirase, T., Tsukita, S. and Tsukita, S. Overexpression of occludin, a tight junction-associated integral membrane protein, induces the formation of intracellular multilamellar bodies bearing tight junction-like structures **109**, 429
Furuya, K. *See* Yumura, S.
Futerman, A. H. *See* Sofer, A.
Gabrielli, B. G., De Souza, C. P. C., Tonks, I. D., Clark, J. M., Hayward, N. K. and Ellem, K. A. O. Cytoplasmic accumulation of cdc25B phosphatase in mitosis triggers centrosomal microtubule nucleation in HeLa cells **109**, 1081
Gagnon, C., White, D., Cosson, J., Huitorel, P., Eddé, B., Desbruyeres, E., Paturle-Lafanechère, L., Multigner, L., Job, D. and Cibert, C. The polyglutamylated lateral chain of alpha-tubulin plays a key role in flagellar motility **109**, 1545
Gallo, J.-M. *See* Wagner, U.
Gallo, R. *See* Castellani, L.
Gallwitz, D. *See* Tsukada, M.
Gao, F.-B. and Keene, J. D. Hel-N1/Hel-N2 proteins are bound to poly(A)$^+$ mRNA in granular RNP structures and are implicated in neuronal differentiation **109**, 579
Garcia, D. *See* King-Smith, C.
Garès, M. *See* Lajoie-Mazenc, I.
Garret, A. *See* Le Cahérec, F.
Garrone, R. *See* Ruggiero, F.
Gastinne, I. *See* Laoide, B. M.
Gaudreau, P. *See* Michel, M.
Gautel, M., Goulding, D., Bullard, B., Weber, K. and Fürst, D. O. The central Z-disk region of titin is assembled from a novel repeat in variable copy numbers **109**, 2747
Gell, K. *See* Starborg, M.
Georgatos, S. D. *See* Goulielmos, G.
Germain, L. *See* Michel, M.
Giancotti, F. G. Signal transduction by the α$_6$β$_4$ integrin: charting the path between laminin binding and nuclear events **109**, 1165
Giannelli, G. *See* Colucci, S.
Giannelli, G. *See* Plopper, G.
Giese, A., Loo, M. A., Norman, S. A., Treasurywala, S. and Berens, M. E. Contrasting migratory response of astrocytoma cells to tenascin mediated by different integrins **109**, 2161
Gilbert, C. *See* Williams, R.
Gilbert, R., Kelly, M. G., Mikawa, T. and Fischman, D. A. The carboxyl terminus of myosin binding protein C (MyBP-C, C-protein) specifies incorporation into the A-band of striated muscle **109**, 101
Gilmore, A. P. *See* Hemmings, L.
Gilmore, R. *See* Odgren, P. R.
Girotti, M. *See* Ponnambalam, S.
Girotti, M. and Banting, G. TGN38-green fluorescent protein hybrid proteins expressed in stably transfected eukaryotic cells provide a tool for the real-time, in vivo study of membrane traffic pathways and suggest a possible role for ratTGN38 **109**, 2915
Glaser, S. *See* Plopper, G.
Gleeson, P. A., Anderson, T. J., Stow, J. L., Griffiths, G., Toh, B. H. and Matheson, F. p230 is associated with vesicles budding from the *trans*-Golgi network **109**, 2811
Globus, R. K. *See* Moursi, A. M.
Glover, D. M. *See* Frenz, L. M.
Goberdhan, N. *See* Pullan, S.
Gobron, S., Monnerie, H., Meiniel, R., Creveaux, I., Lehmann, W., Lamalle, D., Dastugue, B. and Meiniel, A. SCO-spondin: a new member of the thrombospondin family secreted by the subcommissural organ is a candidate in the modulation of neuronal aggregation **109**, 1053
Godbout, M.-J. *See* Michel, M.
Goebeler, M., Kaufmann, D., Bröcker, E.-B. and Klein, C. E. Migration of highly aggressive melanoma cells on hyaluronic acid is associated with functional changes, increased turnover and shedding of CD44 receptors **109**, 1957
Goedert, M., Baur, C. P., Ahringer, J., Jakes, R., Hasegawa, M., Spillantini, M. G., Smith, M. J. and Hill, F. PTL-1, a microtubule-associated protein with tau-like repeats from the nematode *Caenorhabditis elegans* **109**, 2661
Goldberg, M. W. *See* Zhang, C.
Goldman, J. E. *See* Head, M. W.
Goldman, R. D. *See* Chou, Y.-H.
Goldman, R. D. *See* Straube-West, K.
Gombos, Z. *See* Xie, Y.
Gomez, S. *See* Cervello, M.
Gorgas, K. *See* Rapp, S.
Gorvel, J.-P. *See* Dutartre, H.
Goulding, D. *See* Gautel, M.
Goulielmos, G., Remington, S., Schwesinger, F., Georgatos, S. D. and Gounari, F. Contributions of the structural domains of filensin in polymer formation and filament distribution **109**, 447
Gounari, F. *See* Goulielmos, G.
Gouranton, J. *See* Le Cahérec, F.
Grano, M. *See* Colucci, S.
Gravotta, D. *See* Mayer, A.
Greene, A. *See* Jahn, L.
Greenwood, J. A. *See* Murphy-Ullrich, J. E.
Grein, K. *See* Spang, A.
Grey, A. M. *See* Schor, S. L.
Griffiths, G. *See* Cudmore, S.
Griffiths, G. *See* Gleeson, P. A.
Griffiths, G. *See* Tjelle, T. E.
Grimson, M. J., Haigler, C. H. and Blanton, R. L. Cellulose microfibrils, cell motility, and plasma

membrane protein organization change in parallel during culmination in *Dictyostelium discoideum* **109**, 3079
Grodzinsky, A. J. *See* Buschmann, M. D.
Gros, F. *See* Montarras, D.
Guan, J.-L. *See* Cary, L. A.
Guan, K. *See* Fassler, R.
Gullberg, D. *See* Fassler, R.
Gundersen, G. G. *See* Nagasaki, T.
Guo, Y. *See* Snaith, H. A.
Gupta, R. S. *See* Soltys, B. J.
Haasemann, M. *See* Cartaud, A.
Habermacher, G. and Sale, W. S. Regulation of flagellar dynein by an axonemal type-1 phosphatase in *Chlamydomonas* **109**, 1899
Hachiya, T. *See* Mizuno, T.
Haigler, C. H. *See* Grimson, M. J.
Hall, F. L. *See* Starr, R.
Hall, J. L. *See* Vashishtha, M.
Hall, L. *See* Jones, R.
Hall, P. A. *See* Campbell, S. J.
Hallett, M. A., Delaat, J. L., Arikawa, K., Schlamp, C. L., Kong, F. and Williams, D. S. Distribution of guanylate cyclase within photoreceptor outer segments **109**, 1803
Hallett, M. B. *See* Pettit, E. J.
Hamaguchi, Y. *See* Ishijima, S.
Hamer, J. E. *See* Wolkow, T. D.
Hammarskjöld, M.-L. *See* Dundr, M.
Hammonds-Odie, L. P. *See* Jackson, T. R.
Hanaoka, F. *See* Mizuno, T.
Hansen, S. *See* Renzing, J.
Hanyu, N. *See* Kitajima, I.
Hardelin, J.-P. *See* Soussi-Yanicostas, N.
Harlow, E. *See* Magae, J.
Harris, H., Rawlins, J. and Sharps, J. A different approach to tumour suppression **109**, 2189
Harris, S. D. *See* Wolkow, T. D.
Hasegawa, M. *See* Goedert, M.
Hatzfeld, A. *See* Panterne, B.
Hatzfeld, J. *See* Panterne, B.
Hatzfeld, M. and Nachtsheim, C. Cloning and characterization of a new *armadillo* family member, p0071, associated with the junctional plaque: evidence for a subfamily of closely related proteins **109**, 2767
Hauser, R., Pypaert, M., Häusler, T., Horn, E. K. and Schneider, A. In vitro import of proteins into mitochondria of *Trypanosoma brucei* and *Leishmania tarentolae* **109**, 517
Hawkins, J. R. *See* Capel, B.
Hawkins, P. T. *See* Jackson, T. R.
Hayashi, N. *See* Nakashima, N.
Hayes, B. *See* Armstrong, J.
Haynes, P. A., Russell, D. G. and Cross, G. A. M. Subcellular localization of *Trypanosoma cruzi* glycoprotein Gp72 **109**, 2979
Hayward, N. K. *See* Gabrielli, B. G.
He, D. and Brinkley, B. R. Structure and dynamic organization of centromeres/prekinetochores in the nucleus of mammalian cells **109**, 2693
Head, M. W., Hurwitz, L. and Goldman, J. E. Transcriptional regulation of αB-crystallin in astrocytes: analysis of HSF and AP1 activation by different types of physiological stress **109**, 1029
Heintz, N. H. *See* Magae, J.
Heldman, K. A. *See* Jackson, T. R.
Helfman, D. M. *See* Watakabe, A.
Heller, A. *See* Salzberg, S.
Hemery, I., Durand-Schneider, A.-M., Feldmann, G., Vaerman, J.-P. and Maurice, M. The transcytotic pathway of an apical plasma membrane protein (B10) in hepatocytes is similar to that of IgA and occurs via a tubular pericentriolar compartment **109**, 1215
Hemmings, L., Rees, D. J. G., Ohanian, V., Bolton, S. J., Gilmore, A. P., Patel, B., Priddle, H., Trevithick, J. E., Hynes, R. O. and Critchley, D. R. Talin contains three actin-binding sites each of which is adjacent to a vinculin-binding site **109**, 2715
Hempel, K. and Strätling, W. H. The chicken lysozyme gene 5′ MAR and the *Drosophila* histone SAR are electroelutable from encapsulated and digested nuclei **109**, 1459
Henriet, P. *See* Kokorine, I.
Henry, J.-P. *See* Johannes, L.
Herken, R. *See* Schaefer, T.
Herrmann, A. *See* Pomorski, T.
Herrmann, H., Münick, M. D., Brettel, M., Fouquet, B. and Markl, J. Vimentin in a cold-water fish, the rainbow trout: highly conserved primary structure but unique assembly properties **109**, 569
Hertig, C. M., Butz, S., Koch, S., Eppenberger-Eberhardt, M., Kemler, R. and Eppenberger, H. M. N-cadherin in adult rat cardiomyocytes in culture. II. Spatio-temporal appearance of proteins involved in cell-cell contact and communication. Formation of two distinct N-cadherin/catenin complexes **109**, 11
Hertig, C. M., Eppenberger-Eberhardt, M., Koch, S. and Eppenberger, H. M. N-cadherin in adult rat cardiomyocytes in culture. I. Functional role of N-cadherin and impairment of cell-cell contact by a truncated N-cadherin mutant **109**, 1
Hescheler, J. *See* Fassler, R.
Hesketh, J. E. *See* Veyrune, J.-L.
Häusler, T. *See* Hauser, R.
Hickman, J. A. *See* Pullan, S.
Hill, F. *See* Goedert, M.
Hime, G. R., Brill, J. A. and Fuller, M. T. Assembly of ring canals in the male germ line from structural components of the contractile ring **109**, 2779
Hinz, G. *See* Hohl, I.
Hirase, T. *See* Furuse, M.
Hirata, D. *See* Toda, T.
Hird, S. Cortical actin movements during the first cell cycle of the *Caenorhabditis elegans* embryo **109**, 525
Hirokawa, N. *See* Beech, P. L.
Hirst, E. *See* Capel, B.
Hitomi, J., Yamaguchi, K., Kikuchi, Y., Kimura, T., Maruyama, K. and Nagasaki, K. A novel calcium-binding protein in amniotic fluid, CAAF1: its molecular cloning and tissue distribution **109**, 805
Hoffman, C. S. *See* Santo, P. D.
Hoffman, M. P., Kibbey, M. C., Letterio, J. J. and Kleinman, H. K. Role of laminin-1 and TGF-β3 in acinar differentiation of a human submandibular gland cell line (HSG) **109**, 2013
Hoffman, S. *See* Tourkin, A.
Hoffmeister, S. A. H. *See* Scheurlen, I.
Höfler, M. *See* Zoellner, H.
Hohl, I., Robinson, D. G., Chrispeels, M. J. and Hinz, G. Transport of storage proteins to the vacuole is mediated by vesicles without a clathrin coat **109**, 2539
Hollenbeck, P. J. *See* Overly, C. C.
Hong, W. *See* Lowe, S. L.
Höög, C. *See* Starborg, M.
Hopkinson, S. B. *See* Baker, S. E.
Horn, E. K. *See* Hauser, R.
Hornsby, C. D. *See* van Steensel, B.
Horwitz, A. F. *See* Palecek, S. P.
Hospital, V. *See* Chesneau, V.
Hou, S.-T. *See* Jones, R.
Houcine, O. *See* Boland, S.
Howard, L. *See* Saredi, A.
Howell, M. *See* Strausfeld, U. P.
Hoyland, J. A. *See* Canfield, A. E.
Hozák, P. *See* Mosgoeller, W.
Hsu, H.-L. and Yeh, N.-H. Dynamic changes of NuMA during the cell cycle and possible appearance of a truncated form of NuMA during apoptosis **109**, 277
Hubchak, S. C. *See* Schnaper, H. W.
Huberman, E. *See* Salzberg, S.
Hubert, J. F. *See* Le Cahérec, F.
Hucho, F. *See* Schmalz, D.
Hufnagl, P. *See* Zoellner, H.
Hui, N. *See* Nilsson, T.
Huitinga, I. *See* Barbé, E.
Huitorel, P. *See* Bré, M.-H.
Huitorel, P. *See* Gagnon, C.
Hulsman, E. H. M. *See* Niessen, C. M.
Humphries, M. J. *See* Schor, S. L.
Hunt, T. *See* Strausfeld, U. P.
Hunziker, E. B. *See* Buschmann, M. D.
Hurwitz, L. *See* Head, M. W.
Hutchison, C. J. *See* Zhang, C.
Hynes, R. O. *See* Hemmings, L.
Iborra, F. J., Pombo, A., Jackson, D. A. and Cook, P. R. Active RNA polymerases are localized within discrete transcription 'factories' in human nuclei **109**, 1427
Iezzi, M. *See* Regazzi, R.
Ikemura, T. *See* Sakai, T.
Ilan, J. *See* Montarras, D.
Illenye, S. *See* Magae, J.
Ingber, D. E. *See* Dike, L. E.
Inoue, T. *See* Mizuno, T.
Ip, W. *See* Carpenter, D. A.
Ireland, C. M. *See* Fraser, M. J.
Ishida, M., Fok, A. K., Aihara, M. S. and Allen, R. D. Hyperosmotic stress leads to reversible dissociation of the proton pump-bearing tubules from the contractile vacuole complex in *Paramecium* **109**, 229
Ishijima, S., Kubo-Irie, M., Mohri, H. and Hamaguchi, Y. Calcium-dependent bidirectional power stroke of the dynein arms in sea urchin sperm axonemes **109**, 2833
Isseroff, R. R. *See* Nishimura, K. Y.
Ivanov, I. E. *See* Mayer, A.
Iwamatsu, A. *See* McNally, F. J.
Izumi, M. *See* Mizuno, T.
Izumo, S. *See* Jahn, L.
Izumo, S. *See* Malek, A. M.
Jablonski-Stiemke, M. M. *See* Kedzierski, W.
Jackson, A. P. *See* Blackbourn, H. D.
Jackson, D. A. *See* Iborra, F. J.
Jackson, S. P. *See* Le Romancer, M.
Jackson, T. R., Blader, I. J., Hammonds-Odie, L. P., Burga, C. R., Cooke, F., Hawkins, P. T., Wolf, A. G., Heldman, K. A. and Theibert, A. B. Initiation and maintenance of NGF-stimulated neurite outgrowth requires activation of a phosphoinositide 3-kinase **109**, 289
Jahn, L., Sadoshima, J.-I., Greene, A., Parker, C., Morgan, K. G. and Izumo, S. Conditional differentiation of heart – and smooth muscle-derived cells transformed by a temperature-sensitive mutant of SV40 T antigen **109**, 397
Jakes, R. *See* Goedert, M.
Jäkle, U. *See* Rapp, S.
Jalkanen, M. *See* Leppä, S.
Janssen, G. M. C. *See* Sanders, J.
Jarnik, M., Kartasova, T., Steinert, P. M., Lichti, U. and Steven, A. C. Differential expression and cell envelope incorporation of small proline-rich protein 1 in different cornified epithelia **109**, 1381
Javerzat, J.-P. *See* Ekwall, K.
Jean, C. *See* Lajoie-Mazenc, I.
Jégou, B. *See* Chesneau, V.
Jenkins, H. *See* Zhang, C.
Jensen, K. A. *See* Wirth, J. A.
Jeppesen, P. *See* Mitchell, A. R.
Jeppesen, P. *See* Nicol, L.
Job, D. *See* Gagnon, C.
Job, D. *See* Valiron, O.
Jockusch, B. M. *See* Rothkegel, M.
Johannes, L., Doussau, F., Clabecq, A., Henry, J.-P., Darchen, F. and Poulain, B. Evidence for a functional link between Rab3 and the SNARE complex **109**, 2875
Johnson, K. R. *See* Wahl, J. K.
Johnson, T. *See* Bré, M.-H.
Johnson, T. *See* Montarras, D.
Jones, C. and Smythe, C. Activation of the *Xenopus* cyclin degradation machinery by full-length cyclin A **109**, 1071
Jones, G. E. *See* Webb, S. E.
Jones, J. *See* Edmonds, B. T.
Jones, J. C. R. *See* Baker, S. E.
Jones, J. C. R. *See* Plopper, G.
Jones, R., Ma, A., Hou, S.-T., Shalgi, R. and Hall, L. Testicular biosynthesis and epididymal endoproteolytic processing of rat sperm surface antigen 2B1 **109**, 2561
Jonkman, M. F. *See* Niessen, C. M.
Julian, M. *See* Lajoie-Mazenc, I.
Jung, D. *See* Cartaud, A.
Jung-Ching Lin, J. *See* Pelham, R. J. Jr
Jurdic, P. *See* Solari, F.
Just, W. W. *See* Rapp, S.
Juvet, L. K. *See* Tjelle, T. E.
Kaae Holm, P. *See* van Deurs, B.

Kaiser, K. *See* Snaith, H. A.
Kalapothakis, E. *See* Carter, T. D.
Kaldis, P., Stolz, M., Wyss, M., Zanolla, E., Rothen-Rutishauser, B., Vorherr, T. and Wallimann, T. Identification of two distinctly localized mitochondrial creatine kinase isoenzymes in spermatozoa **109**, 2079
Kalkbrenner, F. *See* Schmalz, D.
Kalmes, A., Merdes, G., Neumann, B., Strand, D. and Mechler, B. M. A serine-kinase associated with the p127-*l(2)gl* tumour suppressor of *Drosophila* may regulate the binding of p127 to nonmuscle myosin II heavy chain and the attachment of p127 to the plasma membrane **109**, 1359
Kalt, A. and Schliwa, M. A novel structural component of the *Dictyostelium* centrosome **109**, 3103
Kamiya, R. *See* Nakamura, S.
Kan, F. W. K. *See* Lavoie, C.
Kaprielian, Z., Robinson, S. W., Fambrough, D. M. and Kessler, P. D. Movement of Ca^{2+}-ATPase molecules within the sarcoplasmic/endoplasmic reticulum in skeletal muscle **109**, 2529
Kartasova, T. *See* Jarnik, M.
Kaufmann, D. *See* Goebeler, M.
Kawahara, K. *See* Kitajima, I.
Kawashima, A. *See* Kinoh, H.
Kedzierski, W., Moghrabi, W. N., Allen, A. C., Jablonski-Stiemke, M. M., Azarian, S. M., Bok, D. and Travis, G. H. Three homologs of rds/peripherin in *Xenopus laevis* photoreceptors that exhibit covalent and non-covalent interactions **109**, 2551
Keene, J. D. *See* Gao, F.-B.
Kellermann, O. *See* Laoide, B. M.
Kelly, M. G. *See* Gilbert, R.
Kemler, R. *See* Hertig, C. M.
Kempf, A. *See* Lourim, D.
Kessler, P. D. *See* Kaprielian, Z.
Keyse, S. *See* Abrieu, A.
Khrestchatisky, M. *See* Ferhat, L.
Kibbey, M. C. *See* Hoffman, M. P.
Kibble, A. V., Barnard, R. J. O. and Burgoyne, R. D. Patch-clamp capacitance analysis of the effects of α-SNAP on exocytosis in adrenal chromaffin cells **109**, 2417
Kikuchi, Y. *See* Hitomi, J.
Kill, I. R. Localisation of the Ki-67 antigen within the nucleolus. Evidence for a fibrillarin-deficient region of the dense fibrillar component **109**, 1253
Kim, D.-S. *See* Wilson, D. J. A.
Kim, Y.-J. *See* Buschmann, M. D.
Kimura, T. *See* Hitomi, J.
King-Smith, C., Chen, P., Garcia, D., Rey, H. and Burnside, B. Calcium-independent regulation of pigment granule aggregation and dispersion in teleost retinal pigment epithelial cells **109**, 33
Kinoh, H., Sato, H., Tsunezuka, Y., Takino, T., Kawashima, A., Okada, Y. and Seiki, M. MT-MMP, the cell surface activator of proMMP-2 (pro-gelatinase A), is expressed with its substrate in mouse tissue during embryogenesis **109**, 953
Kioussis, D. *See* Capel, B.
Kipling, D. *See* Mitchell, A. R.
Kippert, F. An ultradian clock controls locomotor behaviour and cell division in isolated cells of *Paramecium tetraurelia* **109**, 867
Kishimoto, Y., Murate, M. and Sugiyama, T. Hydra regeneration from recombined ectodermal and endodermal tissue. I. Epibolic ectodermal spreading is driven by cell intercalation **109**, 763
Kitagawa, S. *See* Sakai, T.
Kitajima, I., Kawahara, K., Hanyu, N., Shin, H., Tokioka, T., Soejima, Y., Tsutsui, J., Ozawa, M., Shimayama, T. and Maruyama, I. Enhanced E-cadherin expression and increased calcium-dependent cell-cell adhesion in Human T-cell leukemia virus type I Tax-expressing PC12 cells **109**, 609
Klein, C. E. *See* Goebeler, M.
Kleinman, H. K. *See* Hoffman, M. P.
Kleinman, H. K. *See* Schnaper, H. W.
Klotman, P. E. *See* Schnaper, H. W.
Knippers, R. *See* Krude, T.
Kobayashi, A. *See* Mizuno, T.
Kobayashi, R. *See* Watakabe, A.
Koch, S. *See* Hertig, C. M.
Köhler, J. *See* Stoeckelhuber, M.
Kokorine, I., Marbaix, E., Henriet, P., Okada, Y., Donnez, J., Eeckhout, Y. and Courtoy, P. J. Focal cellular origin and regulation of interstitial collagenase (matrix metalloproteinase-1) are related to menstrual breakdown in the human endometrium **109**, 2151
Kölling, R. *See* Bauer, A.
Komiyama, M., Soldati, T., von Arx, P. and Perriard, J.-C. The intracompartmental sorting of myosin alkali light chain isoproteins reflects the sequence of developmental expression as determined by double epitope-tagging competition **109**, 2089
Komma, D. J. *See* Endow, S. A.
Kong, F. *See* Hallett, M. A.
Koo, C. H. *See* Koo, E. H.
Koo, E. H. *See* Yamazaki, T.
Koo, E. H., Squazzo, S. L., Selkoe, D. J. and Koo, C. H. Trafficking of cell-surface amyloid β-protein precursor I. Secretion, endocytosis and recycling as detected by labeled monoclonal antibody **109**, 991
Kopf, G. S. *See* Moos, J.
Kopp, J. B. *See* Schnaper, H. W.
Köppel, B. *See* Rivero, F.
Kosik, K. S. *See* DiTella, M. C.
Kosik, K. S. *See* Ferreira, A.
Kossner, U. *See* Ewald, A.
Kramer, R. H. *See* Yao, C.-C.
Krieg, T. *See* Schaefer, T.
Krohne, G. *See* Lourim, D.
Krozowski, Z. S. *See* van Steensel, B.
Krude, T., Musahl, C., Laskey, R. A. and Knippers, R. Human replication proteins hCdc21, hCdc46 and P1Mcm3 bind chromatin uniformly before S-phase and are displaced locally during DNA replication **109**, 309
Kubo-Irie, M. *See* Ishijima, S.
Kuff, E. L. *See* Fewell, J. W.
La Thangue, N. B. *See* de la Luna, S.
Labbé, J.-C. *See* Abrieu, A.
Lach, B. *See* Weaver, V. M.
Lajoie-Mazenc, I., Détraves, C., Rotaru, V., Garès, M., Tollon, Y., Jean, C., Julian, M., Wright, M. and Raynaud-Messina, B. A single gamma-tubulin gene and mRNA, but two gamma-tubulin polypeptides differing by their binding to the spindle pole organizing centres **109**, 2483
Lalani, E.-N. *See* Williams, R.
Lamalle, D. *See* Gobron, S.
Lane, D. P. *See* Renzing, J.
Lane, K. *See* Webb, C. P.
Lang, J. *See* Regazzi, R.
Lanoix, J. *See* Lavoie, C.
Laoide, B. M., Courty, Y., Gastinne, I., Thibaut, C., Kellermann, O. and Rougeon, F. Immortalised mouse submandibular epithelial cell lines retain polarised structural and functional properties **109**, 2789
Larsson, E. *See* Falk, M.
Laskey, R. A. *See* Krude, T.
Lauffenburger, D. A. *See* Palecek, S. P.
Laurent, M. and Fleury, A. Hysteretic behavior and differential apparent stability properties of microtubule species emerge from the regulation of post-translational modifications of microtubules **109**, 419
Lavoie, C., Lanoix, J., Kan, F. W. K. and Paiement, J. Cell-free assembly of rough and smooth endoplasmic reticulum **109**, 1415
Le Cahérec, F., Bron, P., Verbavatz, J. M., Garret, A., Morel, G., Cavalier, A., Bonnec, G., Thomas, D., Gouranton, J. and Hubert, J. F. Incorporation of proteins into (*Xenopus*) oocytes by proteoliposome microinjection: functional characterization of a novel aquaporin **109**, 1285
Le Guellec, K. *See* Chevalier, S.
Le Guellec, R. *See* Chevalier, S.
Le Romancer, M., Cosulich, S. C., Jackson, S. P. and Clarke, P. R. Cleavage and inactivation of DNA-dependent protein kinase catalytic subunit during apoptosis in *Xenopus* egg extracts **109**, 3121
Leader, D. J. *See* Beven, A. F.
Lechtreck, K.-F., Frins, S., Bilski, J., Teltenkotter, A., Weber, K. and Melkonian, M. The cruciated microtubule-associated fibers of the green alga *Dunaliella bioculata* consist of a 31 kDa SF-assemblin **109**, 827
Lee, C.-W. *See* de la Luna, S.
Lee, R. *See* Beven, A. F.
Legouis, R. *See* Soussi-Yanicostas, N.
Lehenkari, P. *See* Salo, J.
Lehmann, W. *See* Gobron, S.
Leitch, A. R. *See* Chandley, A. C.
Leno, G. H. *See* Dundr, M.
Lentini, S. *See* Fassler, R.
Leppä, S., Vleminckx, K., Van Roy, F. and Jalkanen, M. Syndecan-1 expression in mammary epithelial tumor cells is E-cadherin-dependent **109**, 1393
Leptin, M. *See* Straub, K. L.
LeRoy, E. C. *See* Tourkin, A.
Letourneau, P. C. *See* Challacombe, J. F.
Letterio, J. J. *See* Hoffman, M. P.
Levi, S. *See* Escher, G.
Levilliers, J. *See* Soussi-Yanicostas, N.
Levilliers, N. *See* Bré, M.-H.
Lewis, N. *See* Dundr, M.
Lichti, U. *See* Jarnik, M.
Lieber, J. G. and Evans, R. M. Disruption of the vimentin intermediate filament system during adipose conversion of 3T3-L1 cells inhibits lipid droplet accumulation **109**, 3047
Lin, C.-H. *See* Thompson, C.
Lincoln, T. M. *See* Murphy-Ullrich, J. E.
Lindén, L. *See* Ng-Sikorski, J.
Litscher, E. S. *See* Wassarman, P. M.
Liu, C. *See* Wassarman, P. M.
Liu, J. *See* Xu, J.
Liu, M. *See* Xu, J.
Liu, T. and Clarke, M. The vacuolar proton pump of *Dictyostelium discoideum*: molecular cloning and analysis of the 100 kDa subunit **109**, 1041
Lockie, S. *See* Zoellner, H.
Logarinho, E. *See* Santos, J. A.
Lohman, P. H. M. *See* Muris, D. F. R.
Loo, M. A. *See* Giese, A.
Loomis, P. A. *See* Straube-West, K.
Lorca, T. *See* Abrieu, A.
Louis, C. F. *See* Churchill, G. C.
Lourim, D., Kempf, A. and Krohne, G. Characterization and quantitation of three B-type lamins in *Xenopus* oocytes and eggs: increase of lamin L_1 protein synthesis during meiotic maturation **109**, 1775
Louvard, D. *See* Durrbach, A.
Lovell-Badge, R. *See* Capel, B.
Lowe, S. L., Wong, S. H. and Hong, W. The mammalian ARF-like protein 1 (Arl1) is associated with the Golgi complex **109**, 209
Ludin, B., Ashbridge, K., Fünfschilling, U. and Matus, A. Functional analysis of the MAP2 repeat domain **109**, 91
Ludosky, M. A. *See* Cartaud, A.
Lührmann, R. *See* Dickmanns, A.
Lull, J. *See* Moursi, A. M.
Lussier, M. *See* Michel, M.
Luzio, J. P. *See* Reaves, B. J.
Luzio, J. P. *See* Shurety, W.
Lynch, R. D. *See* McCarthy, K. M.
Ma, A. *See* Jones, R.
Machamer, C. E. *See* Cluett, E. B.
Mackie, E. J. and Ramsey, S. Modulation of osteoblast behaviour by tenascin **109**, 1597
Mackie, S. *See* Stettler, S.
Maeda, T. *See* Nakamura, S.
Magae, J., Wu, C.-L., Illenye, S., Harlow, E. and Heintz, N. H. Nuclear localization of DP and E2F transcription factors by heterodimeric partners and retinoblastoma protein family members **109**, 1717
Magnaldo, T. and Barrandon, Y. CD24 (heat stable antigen, nectadrin), a novel keratinocyte differentiation marker, is preferentially expressed in areas of the hair follicle containing the colony-forming cells **109**, 3035
Majewska-Sawka, A. and Rodriguez-Garcia, M. I. rRNA distribution during microspore development in anthers of *Beta vulgaris* L.: quantitative in situ hybridization analysis **109**, 859

Malde, P. *See* Collins, M. K. L.
Malek, A. M. and Izumo, S. Mechanism of endothelial cell shape change and cytoskeletal remodeling in response to fluid shear stress **109**, 713
Maller, J. L. *See* Strausfeld, U. P.
Mallet, W. G. and Brodsky, F. M. A membrane-associated protein complex with selective binding to the clathrin coat adaptor AP1 **109**, 3059
Maltsev, V. *See* Fassler, R.
Mantrova, E. *See* Tourkin, A.
Marano, F. *See* Boland, S.
Marbaix, E. *See* Kokorine, I.
Markl, J. *See* Herrmann, H.
Marmorstein, A. D., Bonilha, V. L., Chiflet, S., Neill, J. M. and Rodriguez-Boulan, E. The polarity of the plasma membrane protein RET-PE2 in retinal pigment epithelium is developmentally regulated **109**, 3025
Marshall-Clarke, S. *See* Wilson, D. J. A.
Marshallsay, C. *See* Dickmanns, A.
Martin, S. R. *See* Symmons, M. F.
Maruyama, I. *See* Kitajima, I.
Maruyama, K. *See* Hitomi, J.
Masaki, R. *See* Yamamoto, A.
Masuda, H. and Shibata, T. Role of γ tubulin in mitosis-specific microtubule nucleation from the *Schizosaccharomyces pombe* spindle pole body **109**, 165
Matheson, F. *See* Gleeson, P. A.
Matlin, K. S. *See* Zuk, A.
Matranga, V. *See* Cervello, M.
Matsumoto, K.-i. *See* Sakai, T.
Matsunaga, T. *See* Nakamura, S.
Matsusaka, T. *See* Toda, T.
Matus, A. *See* Ludin, B.
Matzner, M. *See* Sasaki, T.
Maurice, M. *See* Hemery, I.
Mayboroda, O. *See* Rothkegel, M.
Mayer, A., Ivanov, I. E., Gravotta, D., Adesnik, M. and Sabatini, D. D. Cell-free reconstitution of the transport of viral glycoproteins from the TGN to the basolateral plasma membrane of MDCK cells **109**, 1667
McCaig, C. D. *See* Zhao, M.
McCarthy, K. M., Skare, I. B., Stankewich, M. C., Furuse, M., Tsukita, S., Rogers, R. A., Lynch, R. D. and Schneeberger, E. E. Occludin is a functional component of the tight junction **109**, 2287
McGranahan-Sadler, T. M. *See* Wahl, J. K.
McNally, F. J., Okawa, K., Iwamatsu, A. and Vale, R. D. Katanin, the microtubule-severing ATPase, is concentrated at centrosomes **109**, 561
Mechler, B. M. *See* Kalmes, A.
Meiniel, A. *See* Gobron, S.
Meiniel, R. *See* Gobron, S.
Melkonian, M. *See* Lechtreck, K.-F.
Mendrick, D. L. *See* Yao, C.-C.
Meng, X., Devin, J., Sullivan, W. P., Toft, D., Baulieu, E.-E. and Catelli, M.-G. Mutational analysis of Hsp90α dimerization and subcellular localization: dimer disruption does not impede 'in vivo' interaction with estrogen receptor **109**, 1677
Merdes, G. *See* Kalmes, A.
Metcalfe, A. *See* Pullan, S.
Metsikkö, K. *See* Rahkila, P.
Metsikkö, K. *See* Salo, J.
Michel, M., Török, N., Godbout, M.-J., Lussier, M., Gaudreau, P., Royal, A. and Germain, L. Keratin 19 as a biochemical marker of skin stem cells in vivo and in vitro: keratin 19 expressing cells are differentially localized in function of anatomic sites, and their number varies with donor age and culture stage **109**, 1017
Mikawa, T. *See* Gilbert, R.
Miller, C. C. J. *See* Wagner, U.
Milon, G. *See* Bouckson-Castaing, V.
Mitchell, A. R., Jeppesen, P., Nicol, L., Morrison, H. and Kipling, D. Epigenetic control of mammalian centromere protein binding: does DNA methylation have a role? **109**, 2199
Mitchison, J. M. *See* Creanor, J.
Mitchison, J. M. *See* Sveiczer, A.
Mitra, J. and Schultz, R. M. Regulation of the acquisition of meiotic competence in the mouse: changes in the subcellular localization of cdc2, cyclin B1, cdc25C and wee1, and in the concentration of these proteins and their transcripts **109**, 2407
Mizuno, T., Okamoto, T., Yokoi, M., Izumi, M., Kobayashi, A., Hachiya, T., Tamai, K., Inoue, T. and Hanaoka, F. Identification of the nuclear localization signal of mouse DNA primase: nuclear transport of p46 subunit is facilitated by interaction with p54 subunit **109**, 2627
Moghrabi, W. N. *See* Kedzierski, W.
Mohri, H. *See* Ishijima, S.
Möller, W. *See* Sanders, J.
Molony, L. *See* Ng-Sikorski, J.
Monier, M.-N. *See* Panterne, B.
Monnerie, H. *See* Gobron, S.
Montarras, D., Aurade, F., Johnson, T., Ilan, J., Gros, F. and Pinset, C. Autonomous differentiation in the mouse myogenic cell line, C2, involves a mutual positive control between insulin-like growth factor II and MyoD, operating as early as at the myoblast stage **109**, 551
Monteiro, M. J. *See* Starr, R.
Moos, J., Kopf, G. S. and Schultz, R. M. Cycloheximide-induced activation of mouse eggs: effects on cdc2/cyclin B and MAP kinase activities **109**, 739
Mooseker, M. S. *See* Wirth, J. A.
Morel, G. *See* Le Cahérec, F.
Morel, P. *See* Regazzi, R.
Morgan, K. G. *See* Jahn, L.
Morimoto, T. and Ogihara, S. ATP is required in platelet serotonin exocytosis for protein phosphorylation and priming of secretory vesicles docked on the plasma membrane **109**, 113
Morin, N. *See* Abrieu, A.
Morrison, H. *See* Mitchell, A. R.
Morrison, I. E. G. *See* Wilson, K. M.
Mosgoeller, W., Steiner, M., Hozák, P., Penner, E. and Wesierska-Gadek, J. Nuclear architecture and ultrastructural distribution of poly(ADP-ribosyl) transferase, a multifunctional enzyme **109**, 409
Mosher, D. F. *See* Schor, S. L.
Moss, D. J. *See* Wilson, D. J. A.
Mostov, K. *See* Reich, V.
Moudjou, M. *See* Bouckson-Castaing, V.
Moudjou, M. *See* Paoletti, A.
Moudjou, M., Bordes, N., Paintrand, M. and Bornens, M. γ-Tubulin in mammalian cells: the centrosomal and the cytosolic forms **109**, 875
Mould, A. P. *See* Schor, S. L.
Mould, A. P. Getting integrins into shape: recent insights into how integrin activity is regulated by conformational changes **109**, 2613
Moursi, A. M., Damsky, C. H., Lull, J., Zimmerman, D., Doty, S. B., Aota, S.-i. and Globus, R. K. Fibronectin regulates calvarial osteoblast differentiation **109**, 1369
Mucklow, S. *See* Bouckson-Castaing, V.
Müller, P. *See* Pomorski, T.
Mullock, B. M. *See* Reaves, B. J.
Multigner, L. *See* Gagnon, C.
Münick, M. D. *See* Herrmann, H.
Murate, M. *See* Kishimoto, Y.
Muris, D. F. R., Vreeken, K., Carr, A. M., Murray, J. M., Smit, C., Lohman, P. H. M. and Pastink, A. Isolation of the *Schizosaccharomyces pombe RAD54* homologue, *rhp54*$^+$, a gene involved in the repair of radiation damage and replication fidelity **109**, 73
Murphy-Ullrich, J. E., Pallero, M. A., Boerth, N., Greenwood, J. A., Lincoln, T. M. and Cornwell, T. L. Cyclic GMP-dependent protein kinase is required for thrombospondin and tenascin mediated focal adhesion disassembly **109**, 2499
Murray, J. M. *See* Muris, D. F. R.
Musahl, C. *See* Krude, T.
Nachtsheim, C. *See* Hatzfeld, M.
Nagasaki, K. *See* Hitomi, J.
Nagasaki, T. and Gundersen, G. G. Depletion of lysophosphatidic acid triggers a loss of oriented detyrosinated microtubules in motile fibroblasts **109**, 2461
Nakamura, M. *See* Sakai, T.
Nakamura, S., Tanaka, G., Maeda, T., Kamiya, R., Matsunaga, T. and Nikaido, O. Assembly and function of *Chlamydomonas* flagellar mastigonemes as probed with a monoclonal antibody **109**, 57
Nakashima, N., Hayashi, N., Noguchi, E. and Nishimoto, T. Putative GTPase Gtr1p genetically interacts with the RanGTPase cycle in *Saccharomyces cerevisiae* **109**, 2311
Neer, E. J. *See* Nuße, O.
Neill, J. M. *See* Marmorstein, A. D.
Nemoto, T. *See* Toda, T.
Neumann, B. *See* Kalmes, A.
Newton, J. P. *See* Buckley, C. D.
Ng-Sikorski, J., Lindén, L., Eierman, D., Franzen, L., Molony, L. and Andersson, T. Engagement of L-selectin impairs the actin polymerizing capacity of β_2-integrins on neutrophils **109**, 2361
Nicol, L. *See* Mitchell, A. R.
Nicol, L. and Jeppesen, P. Chromatin organization in the homogeneously staining regions of a methotrexate-resistant mouse cell line: interspersion of inactive and active chromatin domains distinguished by acetylation of histone H4 **109**, 2221
Niessen, C. M., van der Raaij-Helmer, L. M. H., Hulsman, E. H. M., van der Neut, R., Jonkman, M. F. and Sonnenberg, A. Deficiency of the integrin β4 subunit in junctional epidermolysis bullosa with pyloric atresia: consequences for hemidesmosome formation and adhesion properties **109**, 1695
Nikaido, O. *See* Nakamura, S.
Nilsson, T. *See* Ponnambalam, S.
Nilsson, T., Rabouille, C., Hui, N., Watson, R. and Warren, G. The role of the membrane-spanning domain and stalk region of *N*-acetylglucosaminyltransferase I in retention, kin recognition and structural maintenance of the Golgi apparatus in HeLa cells **109**, 1975
Nimmo, E. R. *See* Ekwall, K.
Nishimoto, T. *See* Nakashima, N.
Nishimura, K. Y., Isseroff, R. R. and Nuccitelli, R. Human keratinocytes migrate to the negative pole in direct current electric fields comparable to those measured in mammalian wounds **109**, 199
Niwa, H. *See* Toda, T.
Noda, Y. *See* Beech, P. L.
Noegel, A. A. *See* Rivero, F.
Noegel, A. A. *See* Stoeckelhuber, M.
Noel, J., Roux, D. and Pouysségur, J. Differential localization of Na^+/H^+ exchanger isoforms (NHE1 and NHE3) in polarized epithelial cell lines **109**, 929
Noguchi, E. *See* Nakashima, N.
Norman, S. A. *See* Giese, A.
Novak, B. *See* Sveiczer, A.
Novak, K. D. *See* Temesvari, L. A.
Novikoff, P. M., Cammer, M., Tao, L., Oda, H., Stockert, R. J., Wolkoff, A. W. and Satir, P. Three-dimensional organization of rat hepatocyte cytoskeleton: relation to the asialoglycoprotein endocytosis pathway **109**, 21
Nuccitelli, R. *See* Nishimura, K. Y.
Nurse, P. *See* Chang, F.
Nuße, O. and Neer, E. J. Localization of $G\alpha_o$ to growth cones in PC12 cells: role of $G\alpha_o$ association with receptors and Gβγ **109**, 221
Ochiai, H. *See* Funamoto, S.
Oda, H. *See* Novikoff, P. M.
Odgren, P. R., Toukatly, G., Bangs, P. L., Gilmore, R. and Fey, E. G. Molecular characterization of mitofilin (HMP), a mitochondria-associated protein with predicted coiled coil and intermembrane space targeting domains **109**, 2253
Ogden, D. *See* Carter, T. D.
Ogihara, S. *See* Morimoto, T.
Ohanian, V. *See* Hemmings, L.
Okada, Y. *See* Kinoh, H.
Okada, Y. *See* Kokorine, I.
Okamoto, T. *See* Mizuno, T.
Okawa, K. *See* McNally, F. J.
Okishio, N., Adachi, Y. and Yanagida, M. Fission yeast Nda1 and Nda4, MCM homologs required for DNA replication, are constitutive nuclear proteins **109**, 319
Oliver, J. *See* Collins, M. K. L.
Olson, M. O. J. *See* Dundr, M.

Opal, P. *See* Chou, Y.-H.
Opal, P. *See* Straube-West, K.
Orr-Weaver, T. L. *See* Page, A. W.
Ostrowski, L. E. *See* Criswell, P. S.
Overly, C. C., Rieff, H. I. and Hollenbeck, P. J. Organelle motility and metabolism in axons vs dendrites of cultured hippocampal neurons **109**, 971
Owen, C. E. *See* Ponnambalam, S.
Ozawa, M. *See* Kitajima, I.
Paddy, M. R., Saumweber, H., Agard, D. A. and Sedat, J. W. Time-resolved, in vivo studies of mitotic spindle formation and nuclear lamina breakdown in *Drosophila* early embryos **109**, 591
Page, A. W. and Orr-Weaver, T. L. The *Drosophila* genes *grauzone* and *cortex* are necessary for proper female meiosis **109**, 1707
Pagh-Roehl, K. *See* Beech, P. L.
Paiement, J. *See* Lavoie, C.
Paintrand, M. *See* Moudjou, M.
Paintrand, M. *See* Paoletti, A.
Palecek, S. P., Schmidt, C. E., Lauffenburger, D. A. and Horwitz, A. F. Integrin dynamics on the tail region of migrating fibroblasts **109**, 941
Pallero, M. A. *See* Murphy-Ullrich, J. E.
Palokangas, H. *See* Salo, J.
Panterne, B., Hatzfeld, A., Sansilvestri, P., Cardoso, A., Monier, M.-N., Batard, P. and Hatzfeld, J. IL-3, GM-CSF and CSF-1 modulate *c-fms* mRNA more rapidly in human early monocytic progenitors than in mature or transformed monocytic cells **109**, 1795
Paoletti, A., Moudjou, M., Paintrand, M., Salisbury, J. L. and Bornens, M. Most of centrin in animal cells is not centrosome-associated and centrosomal centrin is confined to the distal lumen of centrioles. **109**, 3089
Papaioannou, A. *See* Fraser, M. J.
Parker, C. *See* Jahn, L.
Pastink, A. *See* Muris, D. F. R.
Patel, B. *See* Hemmings, L.
Paturle-Lafanechère, L. *See* Gagnon, C.
Patzlaff, J. S. *See* Paulson, J. R.
Paulson, J. R., Patzlaff, J. S. and Vallis, A. J. Evidence that the endogenous histone H1 phosphatase in HeLa mitotic chromosomes is protein phosphatase 1, not protein phosphatase 2A **109**, 1437
Pavasant, P., Shizari, T. and Underhill, C. B. Hyaluronan contributes to the enlargement of hypertrophic lacunae in the growth plate **109**, 327
Pech, L. L. and Strand, M. R. Granular cells are required for encapsulation of foreign targets by insect haemocytes **109**, 2053
Pelham, R. J. Jr, Jung-Ching Lin, J. and Wang, Y.-l. A high molecular mass non-muscle tropomyosin isoform stimulates retrograde organelle transport **109**, 981
Penner, E. *See* Mosgoeller, W.
Peracino, B. *See* Rivero, F.
Perriard, J.-C. *See* Komiyama, M.
Perry, A. C. F. *See* Ponnambalam, S.
Peterson, M. D. *See* Temesvari, L. A.
Petit, C. *See* Soussi-Yanicostas, N.
Pettit, E. J. and Hallett, M. B. Localised and global cytosolic Ca^{2+} changes in neutrophils during engagement of Cd11b/CD18 integrin visualised using confocal laser scanning reconstruction **109**, 1689
Philippe, M. *See* Chevalier, S.
Pignatelli, M. *See* Williams, R.
Pinset, C. *See* Montarras, D.
Pittman, S. M. *See* Fraser, M. J.
Plopper, G. *See* Baker, S. E.
Plopper, G., Falk-Marzillier, J., Glaser, S., Fitchmun, M., Giannelli, G., Romano, T., Jones, J. C. R. and Quaranta, V. Changes in expression of monoclonal antibody epitopes on laminin-5r induced by cell contact **109**, 1965
Ploug, T. *See* Ralston, E.
Poccia, D. *See* Collas, P.
Pollard, J. W. *See* Webb, S. E.
Pombo, A. *See* Iborra, F. J.
Pomorski, T., Müller, P., Zimmermann, B., Burger, K., Devaux, P. F. and Herrmann, A. Transbilayer movement of fluorescent and spin-labeled phospholipids in the plasma membrane of human fibroblasts: a quant **109**, 687
Poncelet, A. C. *See* Schnaper, H. W.
Ponnambalam, S., Girotti, M., Yaspo, M.-L., Owen, C. E., Perry, A. C. F., Suganuma, T., Nilsson, T., Fried, M., Banting, G. and Warren, G. Primate homologues of rat TGN38: primary structure, expression and functional implications **109**, 675
Ponstingl, H. *See* Bastians, H.
Ponstingl, H. *See* Dickmanns, A.
Post, M. *See* Xu, J.
Post, P. L. *See* Wirth, J. A.
Pouchelet, M. *See* Boland, S.
Poulain, B. *See* Johannes, L.
Pouysségur, J. *See* Noel, J.
Prat, A. *See* Chesneau, V.
Prescott, A. R. *See* Stirling, D. A.
Priddle, H. *See* Hemmings, L.
Prochnik, S. *See* Stettler, S.
Pullan, S., Wilson, J., Metcalfe, A., Edwards, G. M., Goberdhan, N., Tilly, J., Hickman, J. A., Dive, C. and Streuli, C. H. Requirement of basement membrane for the suppression of programmed cell death in mammary epithelium **109**, 631
Puvion-Dutilleul, F. *See* Besse, S.
Pypaert, M. *See* Hauser, R.
Quaranta, V. *See* Baker, S. E.
Quaranta, V. *See* Colucci, S.
Quaranta, V. *See* Plopper, G.
Quatrano, R. S. *See* Shaw, S. L.
Quibell, M. *See* Bré, M.-H.
Quinlan, R. A. *See* Chou, Y.-H.
Rabouille, C. *See* Nilsson, T.
Rahkila, P., Alakangas, A., Väänänen, K. and Metsikkö, K. Transport pathway, maturation, and targetting of the vesicular stomatitis virus glycoprotein in skeletal muscle fibers **109**, 1585
Ralston, E. and Ploug, T. GLUT4 in cultured skeletal myotubes is segregated from the transferrin receptor and stored in vesicles associated with the TGN **109**, 2967
Ramsey, S. *See* Mackie, E. J.
Rapp, S., Saffrich, R., Anton, M., Jäkle, U., Ansorge, W., Gorgas, K. and Just, W. W. Microtubule-based peroxisome movement **109**, 837
Rasio, E. A. *See* Bendayan, M.
Ravazzola, M. *See* Regazzi, R.
Rawlins, J. *See* Harris, H.
Raymond, Y. *See* Weaver, V. M.
Raynaud-Messina, B. *See* Lajoie-Mazenc, I.
Rayner, T. F. *See* Stirling, D. A.
Razaz, M. *See* Beven, A. F.
Reaves, B. J., Bright, N. A., Mullock, B. M. and Luzio, J. P. The effect of wortmannin on the localisation of lysosomal type I integral membrane glycoproteins suggests a role for phosphoinositide 3-kinase activity in regulating membrane traffic late in the endocytic pathway **109**, 749
Reckmann, I. *See* Cudmore, S.
Redeker, V. *See* Bré, M.-H.
Reedy, M. *See* Castellani, L.
Rees, D. J. G. *See* Hemmings, L.
Regazzi, R., Ravazzola, M., Iezzi, M., Lang, J., Zahraoui, A., Andereggen, E., Morel, P., Takai, Y. and Wollheim, C. B. Expression, localization and functional role of small GTPases of the Rab3 family in insulin-secreting cells **109**, 2265
Reich, V., Mostov, K. and Aroeti, B. The basolateral sorting signal of the polymeric immunoglobulin receptor contains two functional domains **109**, 2133
Rekosh, D. *See* Dundr, M.
Remington, S. *See* Goulielmos, G.
Rempel, R. E. *See* Strausfeld, U. P.
Renzing, J., Hansen, S. and Lane, D. P. Oxidative stress is involved in the UV activation of p53 **109**, 1105
Represa, A. *See* Ferhat, L.
Reuß, B. *See* Dahl, E.
Rey, H. *See* King-Smith, C.
Ridley, A. J. *See* Flinn, H. M.
Rieff, H. I. *See* Overly, C. C.
Rieger, D. *See* Stoeckelhuber, M.
Riparbelli, M. G. and Callaini, G. Meiotic spindle organization in fertilized *Drosophila* oocyte: presence of centrosomal components in the meiotic apparatus **109**, 911
Rivas, A. L. *See* Collins, M. K. L.
Rivero, F., Köppel, B., Peracino, B., Bozzaro, S., Siegert, F., Weijer, C. J., Schleicher, M., Albrecht, R. and Noegel, A. A. The role of the cortical cytoskeleton: F-actin crosslinking proteins protect against osmotic stress, ensure cell size, cell shape and motility, and contribute to phagocytosis and development **109**, 2679
Robinson, D. G. *See* Hohl, I.
Robinson, S. W. *See* Kaprielian, Z.
Rochat, A. *See* Roudier-Pujol, C.
Rodriguez, P. *See* Decaens, C.
Rodriguez-Boulan, E. *See* Marmorstein, A. D.
Rodriguez-Garcia, M. I. *See* Majewska-Sawka, A.
Rodriguez-Paris, J. M. *See* Temesvari, L. A.
Roger, P. P. *See* Depoortere, F.
Rogers, R. A. *See* McCarthy, K. M.
Rohde, M. *See* Rothkegel, M.
Rohwedel, J. *See* Fassler, R.
Romano, T. *See* Plopper, G.
Rosenbaum, J. L. *See* Beech, P. L.
Rossier, J. *See* Bré, M.-H.
Rotaru, V. *See* Lajoie-Mazenc, I.
Roth, J. *See* Thorens, B.
Rothen-Rutishauser, B. *See* Kaldis, P.
Rothkegel, M., Mayboroda, O., Rohde, M., Wucherpfennig, C., Valenta, R. and Jockusch, B. M. Plant and animal profilins are functionally equivalent and stabilize microfilaments in living animal cells **109**, 83
Roudier-Pujol, C., Rochat, A., Escoubet, B., Eugène, E., Barrandon, Y., Bonvalet, J. P. and Farman, N. Differential expression of epithelial sodium channel subunit mRNAs in rat skin **109**, 379
Rougeon, F. *See* Laoide, B. M.
Rougon, G. *See* Cervello, M.
Roux, D. *See* Noel, J.
Roux, M. *See* Schaefer, T.
Royal, A. *See* Michel, M.
Ruggiero, F., Comte, J., Cabañas, C. and Garrone, R. Structural requirements for $\alpha 1\beta 1$ and $\alpha 2\beta 1$ integrin mediated cell adhesion to collagen V **109**, 1865
Russell, D. G. *See* Haynes, P. A.
Ryeom, S. W., Sparrow, J. R. and Silverstein, R. L. CD36 participates in the phagocytosis of rod outer segments by retinal pigment epithelium **109**, 387
Sabatini, D. D. *See* Mayer, A.
Sacco, P. A. *See* Wahl, J. K.
Sadoshima, J.-I. *See* Jahn, L.
Saffrich, R. *See* Rapp, S.
Saito, Y. *See* Ueki, S.
Sakai, T., Furukawa, Y., Chiquet-Ehrismann, R., Nakamura, M., Kitagawa, S., Ikemura, T. and Matsumoto, K.-i. Tenascin-X expression in tumor cells and fibroblasts: glucocorticoids as negative regulators in fibroblasts **109**, 2069
Sale, W. S. *See* Habermacher, G.
Salisbury, J. L. *See* Paoletti, A.
Salmivirta, K. *See* Falk, M.
Salmon, E. D. *See* Waters, J. C.
Salo, J., Metsikkö, K., Palokangas, H., Lehenkari, P. and Väänänen, H. K. Bone-resorbing osteoclasts reveal a dynamic division of basal plasma membrane into two different domains **109**, 301
Salzberg, S., Heller, A., Zou, J.-P., Collart, F. R. and Huberman, E. Interferon-independent activation of (2′-5′) oligoadenylate synthetase in Friend erythroleukemia cell variants exposed to HMBA **109**, 1517
Samejima, I. *See* Su, S. S. Y.
Sanders, J., Brandsma, M., Janssen, G. M. C., Dijk, J. and Möller, W. Immunofluorescence studies of human fibroblasts demonstrate the presence of the complex of elongation factor-1$\beta\gamma\delta$ in the endoplasmic reticulum **109**, 1113
Sandvig, K. *See* van Deurs, B.
Sansilvestri, P. *See* Panterne, B.
Santo, P. D., Blanchard, B. and Hoffman, C. S. The *Schizosaccharomyces pombe* pyp1 protein tyrosine phosphatase negatively regulates nutrient monitoring pathways **109**, 1919

Santos, J. A., Logarinho, E., Tapia, C., Allende, C. C., Allende, J. E. and Sunkel, C. E. The casein kinase 1α gene of *Drosophila melanogaster* is developmentally regulated and the kinase activity of the protein induced by DNA damage **109**, 1847
Saredi, A., Howard, L. and Compton, D. A. NuMA assembles into an extensive filamentous structure when expressed in the cell cytoplasm **109**, 619
Sasaki, T., Wiedemann, H., Matzner, M., Chu, M.-L. and Timpl, R. Expression of fibulin-2 by fibroblasts and deposition with fibronectin into a fibrillar matrix **109**, 2895
Satir, P. *See* Novikoff, P. M.
Sato, H. *See* Kinoh, H.
Sato, N. *See* Furuse, M.
Saumweber, H. *See* Paddy, M. R.
Sauppé, L. M. *See* Wahl, J. K.
Schaefer, T., Roux, M., Stuhlsatz, H. W., Herken, R., Coulomb, B., Krieg, T. and Smola, H. Glycosaminoglycans modulate cell-matrix interactions of human fibroblasts and endothelial cells in vitro **109**, 479
Schaller, H. C. *See* Scheurlen, I.
Scheer, U. *See* Ewald, A.
Scheurlen, I., Hoffmeister, S. A. H. and Schaller, H. C. Presence and expression of G_2 cyclins in the coelenterate hydra **109**, 1063
Schiebel, E. *See* Spang, A.
Schlamp, C. L. *See* Hallett, M. A.
Schleicher, M. *See* Rivero, F.
Schleicher, M. *See* Stoeckelhuber, M.
Schliwa, M. *See* Felgner, H.
Schliwa, M. *See* Kalt, A.
Schmalz, D., Kalkbrenner, F., Hucho, F. and Buchner, K. Transport of protein kinase C α into the nucleus requires intact cytoskeleton while the transport of a protein containing a canonical nuclear localization signal does not **109**, 2401
Schmidt, C. E. *See* Palecek, S. P.
Schmitter, J.-M. *See* Bré, M.-H.
Schnaper, H. W., Kopp, J. B., Poncelet, A. C., Hubchak, S. C., Stetler-Stevenson, W. G., Kleinman, P. E. and Kleinman, H. K. Increased expression of extracellular matrix proteins and decreased expression of matrix proteases after serial passage of glomerular mesangial cells **109**, 2521
Schneeberger, E. E. *See* McCarthy, K. M.
Schneider, A. *See* Hauser, R.
Schoëvaërt, D. *See* Boland, S.
Schor, A. M. *See* Canfield, A. E.
Schor, A. M. *See* Schor, S. L.
Schor, S. L., Ellis, I., Dolman, C., Banyard, J., Humphries, M. J., Mosher, D. F., Grey, A. M., Mould, A. P., Sottile, J. and Schor, A. M. Substratum-dependent stimulation of fibroblast migration by the gelatin-binding domain of fibronectin **109**, 2581
Schultz, R. M. *See* Mitra, J.
Schultz, R. M. *See* Moos, J.
Schwarzmann, G. *See* Sofer, A.
Schwesinger, F. *See* Goulielmos, G.
Sedat, J. W. *See* Paddy, M. R.
Segall, J. *See* Edmonds, B. T.
Segretain, D. *See* Chesneau, V.
Seiki, M. *See* Kinoh, H.
Seksek, O. and Bolard, J. Nuclear pH gradient in mammalian cells revealed by laser microspectrofluorimetry **109**, 257
Selkoe, D. J. *See* Koo, E. H.
Selkoe, D. J. *See* Yamazaki, T.
Shalgi, R. *See* Jones, R.
Sharps, J. *See* Harris, H.
Shastry, B. S. Transcription factor IIIA (TFIIIA) in the second decade **109**, 535
Shaw, P. J. *See* Beven, A. F.
Shaw, S. L. and Quatrano, R. S. Polar localization of a dihydropyridine receptor on living *Fucus* zygotes **109**, 335
Shibata, T. *See* Masuda, H.
Shimada, K. *See* Barnes, K.
Shimayama, T. *See* Kitajima, I.
Shin, H. *See* Kitajima, I.
Shizari, T. *See* Pavasant, P.
Shurety, W., Bright, N. A. and Luzio, J. P. The effects of cytochalasin D and phorbol myristate acetate on the apical endocytosis of ricin in polarised Caco-2 cells **109**, 2927
Siegert, F. *See* Rivero, F.
Sikorska, M. *See* Weaver, V. M.
Silverman, J. D. *See* Fishkind, D. J.
Silverstein, R. L. *See* Ryeom, S. W.
Simmons, D. L. *See* Buckley, C. D.
Simons, K. *See* Fiedler, K.
Skare, I. B. *See* McCarthy, K. M.
Skibbens, R. V. *See* Waters, J. C.
Smit, C. *See* Muris, D. F. R.
Smith, J. *See* Armstrong, J.
Smith, M. J. *See* Goedert, M.
Smith, P. R. *See* Wilson, K. M.
Smola, H. *See* Schaefer, T.
Smythe, C. *See* Jones, C.
Snaith, H. A., Armstrong, C. G., Guo, Y., Kaiser, K. and Cohen, P. T. W. Deficiency of protein phosphatase 2A uncouples the nuclear and centrosome cycles and prevents attachment of microtubules to the kinetochore in *Drosophila microtubule star* (*mts*) embryos **109**, 3001
Snow, D. M. *See* Challacombe, J. F.
Soejima, Y. *See* Kitajima, I.
Sofer, A., Schwarzmann, G. and Futerman, A. H. The internalization of a short acyl chain analogue of ganglioside GM_1 in polarized neurons **109**, 2111
Solari, F., Flamant, F., Cherel, Y., Wyers, M. and Jurdic, P. The osteoclast generation: an in vitro and in vivo study with a genetically labelled avian monocytic cell line **109**, 1203
Solari, R. *See* Armstrong, J.
Soldati, T. *See* Komiyama, M.
Soltys, B. J., Falah, M. and Gupta, R. S. Identification of endoplasmic reticulum in the primitive eukaryote *Giardia lamblia* using cryoelectron microscopy and antibody to BiP **109**, 1909
Sonnenberg, A. *See* Niessen, C. M.
Sottile, J. *See* Schor, S. L.
Soussi-Yanicostas, N., Hardelin, J.-P., del Mar Arroyo-Jimenez, M., Ardouin, O., Legouis, R., Levilliers, J., Traincard, F., Betton, J.-M., Cabanié, L. and Petit, C. Initial characterization of anosmin-1, a putative extracellular matrix protein synthesized by definite neuronal cell populations in the central nervous system **109**, 1749
Spang, A., Grein, K. and Schiebel, E. The spacer protein Spc110p targets calmodulin to the central plaque of the yeast spindle pole body **109**, 2229
Sparrow, J. R. *See* Ryeom, S. W.
Speed, R. M. *See* Chandley, A. C.
Spillantini, M. G. *See* Goedert, M.
Spungin, B. and Breitbart, H. Calcium mobilization and influx during sperm exocytosis **109**, 1947
Squazzo, S. L. *See* Koo, E. H.
Squire, J. H. *See* Armstrong, J.
Stahl, L. E., Wright, R. L., and Castle, J. D. and Castle, A. M. The unique proline-rich domain of parotid proline-rich proteins functions in secretory sorting **109**, 1637
Stamp, G. W. H. *See* Williams, R.
Stankewich, M. C. *See* McCarthy, K. M.
Stanley, E. R. *See* Edmonds, B. T.
Starborg, M., Gell, K., Brundell, E. and Höög, C. The murine Ki-67 cell proliferation antigen accumulates in the nucleolar and heterochromatic regions of interphase cells and at the periphery of the mitotic chromosomes in a process essential for cell cycle progression **109**, 143
Stark, M. J. R. *See* Stirling, D. A.
Starr, R., Hall, F. L. and Monteiro, M. J. A cdc2-like kinase distinct from cdk5 is associated with neurofilaments **109**, 1565
Steiner, M. *See* Mosgoeller, W.
Steinert, P. M. *See* Jarnik, M.
Stella, M. C. *See* Straub, K. L.
Stetler-Stevenson, W. G. *See* Schnaper, H. W.
Stettler, S., Warbrick, E., Prochnik, S., Mackie, S. and Fantes, P. The wis1 signal transduction pathway is required for expression of cAMP-repressed genes in fission yeast **109**, 1927
Steven, A. C. *See* Jarnik, M.
Stirling, D. A., Rayner, T. F., Prescott, A. R. and Stark, M. J. R. Mutations which block the binding of calmodulin to Spc110p cause multiple mitotic defects **109**, 1297
Stockert, R. J. *See* Novikoff, P. M.
Stoeckelhuber, M., Noegel, A. A., Eckerskorn, C., Köhler, J., Rieger, D. and Schleicher, M. Structure/function studies on the pH-dependent actin-binding protein hisactophilin in *Dictyostelium* mutants **109**, 1825
Stolz, M. *See* Kaldis, P.
Stow, J. L. *See* Gleeson, P. A.
Strand, D. *See* Kalmes, A.
Strand, M. R. *See* Pech, L. L.
Strätling, W. H. *See* Hempel, K.
Straub, K. L., Stella, M. C. and Leptin, M. The gelsolin-related *flightless I* protein is required for actin distribution during cellularisation in *Drosophila* **109**, 263
Straube-West, K., Loomis, P. A., Opal, P. and Goldman, R. D. Alterations in neural intermediate filament organization: functional implications and the induction of pathological changes related to motor neuron disease **109**, 2319
Strausfeld, U. P., Howell, M., Descombes, P., Chevalier, S., Rempel, R. E., Adamczewski, J., Maller, J. L., Hunt, T. and Blow, J. J. Both cyclin A and cyclin E have S-phase promoting (SPF) activity in *Xenopus* egg extracts **109**, 1555
Streuli, C. H. *See* Pullan, S.
Strouboulis, J. and Wolffe, A. P. Functional compartmentalization of the nucleus **109**, 1991
Strub, K. *See* Bovia, F.
Stuhlsatz, H. W. *See* Schaefer, T.
Su, S. S. Y., Tanaka, Y., Samejima, I., Tanaka, K. and Yanagida, M. A nitrogen starvation-induced dormant G_0 state in fission yeast: the establishment from uncommitted G_1 state and its delay for return to proliferation **109**, 1347
Suganuma, T. *See* Ponnambalam, S.
Sugiyama, T. *See* Kishimoto, Y.
Sullivan, W. P. *See* Meng, X.
Sunkel, C. E. *See* Santos, J. A.
Suprenanat, K. A. *See* Brisch, E.
Sutherland, A. E. *See* Yao, C.-C.
Sutton, A. B. *See* Canfield, A. E.
Suzuki, S. T. Protocadherins and diversity of the cadherin superfamily **109**, 2609
Sveiczer, A., Novak, B. and Mitchison, J. M. The size control of fission yeast revisited **109**, 2947
Symmons, M. F., Martin, S. R. and Bayley, P. M. Dynamic properties of nucleated microtubules: GTP utilisation in the sub-critical concentration regime **109**, 2755
Takagi, J. *See* Ueki, S.
Takahashi, M. *See* Barnes, K.
Takai, Y. *See* Regazzi, R.
Takeuchi, I. *See* Yumura, S.
Takino, T. *See* Kinoh, H.
Tamai, K. *See* Mizuno, T.
Tanaka, G. *See* Nakamura, S.
Tanaka, K. *See* Su, S. S. Y.
Tanaka, Y. *See* Su, S. S. Y.
Tanzawa, K. *See* Barnes, K.
Tao, L. *See* Novikoff, P. M.
Tapia, C. *See* Santos, J. A.
Tashiro, Y. *See* Yamamoto, A.
Teltenkotter, A. *See* Lechtreck, K.-F.
Temesvari, L. A., Bush, J. M., Peterson, M. D., Novak, K. D., Titus, M. A. and Cardelli, J. A. Examination of the endosomal and lysosomal pathways in *Dictyostelium discoideum* myosin I mutants **109**, 663
Temesvari, L. A., Rodriguez-Paris, J. M., Bush, J. M., Zhang, L. and Cardelli, J. A. Involvement of the vacuolar proton-translocating ATPase in multiple steps of the endo-lysosomal system and in the contractile vacuole system of *Dictyostelium discoideum* **109**, 1479
Theibert, A. B. *See* Jackson, T. R.
Thibaut, C. *See* Laoide, B. M.
Thomas, D. *See* Le Cahérec, F.

Thompson, C., Lin, C.-H. and Forscher, P. An *Aplysia* cell adhesion molecule associated with site-directed actin filament assembly in neuronal growth cones **109**, 2843
Thompson, N. *See* Armstrong, J.
Thorens, B. and Roth, J. Intracellular targeting of GLUT4 in transfected insulinoma cells: evidence for association with constitutively recycling vesicles distinct from synaptophysin and insulin vesicles **109**, 1311
Tilly, J. *See* Pullan, S.
Timpl, R. *See* Sasaki, T.
Titus, M. A. *See* Temesvari, L. A.
Tjelle, T. E., Brech, A., Juvet, L. K., Griffiths, G. and Berg, T. Isolation and characterization of early endosomes, late endosomes and terminal lysosomes: their role in protein degradation **109**, 2905
Toda, T., Niwa, H., Nemoto, T., Dhut, S., Eddison, M., Matsusaka, T., Yanagida, M. and Hirata, D. The fission yeast *sts5*$^{+}$ gene is required for maintenance of growth polarity and functionally interacts with protein kinase C and an osmosensing MAP-kinase pathway **109**, 2331
Toft, D. *See* Meng, X.
Toh, B. H. *See* Gleeson, P. A.
Tokioka, T. *See* Kitajima, I.
Tollon, Y. *See* Lajoie-Mazenc, I.
Tonks, I. D. *See* Gabrielli, B. G.
Török, N. *See* Michel, M.
Toukatly, G. *See* Odgren, P. R.
Tourkin, A., Bonner, M., Mantrova, E., LeRoy, E. C. and Hoffman, S. Dot-like focal contacts in adherent eosinophils, their redistribution into peripheral belts, and correlated effects on cell migration and protected zone formation **109**, 2169
Tousson, A., Fuller, C. M. and Benos, D. J. Apical recruitment of CFTR in T-84 cells is dependent on cAMP and microtubules but not Ca^{2+} or microfilaments **109**, 1325
Traincard, F. *See* Soussi-Yanicostas, N.
Traub, O. *See* Dahl, E.
Travis, G. H. *See* Kedzierski, W.
Treasurywala, S. *See* Giese, A.
Trevithick, J. E. *See* Hemmings, L.
Triller, A. *See* Escher, G.
Troyanovsky, R. B., Chitaev, N. A. and Troyanovsky, S. M. Cadherin binding sites of plakoglobin: localization, specificity and role in targeting to adhering junctions **109**, 3069
Troyanovsky, S. M. *See* Troyanovsky, R. B.
Tsukada, M. and Gallwitz, D. Isolation and characterization of *SYS* genes from yeast, multicopy suppressors of the functional loss of the transport GTPase Ypt6p **109**, 2471
Tsukita, S. *See* Furuse, M.
Tsukita, S. *See* McCarthy, K. M.
Tsunezuka, Y. *See* Kinoh, H.
Tsutsui, J. *See* Kitajima, I.
Turner, A. J. *See* Barnes, K.
Tynan, S. J. *See* Fraser, M. J.
Ueki, S., Takagi, J. and Saito, Y. Dual functions of transglutaminase in novel cell adhesion **109**, 2727
Umeda, M. *See* Fujimoto, K.
Underhill, C. B. *See* Pavasant, P.
Usson, Y. *See* Valiron, O.
Utton, M. *See* Wagner, U.
Väänänen, H. K. *See* Salo, J.
Väänänen, K. *See* Rahkila, P.
Vaerman, J.-P. *See* Hemery, I.
Vale, R. D. *See* McNally, F. J.
Valenta, R. *See* Rothkegel, M.
Valiron, O., Chevrier, V., Usson, Y., Breviario, F., Job, D. and Dejana, E. Desmoplakin expression and organization at human umbilical vein endothelial cell-to-cell junctions **109**, 2141
Vallis, A. J. *See* Paulson, J. R.
van Binnendijk, E. P. *See* van Steensel, B.
van der Neut, R. *See* Niessen, C. M.
van der Raaij-Helmer, L. M. H. *See* Niessen, C. M.
van der Voort, H. T. M. *See* van Steensel, B.
van Deurs, B., von Bülow, F., Vilhardt, F., Kaae Holm, P. and Sandvig, K. Destabilization of plasma membrane structure by prevention of actin polymerization. Microtubule-dependent tubulation of the plasma membrane **109**, 1655
van Driel, R. *See* van Steensel, B.
Van Roy, F. *See* Leppä, S.
van Steensel, B., van Binnendijk, E. P., Hornsby, C. D., van der Voort, H. T. M., Krozowski, Z. S., de Kloet, E. R. and van Driel, R. Partial colocalization of glucocorticoid and mineralocorticoid receptors in discrete compartments in nuclei of rat hippocampus neurons **109**, 787
Vande Woude, G. F. *See* Webb, C. P.
Vanyek, E. *See* Zoellner, H.
Vashishtha, M., Walther, Z. and Hall, J. L. The kinesin-homologous protein encoded by the *Chlamydomonas FLA10* gene is associated with basal bodies and centrioles **109**, 541
Veithen, A., Cupers, P., Baudhuin, P. and Courtoy, P. J. v-Src induces constitutive macropinocytosis in rat fibroblasts **109**, 2005
Verbavatz, J. M. *See* Le Cahérec, F.
Vestweber, D. *See* Falk, M.
Veyrune, J.-L., Campbell, G. P., Wiseman, J., Blanchard, J.-M. and Hesketh, J. E. A localisation signal in the 3′ untranslated region of c-*myc* mRNA targets c-*myc* mRNA and β-globin reporter sequences to the perinuclear cytoplasm and cytoskeletal-bound polysomes **109**, 1185
Vilhardt, F. *See* van Deurs, B.
Vleminckx, K. *See* Leppä, S.
von Arx, P. *See* Komiyama, M.
von Bülow, F. *See* van Deurs, B.
Vorherr, T. *See* Kaldis, P.
Vreeken, K. *See* Muris, D. F. R.
Wagner, U., Utton, M., Gallo, J.-M. and Miller, C. C. J. Cellular phosphorylation of tau by GSK-3β influences tau binding to microtubules and microtubule organisation **109**, 1537
Wahl, J. K., Sacco, P. A., McGranahan-Sadler, T. M., Sauppé, L. M., Wheelock, M. J. and Johnson, K. R. Plakoglobin domains that define its association with the desmosomal cadherins and the classical cadherins: identification of unique and shared domains **109**, 1143
Walker, J. H. *See* Barwise, J. L.
Walker, P. R. *See* Weaver, V. M.
Wallimann, T. *See* Kaldis, P.
Walther, Z. *See* Vashishtha, M.
Wang, Y. *See* Edmonds, B. T.
Wang, Y.-l. *See* Fishkind, D. J.
Wang, Y.-l. *See* Pelham, R. J. Jr
Warbrick, E. *See* Stettler, S.
Wardale, R. J. and Duance, V. C. Collagen expression in chicken tibial dyschondroplasia **109**, 1119
Warn, R. M. *See* Webb, C. P.
Warren, G. *See* Nilsson, T.
Warren, G. *See* Ponnambalam, S.
Wassarman, P. M., Liu, C. and Litscher, E. S. Constructing the mammalian egg zona pellucida: some new pieces of an old puzzle **109**, 2001
Watakabe, A., Kobayashi, R. and Helfman, D. M. N-tropomodulin: a novel isoform of tropomodulin identified as the major binding protein to brain tropomyosin **109**, 2299
Waters, J. C., Skibbens, R. V. and Salmon, E. D. Oscillating mitotic newt lung cell kinetochores are, on average, under tension and rarely push **109**, 2823
Watson, R. *See* Nilsson, T.
Watt, F. M. *See* Zhu, A. J.
Watt, S. M. *See* Buckley, C. D.
Way, M. *See* Cudmore, S.
Weaver, V. M., Carson, C. E., Walker, P. R., Chaly, N., Lach, B., Raymond, Y., Brown, D. L. and Sikorska, M. Degradation of nuclear matrix and DNA cleavage in apoptotic thymocytes **109**, 45
Webb, C. P., Lane, K., Dawson, A. P., Vande Woude, G. F. and Warn, R. M. C-Met signalling in an HGF/SF-insensitive variant MDCK cell line with constitutive motile/invasive behaviour **109**, 2371
Webb, S. E., Pollard, J. W. and Jones, G. E. Direct observation and quantification of macrophage chemoattraction to the growth factor CSF-1 **109**, 793
Weber, K. *See* Gautel, M.
Weber, K. *See* Lechtreck, K.-F.
Weijer, C. J. *See* Rivero, F.
Wesierska-Gadek, J. *See* Mosgoeller, W.
Wheelock, M. J. *See* Wahl, J. K.
White, D. *See* Gagnon, C.
Wiedemann, H. *See* Sasaki, T.
Wierda, A. *See* Bartles, J. R.
Willecke, K. *See* Dahl, E.
Williams, D. S. *See* Hallett, M. A.
Williams, R., Stamp, G. W. H., Gilbert, C., Pignatelli, M. and Lalani, E.-N. pS2 transfection of murine adenocarcinoma cell line 410. 4 enhances dispersed growth pattern in a 3-D collagen gel **109**, 63
Wilson, D. J. A., Kim, D.-S., Clarke, G. A., Marshall-Clarke, S. and Moss, D. J. A family of glycoproteins (GP55), which inhibit neurite outgrowth, are members of the Ig superfamily and are related to OBCAM, neurotrimin, LAMP and CEPU- 1 **109**, 3129
Wilson, J. *See* Pullan, S.
Wilson, K. M., Morrison, I. E. G., Smith, P. R., Fernandez, N. and Cherry, R. J. Single particle tracking of cell-surface HLA-DR molecules using R-phycoerythrin labeled monoclonal antibodies and fluorescence digital imaging **109**, 2101
Winterhager, E. *See* Dahl, E.
Winton, D. J. *See* Brooks, R. A.
Wirth, J. A., Jensen, K. A., Post, P. L., Bement, W. M. and Mooseker, M. S. Human myosin-IXb, an unconventional myosin with a chimerin-like rho/rac GTPase-activating protein domain in its tail **109**, 653
Wiseman, J. *See* Veyrune, J.-L.
Wittek, R. *See* Bernasconi, E.
Wobus, A. M. *See* Fassler, R.
Wojta, J. *See* Zoellner, H.
Wolf, A. G. *See* Jackson, T. R.
Wolf, C. R. *See* Campbell, S. J.
Wolffe, A. P. *See* Strouboulis, J.
Wolkoff, A. W. *See* Novikoff, P. M.
Wolkow, T. D., Harris, S. D. and Hamer, J. E. Cytokinesis in *Aspergillus nidulans* is controlled by cell size, nuclear positioning and mitosis **109**, 2179
Wollheim, C. B. *See* Regazzi, R.
Wong, S. H. *See* Lowe, S. L.
Wood, K. W. *See* Brown, K. D.
Woodman, P. G. *See* Buxbaum, E.
Woollard, A. *See* Chang, F.
Wright, M. *See* Lajoie-Mazenc, I.
Wright, R. L. *See* Stahl, L. E.
Wu, C.-L. *See* Magae, J.
Wucherpfennig, C. *See* Rothkegel, M.
Wyckoff, J. *See* Edmonds, B. T.
Wyers, M. *See* Solari, F.
Wyss, M. *See* Kaldis, P.
Xie, Y., Coukell, M. B. and Gombos, Z. Antisense RNA inhibition of the putative vacuolar H^{+}-ATPase proteolipid of *Dictyostelium* reduces intracellular Ca^{2+} transport and cell viability **109**, 489
Xu, J., Liu, M., Liu, J., Caniggia, I. and Post, M. Mechanical strain induces constitutive and regulated secretion of glycosaminoglycans and proteoglycans in fetal lung cells **109**, 1605
Yamaguchi, K. *See* Hitomi, J.
Yamamoto, A., Masaki, R. and Tashiro, Y. Formation of crystalloid endoplasmic reticulum in COS cells upon overexpression of microsomal aldehyde dehydrogenase by cDNA transfection **109**, 1727
Yamazaki, T., Koo, E. H. and Selkoe, D. J. Trafficking of cell-surface amyloid β-protein precursor. II. Endocytosis, recycling, and lysosomal targeting detected by immunolocalization **109**, 999
Yanagida, M. *See* Okishio, N.
Yanagida, M. *See* Su, S. S. Y.
Yanagida, M. *See* Toda, T.
Yao, C.-C., Ziober, B. L., Sutherland, A. E., Mendrick, D. L. and Kramer, R. H. Laminins promote the locomotion of skeletal myoblasts via the alpha 7 integrin receptor **109**, 3139
Yaspo, M.-L. *See* Ponnambalam, S.
Yeh, N.-H. *See* Hsu, H.-L.
Yeung, Y.-G. *See* Edmonds, B. T.
Yin, B. and Forer, A. Coordinated movements between autosomal half-bivalents in crane-fly spermatocytes: evidence that stop signals are sent between partner half-bivalents **109**, 155
Yokoi, M. *See* Mizuno, T.

Yumura, S., Furuya, K. and Takeuchi, I. Intracellular free calcium responses during chemotaxis of *Dictyostelium* cells **109**, 2673
Zabala, J. C., Fontalba, A. and Avila, J. Tubulin folding is altered by mutations in a putative GTP binding motif **109**, 1471
Zachow, K. R. and Bentley, D. Blackjack, a novel protein associated with microtubules in embryonic neurons **109**, 1497
Zahraoui, A. *See* Regazzi, R.
Zambonin Zallone, A. *See* Colucci, S.
Zanolla, E. *See* Kaldis, P.
Zhang, C., Jenkins, H., Goldberg, M. W., Allen, T. D. and Hutchison, C. J. Nuclear lamina and nuclear matrix organization in sperm pronuclei assembled in *Xenopus* egg extract **109**, 2275
Zhang, L. *See* Temesvari, L. A.
Zhao, M., Agius-Fernandez, A., Forrester, J. V. and McCaig, C. D. Orientation and directed migration of cultured corneal epithelial cells in small electric fields are serum dependent **109**, 1405
Zheng, L. *See* Bartles, J. R.
Zhu, A. J. and Watt, F. M. Expression of a dominant negative cadherin mutant inhibits proliferation and stimulates terminal differentiation of human epidermal keratinocytes **109**, 3013
Zimmerman, D. *See* Moursi, A. M.
Zimmermann, B. *See* Pomorski, T.
Ziober, B. L. *See* Yao, C.-C.
Zoellner, H., Höfler, M., Beckmann, R., Hufnagl, P., Vanyek, E., Bielek, E., Wojta, J., Fabry, A., Lockie, S. and Binder, B. R. Serum albumin is a specific inhibitor of apoptosis in human endothelial cells **109**, 2571
Zou, J.-P. *See* Salzberg, S.
Zuk, A. and Matlin, K. S. Apical β1 integrin in polarized MDCK cells mediates tubulocyst formation in response to type I collagen overlay **109**, 1875

Subject Index

2-5A synthetase
activation of 2-5A synthetase in FL cells: SALZBERG, HELLER, ZOU, COLLART AND HUBERMAN **109**, 1517.
A-band
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
A23187
annexins in human foreskin fibroblasts: BARWISE AND WALKER **109**, 247.
Acinar cell
dual regulated secretory pathways: CASTLE AND CASTLE **109**, 2591.
Acinar differentiation
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.
Acrosome reaction
calcium mobilization and influx: SPUNGIN AND BREITBART **109**, 1947.
Actin
actin filaments facilitate two steps of endocytosis: DURRBACH, LOUVARD AND COUDRIER **109**, 457.
apical endocytosis in Caco-2 cells: SHURETY, BRIGHT AND LUZIO **109**, 2927.
Aplysia CAM and site-directed actin filament assembly in neuronal growth cones: THOMPSON, LIN AND FORSCHER **109**, 2843.
characterization of *SAC3*: BAUER AND KOLLING **109**, 1575.
distribution of OS guanylate cyclase: HALLETT, DELAAT, ARIKAWA, SCHLAMP, KONG AND WILLIAMS **109**, 1803.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.
S. pombe actin ring mutants: CHANG, WOOLLARD AND NURSE **109**, 131.
TGFβ1-induced migration in epithelial tracheal cells: BOLAND, BOISVIEUX-ULRICH, HOUCINE, BAEZA-SQUIBAN, POUCHELET, SCHOEVAERT AND MARANO **109**, 2207.
tropomyosin regulates organelle transport: PELHAM, JUNG-CHING LIN AND WANG **109**, 981.
Actin-binding protein
hisactophilin in *Dictyostelium* mutants: STOECKELHUBER, NOEGEL, ECKERSKORN, KOHLER, RIEGER AND SCHLEICHER **109**, 1825.
Actin-binding site
talin contains three actin-binding sites: HEMMINGS, REES, OHANIAN, BOLTON, GILMORE, PATEL, PRIDDLE, TREVITHICK, HYNES AND CRITCHLEY **109**, 2715.
Actin cytoskeleton
CDC42Hs-mediated actin-cytoskeleton rearrangements: DUTARTRE, DAVOUST, GORVEL AND CHAVRIER **109**, 367.
Actin filament
microtubule-based peroxisome movement: RAPP, SAFFRICH, ANTON, JAKLE, ANSORGE, GORGAS AND JUST **109**, 837.
role of actin filaments in growth cone turning: CHALLACOMBE, SNOW AND LETOURNEAU **109**, 2031.
tubulation of the plasma membrane: VAN DEURS, VON BULOW, VILHARDT, KAAE HOLM AND SANDVIG **109**, 1655.
Actin polymerization
L-selectin modulation of F-actin assembly: NG-SIKORSKI, LINDEN, EIERMAN, FRANZEN, MOLONY AND ANDERSSON **109**, 2361.
Actin tail
vaccinia virus and membrane-actin interactions: CUDMORE, RECKMANN, GRIFFITHS AND WAY **109**, 1739.
α-Actinin
role of the cortical actin cytoskeleton: RIVERO, KOPPEL, PERACINO, BOZZARO, SIEGERT, WEIJER, SCHLEICHER, ALBRECHT AND NOEGEL **109**, 2679.
Adaptor
membrane proteins binding to AP1: MALLET AND BRODSKY **109**, 3059.
Adherence junction
desmoplakin and endothelial cells: VALIRON, CHEVRIER, USSON, BREVIARIO, JOB AND DEJANA **109**, 2141.
Adherens junction
armadillo related proteins: HATZFELD AND NACHTSHEIM **109**, 2767.
functional domains of plakoglobin: WAHL, SACCO, MCGRANAHAN-SADLER, SAUPPE, WHEELOCK AND JOHNSON **109**, 1143.
Adhesion
albumin inhibits endothelial apoptosis: ZOELLNER, HOFLER, BECKMANN, HUFNAGL, VANYEK, BIELEK, WOJTA, FABRY, LOCKIE AND BINDER **109**, 2571.
laminin-5 and hemidesmosomes: BAKER, HOPKINSON, FITCHMUN, ANDREASON, FRASIER, PLOPPER, QUARANTA AND JONES **109**, 2509.
myoblasts use α7 integrin for migration on laminins: YAO, ZIOBER, SUTHERLAND, MENDRICK AND KRAMER **109**, 3139.
osteoclast laminin interaction: COLUCCI, GIANNELLI, GRANO, FACCIO, QUARANTA AND ZAMBONIN ZALLONE **109**, 1527.
the role of BM macrophages in erythropoiesis: BARBE, HUITINGA, DOPP, BAUER AND DIJKSTRA **109**, 2937.
Adhesion molecule
the GPI-anchored F3 molecule in adhesion: CERVELLO, MATRANGA, DURBEC, ROUGON AND GOMEZ **109**, 699.
Adipose development
vimentin filaments and adipose conversion: LIEBER AND EVANS **109**, 3047.
ADP-ribose
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
Adult rat cardiomyocyte
N-cadherin/catenin complex in cardiac cells: HERTIG, BUTZ, KOCH, EPPENBERGER-EBERHARDT, KEMLER AND EPPENBERGER **109**, 11.
N-cadherin in cardiac cell contacts: HERTIG, EPPENBERGER-EBERHARDT, KOCH AND EPPENBERGER **109**, 1.
Aggrecan
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.
Aging
skin stem cell analysis with keratin 19: MICHEL, TOROK, GODBOUT, LUSSIER, GAUDREAU, ROYAL AND GERMAIN **109**, 1017.
Agouti
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.
Agrin
axonal targeting of agrin: ESCHER, BECHADE, LEVI AND TRILLER **109**, 2959.
Albumin
albumin inhibits endothelial apoptosis: ZOELLNER, HOFLER, BECKMANN, HUFNAGL, VANYEK, BIELEK, WOJTA, FABRY, LOCKIE AND BINDER **109**, 2571.
Allostery
allosteric control of integrin activity: MOULD **109**, 2613.
Alu RNPs
SRP and related small cytoplasmic RNPs: BOVIA AND STRUB **109**, 2601.
Alzheimer's disease
immunolocalization of internalized βPP: YAMAZAKI, KOO AND SELKOE **109**, 999.
trafficking of cell surface βPP: KOO, SQUAZZO, SELKOE AND KOO **109**, 991.
Aminophospholipid translocase
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.
Amniotic fluid
CAAF1: a novel calcium-binding protein: HITOMI, YAMAGUCHI, KIKUCHI, KIMURA, MARUYAMA AND NAGASAKI **109**, 805.
Amyloid β-protein precursor (βPP)
immunolocalization of internalized βPP: YAMAZAKI, KOO AND SELKOE **109**, 999.
trafficking of cell surface βPP: KOO, SQUAZZO, SELKOE AND KOO **109**, 991.
Amyotrophic lateral sclerosis
implications of altered NIF organization: STRAUBE-WEST, LOOMIS, OPAL AND GOLDMAN **109**, 2319.
Anaphase
CENP-E is kinetochore associated throughout anaphase-A: BROWN, WOOD AND CLEVELAND **109**, 961.
Angiogenesis
integrins and gene expression: DIKE AND INGBER **109**, 2855.
Anillin
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.
Ankyrin repeat
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.
Annexin
annexins in human foreskin fibroblasts: BARWISE AND WALKER **109**, 247.
Annulate lamellae
nuclear and annulate lamellae pore complexes: EWALD, KOSSNER, SCHEER AND DABAUVALLE **109**, 1813.
Antibody
subcellular localization of EF-1βγδ: SANDERS, BRANDSMA, JANSSEN, DIJK AND MOLLER **109**, 1113.
Anti-nuclear antibody
localisation of Ki-67 within the nucleolus: KILL **109**, 1253.
Anti-peptide antibody
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.
Antisense oligonucleotide
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.
Antisense RNA
antisense RNA inactivation of gene: FUNAMOTO AND OCHIAI **109**, 1009.
antisense RNA inhibition of V-H^+-ATPase: XIE, COUKELL AND GOMBOS **109**, 489.
AP1
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.
Apoptosis
α6Bβ1 and kidney tubulogenesis in vitro: FALK, SALMIVIRTA, DURBEEJ, LARSSON, EKBLOM, VESTWEBER AND EKBLOM **109**, 2801.
albumin inhibits endothelial apoptosis: ZOELLNER, HOFLER, BECKMANN, HUFNAGL, VANYEK, BIELEK, WOJTA, FABRY, LOCKIE AND BINDER **109**, 2571.
an endonuclease dependent on Ca^{2+} or low pH: COLLINS, FURLONG, MALDE, ASCASO, OLIVER AND RIVAS **109**, 2393.

basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.
cleavage and inactivation of DNA-PKcs: LE ROMANCER, COSULICH, JACKSON AND CLARKE **109**, 3121.
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.
NuMA cleavage in mitosis and apoptosis: HSU AND YEH **109**, 277.

Aquaporin and AQP1
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.

ARF-like protein
rArl1 is associated with the Golgi complex: LOWE, WONG AND HONG **109**, 209.

Armadillo
armadillo related proteins: HATZFELD AND NACHTSHEIM **109**, 2767.

Aspergillus nidulans
control of septation in *A. nidulans*: WOLKOW, HARRIS AND HAMER **109**, 2179.

Assembly
assembly of rough and smooth ER: LAVOIE, LANOIX, KAN AND PAIEMENT **109**, 1415.
vimentin in fish: HERRMANN, MUNICK, BRETTEL, FOUQUET AND MARKL **109**, 569.

Astrocyte
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.

Astrocytoma
astrocytoma cell migration on human tenascin: GIESE, LOO, NORMAN, TREASURYWALA AND BERENS **109**, 2161.

ATP
assembly of rough and smooth ER: LAVOIE, LANOIX, KAN AND PAIEMENT **109**, 1415.
ATP in platelet serotonin exocytosis: MORIMOTO AND OGIHARA **109**, 113.

ATPase
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.

ATP-dependence
microtubule-based peroxisome movement: RAPP, SAFFRICH, ANTON, JAKLE, ANSORGE, GORGAS AND JUST **109**, 837.

AtT-20 cell
sorting of proline-rich proteins: STAHL, WRIGHT, CASTLE AND CASTLE **109**, 1637.

Autoimmunity
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
mRNA binding and neuronal differentiation: GAO AND KEENE **109**, 579.

Autoradiography
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.

AUUUA
localization signal in c-*myc* mRNA: VEYRUNE, CAMPBELL, WISEMAN, BLANCHARD AND HESKETH **109**, 1185.

Axon
axonal targeting of agrin: ESCHER, BECHADE, LEVI AND TRILLER **109**, 2959.
axonal vs dendritic organelle motility: OVERLY, RIEFF AND HOLLENBECK **109**, 971.
laminin-enhanced axonal growth and MAP: DITELLA, FEIGUIN, CARRI, KOSIK AND CACERES **109**, 467.
novel MAP in embryonic neurons: ZACHOW AND BENTLEY **109**, 1497.

Axonemal protein
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.

B6P/plakophilin
armadillo related proteins: HATZFELD AND NACHTSHEIM **109**, 2767.

Baculovirus
overexpression of occludin: FURUSE, FUJIMOTO, SATO, HIRASE, TSUKITA AND TSUKITA **109**, 429.

Basal body/centriole
kinesin-like protein in basal bodies and centrioles: VASHISHTHA, WALTHER AND HALL **109**, 541.

Basement membrane
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.
laminin-5 and hemidesmosomes: BAKER, HOPKINSON, FITCHMUN, ANDREASON, FRASIER, PLOPPER, QUARANTA AND JONES **109**, 2509.
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.

Basophil
identification of a novel Rab8 isotype: ARMSTRONG, THOMPSON, SQUIRE, SMITH, HAYES AND SOLARI **109**, 1265.

Bax
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.

Bcl-2
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.

Beaded filament
swapping of filensin domains: GOULIELMOS, REMINGTON, SCHWESINGER, GEORGATOS AND GOUNARI **109**, 447.

Beta actin
endothelial alignment with flow: MALEK AND IZUMO **109**, 713.

***Beta vulgaris* L.**
RNA distribution within microsporocytes: MAJEWSKA-SAWKA AND RODRIGUEZ-GARCIA **109**, 859.

Bile canaliculus
simple epithelial to hepatic polarity in WIF-B9: DECAENS, RODRIGUEZ, BOUCHAUD AND CASSIO **109**, 1623.

Biomechanics
MAP2 repeat domain: LUDIN, ASHBRIDGE, FUNFSCHILLING AND MATUS **109**, 91.
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.

Biosynthesis
fibulin-2 biosynthesis: SASAKI, WIEDEMANN, MATZNER, CHU AND TIMPL **109**, 2895.

Biotin-avidin
regulated polarity of RET-PE2 antigen: MARMORSTEIN, BONILHA, CHIFLET. NEILL AND RODRIGUEZ-BOULAN **109**, 3025.

Biotinylated
microtubule dynamics in sub-critical conditions: SYMMONS, MARTIN AND BAYLEY **109**, 2755.

Bip
Bip antibody identifies ER in Giardia: SOLTYS, FALAH AND GUPTA **109**, 1909.

Blistering
deficiency of β4 in PA-JEB: NIESSEN, VAN DER RAAIJ-HELMER, HULSMAN, VAN DER NEUT, JONKMAN AND SONNENBERG **109**, 1695.

Blood coagulation factor XIIIa
cell adhesion to transglutaminase: UEKI, TAKAGI AND SAITO **109**, 2727.

Bone
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
tenascin and osteoblast behaviour: MACKIE AND RAMSEY **109**, 1597.

Bone marrow
the role of BM macrophages in erythropoiesis: BARBE, HUITINGA, DOPP, BAUER AND DIJKSTRA **109**, 2937.

Bone resorption
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.

Breast
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.

Brefeldin A
GFP-tagged TGN38 in stable transfectants: GIROTTI AND BANTING **109**, 2915.
two domains in basolateral signal: REICH, MOSTOV AND AROETI **109**, 2133.

C-protein
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.

Ca^{2+}-ATPase
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.

Cadherin
cadherin binding sites of plakoglobin: TROYANOVSKY, CHITAEV AND TROYANOVSKY **109**, 3069.
cadherin function in keratinocytes: ZHU AND WATT **109**, 3013.
cadherin superfamily: SUZUKI **109**, 2609.
coordinated expression of E-cadherin and syndecan-1: LEPPA, VLEMINCKX, VAN ROY AND JALKANEN **109**, 1393.
desmoplakin and endothelial cells: VALIRON, CHEVRIER, USSON, BREVIARIO, JOB AND DEJANA **109**, 2141.
E-cadherin expression in PC12 by HTLV-I Tax: KITAJIMA, KAWAHARA, HANYU, SHIN, TOKIOKA, SOEJIMA, TSUTSUI, OZAWA, SHIMAYAMA AND MARUYAMA **109**, 609.
functional domains of plakoglobin: WAHL, SACCO, MCGRANAHAN-SADLER, SAUPPE, WHEELOCK AND JOHNSON **109**, 1143.

Caenorhabditis elegans
actin movements in nematode embryos: HIRD **109**, 525.

Calcium
an endonuclease dependent on Ca^{2+} or low pH: COLLINS, FURLONG, MALDE, ASCASO, OLIVER AND RIVAS **109**, 2393.
annexins in human foreskin fibroblasts: BARWISE AND WALKER **109**, 247.
intracellular free calcium responses during chemotaxis of *Dictyostelium* cells: YUMURA, FURUYA AND TAKEUCHI **109**, 2673.
polar FL-DHP localization in *Fucus*: SHAW AND QUATRANO **109**, 335.
regulation of pigment granule motility: KING-SMITH, CHEN, GARCIA, REY AND BURNSIDE **109**, 33.
α-SNAP and exocytosis: KIBBLE, BARNARD AND BURGOYNE **109**, 2417.

Calcium-binding protein
CAAF1: a novel calcium-binding protein: HITOMI, YAMAGUCHI, KIKUCHI, KIMURA, MARUYAMA AND NAGASAKI **109**, 805.
centrin in animal cells: PAOLETTI, MOUDJOU, PAINTRAND, SALISBURY AND BORNENS **109**, 3089.

Calcium-calmodulin-dependent protein kin
MAP kinase prevents cyclin degradation: ABRIEU, LORCA, LABBE, MORIN, KEYSE AND DOREE **109**, 239.

Calcium transport
antisense RNA inhibition of V-H^+-ATPase: XIE, COUKELL AND GOMBOS **109**, 489.

Calcium wave
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.

Calmodulin
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.
Spc110p targetting of calmodulin: SPANG, GREIN AND SCHIEBEL **109**, 2229.
CAM (cell adhesion molecule)
Aplysia CAM and site-directed actin filament assembly in neuronal growth cones: THOMPSON, LIN AND FORSCHER **109**, 2843.
cAMP
intracellular free calcium responses during chemotaxis of *Dictyostelium* cells: YUMURA, FURUYA AND TAKEUCHI **109**, 2673.
wis1 and cAMP signalling pathways in fission yeast: STETTLER, WARBRICK, PROCHNIK, MACKIE AND FANTES **109**, 1927.
cAMP-dependent kinase
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.
Capillary permeability
endothelial transport of insulin and albumin: BENDAYAN AND RASIO **109**, 1857.
Carbohydrate
characterization of VIP36: FIEDLER AND SIMONS **109**, 271.
Cardiomyocyte
cardiogenesis in β_1 integrin-deficient ES cells: FASSLER, ROHWEDEL, MALTSEV, BLOCH, LENTINI, GUAN, GULLBERG, HESCHELER, ADDICKS AND WOBUS **109**, 2989.
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.
Cartilage
collagens in tibial dyschondroplasia: WARDALE AND DUANCE **109**, 1119.
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.
Casein kinase 1
casein kinase 1 of *Drosophila*: SANTOS, LOGARINHO, TAPIA, ALLENDE, ALLENDE AND SUNKEL **109**, 1847.
Cataract
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
Catenin
cadherin function in keratinocytes: ZHU AND WATT **109**, 3013.
cadherin superfamily: SUZUKI **109**, 2609.
desmoplakin and endothelial cells: VALIRON, CHEVRIER, USSON, BREVIARIO, JOB AND DEJANA **109**, 2141.
N-cadherin/catenin complex in cardiac cells: HERTIG, BUTZ, KOCH, EPPENBERGER-EBERHARDT, KEMLER AND EPPENBERGER **109**, 11.
CD24
CD24/HSA in keratinocytes: MAGNALDO AND BARRANDON **109**, 3035.
CD36
CD36 in the phagocytosis of rod outer segments: RYEOM, SPARROW AND SILVERSTEIN **109**, 387.
CD44
CD44 and melanoma cells: GOEBELER, KAUFMANN, BROCKER AND KLEIN **109**, 1957.
cdc-like kinase
neurofilament-associated kinases: STARR, HALL AND MONTEIRO **109**, 1565.
cdc2/cyclin B kinase
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.
cdc25
cdc25B regulates spindle formation: GABRIELLI, DE SOUZA, TONKS, CLARK, HAYWARD AND ELLEM **109**, 1081.
CDC42Hs
CDC42Hs-mediated actin-cytoskeleton rearrangements: DUTARTRE, DAVOUST, GORVEL AND CHAVRIER **109**, 367.
Cdk
SPF activity of cyclins A and E: STRAUSFELD, HOWELL, DESCOMBES, CHEVALIER, REMPEL, ADAMCZEWSKI, MALLER, HUNT AND BLOW **109**, 1555.
CDK
p27^{kip1} and ceil cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.
cDNA
cDNA cloning of a novel centrosomal protein: BOUCKSON-CASTAING, MOUDJOU, FERGUSON, MUCKLOW, BELKAID, MILON AND CROCKER **109**, 179.
cDNA transfection
crystalloid ER formation by msALDH: YAMAMOTO, MASAKI AND TASHIRO **109**, 1727.
β Cell
a unique vesicular compartment in β cells: THORENS AND ROTH **109**, 1311.
Cell adhesion
cell adhesion to collagen V: RUGGIERO, COMTE, CABANAS AND GARRONE **109**, 1865.
cell adhesion to transglutaminase: UEKI, TAKAGI AND SAITO **109**, 2727.
coordinated expression of E-cadherin and syndecan-1: LEPPA, VLEMINCKX, VAN ROY AND JALKANEN **109**, 1393.
N-cadherin/catenin complex in cardiac cells: HERTIG, BUTZ, KOCH, EPPENBERGER-EBERHARDT, KEMLER AND EPPENBERGER **109**, 11.
N-cadherin in cardiac cell contacts: HERTIG, EPPENBERGER-EBERHARDT, KOCH AND EPPENBERGER **109**, 1.
overexpression of occludin: FURUSE, FUJIMOTO, SATO, HIRASE, TSUKITA AND TSUKITA **109**, 429.
role of granular cells in encapsulation: PECH AND STRAND **109**, 2053.
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
Cell adhesion molecule
$\alpha_v\beta_3$ is a ligand for CD31: BUCKLEY, DOYONNAS, NEWTON, BLYSTONE, BROWN, WATT AND SIMMONS **109**, 437.
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
Cell-cell adhesion
cadherin binding sites of plakoglobin: TROYANOVSKY, CHITAEV AND TROYANOVSKY **109**, 3069.
E-cadherin expression in PC12 by HTLV-I Tax: KITAJIMA, KAWAHARA, HANYU, SHIN, TOKIOKA, SOEJIMA, TSUTSUI, OZAWA, SHIMAYAMA AND MARUYAMA **109**, 609.
Cell-cell adhesion protein
antisense RNA inactivation of gene: FUNAMOTO AND OCHIAI **109**, 1009.
Cell contact
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.
Cell cycle
acquisition of meiotic competence in the mouse: MITRA AND SCHULTZ **109**, 2407.
characterization of *SAC3*: BAUER AND KOLLING **109**, 1575.
characterization of the murine Ki-67 gene: STARBORG, GELL, BRUNDELL AND HOOG **109**, 143.
cyclin A-mediated cyclin destruction: JONES AND SMYTHE **109**, 1071.
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.
EMAP phosphorylation in vivo: BRISCH, DAGGETT AND SUPRENANAT **109**, 2885.
glutamine synthetase in *Drosophila* embryos: FRENZ AND GLOVER **109**, 2649.
meiosis arrest in *grau* and *cort* mutants: PAGE AND ORR-WEAVER **109**, 1707.
nuclear localization of E2F: MAGAE, WU, ILLENYE, HARLOW AND HEINTZ **109**, 1717.
NuMA cleavage in mitosis and apoptosis: HSU AND YEH **109**, 277.
p27^{kip1} and cell cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.
p56^{cdc13} and p80^{cdc25} kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
regulation of E2F nuclear accumulation: DE LA LUNA, BURDEN, LEE AND LA THANGUE **109**, 2443.
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
wis1 and cAMP signalling pathways in fission yeast: STETTLER, WARBRICK, PROCHNIK, MACKIE AND FANTES **109**, 1927.
Cell cycle control
a dormant state in fission yeast: SU, TANAKA, SAMEJIMA, TANAKA AND YANAGIDA **109**, 1347.
Cell cycle mutant
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
Cell-cycle regulation
G_2 cyclins in the coelenterate hydra: SCHEURLEN, HOFFMEISTER AND SCHALLER **109**, 1063.
Cell division
centrin in animal cells: PAOLETTI, MOUDJOU, PAINTRAND, SALISBURY AND BORNENS **109**, 3089.
EMAP phosphorylation in vivo: BRISCH, DAGGETT AND SUPRENANAT **109**, 2885.
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
microtubule effects on actin organization: FISHKIND, SILVERMAN AND WANG **109**, 2041.
ultradian clock in *Paramecium tetraurelia*: KIPPERT **109**, 867.
Cell division mutant
S. pombe actin ring mutants: CHANG, WOOLLARD AND NURSE **109**, 131.
Cell growth
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
Cell intercalation
hydra epiboly: KISHIMOTO, MURATE AND SUGIYAMA **109**, 763.
Cell length
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
Cell-matrix interaction
GAGs modulate cell-matrix interactions: SCHAEFER, ROUX, STUHLSATZ, HERKEN, COULOMB, KRIEG AND SMOLA **109**, 479.
Cell migration
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.
eosinophil focal contact redistribution: TOURKIN, BONNER, MANTROVA, LEROY AND HOFFMAN **109**, 2169.
FAK/Src binding increases cell migration: CARY, CHANG AND GUAN **109**, 1787.
integrin dynamics on cell rear: PALECEK, SCHMIDT, LAUFFENBURGER AND HORWITZ **109**, 941.
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
Cell morphology
a novel protein involved in polarised growth: TODA, NIWA, NEMOTO, DHUT, EDDISON, MATSUSAKA, YANAGIDA AND HIRATA **109**, 2331.
Cell motility
binding of actin by EF1α from metastatic tumors: EDMONDS, WYCKOFF, YEUNG, WANG, STANLEY, JONES, SEGALL AND CONDEELIS **109**, 2705.
cellulose synthesis in *Dictyostelium*: GRIMSON, HAIGLER AND BLANTON **109**, 3079.
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
fibronectin domain stimulates cell migration: SCHOR,

ELLIS, DOLMAN, BANYARD, HUMPHRIES, MOSHER, GREY, MOULD, SOTTILE AND SCHOR **109**, 2581.
hisactophilin in *Dictyostelium* mutants: STOECKELHUBER, NOEGEL, ECKERSKORN, KOHLER, RIEGER AND SCHLEICHER **109**, 1825.
integrin ectodomain influences cell spreading and motility: FILARDO, DEMING AND CHERESH **109**, 1615.
LPA and detyrosinated microtubules: NAGASAKI AND GUNDERSEN **109**, 2461.
pS2 causes epithelial cell dispersion: WILLIAMS, STAMP, GILBERT, PIGNATELLI AND LALANI **109**, 63.

Cell nucleus
nuclear transport of PKC α: SCHMALZ, KALKBRENNER, HUCHO AND BUCHNER **109**, 2401.

Cell polarity
a dormant state in fission yeast: SU, TANAKA, SAMEJIMA, TANAKA AND YANAGIDA **109**, 1347.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.

Cell proliferation marker
characterization of the murine Ki-67 gene: STARBORG, GELL, BRUNDELL AND HOOG **109**, 143.

Cell rearrangement
hydra epiboly: KISHIMOTO, MURATE AND SUGIYAMA **109**, 763.

Cell size
control of septation in *A. nidulans*: WOLKOW, HARRIS AND HAMER **109**, 2179.

Cell surface
LPA and detyrosinated microtubules: NAGASAKI AND GUNDERSEN **109**, 2461.

Cellular clock
ultradian clock in *Paramecium tetraurelia*: KIPPERT **109**, 867.

Cellular slime mold
antisense RNA inactivation of gene: FUNAMOTO AND OCHIAI **109**, 1009.

Cellulose synthesis
cellulose synthesis in *Dictyostelium*: GRIMSON, HAIGLER AND BLANTON **109**, 3079.

CENP-E
CENP-E is kinetochore associated throughout anaphase-A: BROWN, WOOD AND CLEVELAND **109**, 961.

Central nervous system
axonal targeting of agrin: ESCHER, BECHADE, LEVI AND TRILLER **109**, 2959.

Centrin
centrin in animal cells: PAOLETTI, MOUDJOU, PAINTRAND, SALISBURY AND BORNENS **109**, 3089.

Centriole
centrin in animal cells: PAOLETTI, MOUDJOU, PAINTRAND, SALISBURY AND BORNENS **109**, 3089.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.

Centromere
morphogenesis of the prekinetochore: HE AND BRINKLEY **109**, 2693.

Centromere antibody
CENP-B binding and methylation: MITCHELL, JEPPESEN, NICOL, MORRISON AND KIPLING **109**, 2199.

Centromere satellite DNA
CENP-B binding and methylation: MITCHELL, JEPPESEN, NICOL, MORRISON AND KIPLING **109**, 2199.

Centrosomal matrix
cDNA cloning of a novel centrosomal protein: BOUCKSON-CASTAING, MOUDJOU, FERGUSON, MUCKLOW, BELKAID, MILON AND CROCKER **109**, 179.

Centrosome
a novel component of the centrosome: KALT AND SCHLIWA **109**, 3103.
cDNA cloning of a novel centrosomal protein: BOUCKSON-CASTAING, MOUDJOU, FERGUSON, MUCKLOW, BELKAID, MILON AND CROCKER **109**, 179.
centrin in animal cells: PAOLETTI, MOUDJOU, PAINTRAND, SALISBURY AND BORNENS **109**, 3089.
centrosomal and cytosolic γ-tubulin: MOUDJOU, BORDES, PAINTRAND AND BORNENS **109**, 875.
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.
katanin is concentrated at centrosomes: MCNALLY, OKAWA, IWAMATSU AND VALE **109**, 561.
protein phosphatase 2A deficiency: SNAITH, ARMSTRONG, GUO, KAISER AND COHEN **109**, 3001.

CEPU-1
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.

Chaperone
centrosomal and cytosolic γ-tubulin: MOUDJOU, BORDES, PAINTRAND AND BORNENS **109**, 875.

Checkpoint
characterization of *SAC3*: BAUER AND KOLLING **109**, 1575.

Chemotaxis
binding of actin by EF1α from metastatic tumors: EDMONDS, WYCKOFF, YEUNG, WANG, STANLEY, JONES, SEGALL AND CONDEELIS **109**, 2705.
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
intracellular free calcium responses during chemotaxis of *Dictyostelium* cells: YUMURA, FURUYA AND TAKEUCHI **109**, 2673.

Chicken
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.

Chicken talin sequence
talin contains three actin-binding sites: HEMMINGS, REES, OHANIAN, BOLTON, GILMORE, PATEL, PRIDDLE, TREVITHICK, HYNES AND CRITCHLEY **109**, 2715.

Chlamydomonas
a mAb against mastigonemes: NAKAMURA, TANAKA, MAEDA, KAMIYA, MATSUNAGA AND NIKAIDO **109**, 57.

Chloride channel
trafficking of CFTR: TOUSSON, FULLER AND BENOS **109**, 1325.

Chondrocyte
hyaluronan of hypertrophic lacunae: PAVASANT, SHIZARI AND UNDERHILL **109**, 327.
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.

Chondroitin sulfate proteoglycan
role of actin filaments in growth cone turning: CHALLACOMBE, SNOW AND LETOURNEAU **109**, 2031.

Chromaffin cell
α-SNAP and exocytosis: KIBBLE, BARNARD AND BURGOYNE **109**, 2417.

Chromatin
chromatin organization in HSRs: NICOL AND JEPPESEN **109**, 2221.
dephosphorylation of histone H1 by PP1: PAULSON, PATZLAFF AND VALLIS **109**, 1437.

Chromosome
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.

Chromosome movement
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.

Chromosome scaffold
characterization of the murine Ki-67 gene: STARBORG, GELL, BRUNDELL AND HOOG **109**, 143.

Cicadella viridis
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.

Ciliogenesis
dynein 1b isoform in ciliogenesis: CRISWELL, OSTROWSKI AND ASAI **109**, 1891.

Cilium
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.

CKI
$p27^{kip1}$ and cell cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.

Clathrin
membrane proteins binding to AP1: MALLET AND BRODSKY **109**, 3059.

Clathrin-coated vesicle
partial reactions of Hsc70: BUXBAUM AND WOODMAN **109**, 705.
plant clathrin heavy chain: BLACKBOURN AND JACKSON **109**, 777.
storage protein transport: HOHL, ROBINSON, CHRISPEELS AND HINZ **109**, 2539.

Coated vesicle
p230 associated with TGN vesicles: GLEESON, ANDERSON, STOW, GRIFFITHS, TOH AND MATHESON **109**, 2811.

Coiled coil protein
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.

Collagen
collagens in tibial dyschondroplasia: WARDALE AND DUANCE **109**, 1119.
ECM turnover in serially passaged mesangial cells: SCHNAPER, KOPP, PONCELET, HUBCHAK, STETLER-STEVENSON, KLOTMAN AND KLEINMAN **109**, 2521.
GAGs modulate cell-matrix interactions: SCHAEFER, ROUX, STUHLSATZ, HERKEN, COULOMB, KRIEG AND SMOLA **109**, 479.

Collagen cross-link
collagens in tibial dyschondroplasia: WARDALE AND DUANCE **109**, 1119.

Collagen matrix
fibronectin domain stimulates cell migration: SCHOR, ELLIS, DOLMAN, BANYARD, HUMPHRIES, MOSHER, GREY, MOULD, SOTTILE AND SCHOR **109**, 2581.

Collagen V
cell adhesion to collagen V: RUGGIERO, COMTE, CABANAS AND GARRONE **109**, 1865.

Colonic epithelium
trafficking of CFTR: TOUSSON, FULLER AND BENOS **109**, 1325.

Comet
crypt electrophoresis: BROOKS AND WINTON **109**, 2061.

Compartmentalization
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.

Complex glycan
storage protein transport: HOHL, ROBINSON, CHRISPEELS AND HINZ **109**, 2539.

Concanamycin A
V-H^+-ATPase in endosomes and contractile vacuoles: TEMESVARI, RODRIGUEZ-PARIS, BUSH, ZHANG AND CARDELLI **109**, 1479.

Confocal imaging
integrin triggered Ca^{2+} signals in neutrophils: PETTIT AND HALLETT **109**, 1689.

Confocal laser scanning microscopy
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.

Confocal microscopy
creatine kinase isoenzymes in spermatozoa: KALDIS,

STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.
localisation of Ki-67 within the nucleolus: KILL **109**, 1253.
organization of rRNA processing: BEVEN, LEE, RAZAZ, LEADER, BROWN AND SHAW **109**, 1241.
steroid receptor domains in the nucleus: VAN STEENSEL, VAN BINNENDIJK, HORNSBY, VAN DER VOORT, KROZOWSKI, DE KLOET AND VAN DRIEL **109**, 787.

Conformation dependence
cell adhesion to collagen V: RUGGIERO, COMTE, CABANAS AND GARRONE **109**, 1865.

Conformational state
allosteric control of integrin activity: MOULD **109**, 2613.

Connectin
Z-disk layout of titin: GAUTEL, GOULDING, BULLARD, WEBER AND FURST **109**, 2747.

Connecting cilium
kinesin-like proteins in RIS-ROS: BEECH, PAGH-ROEHL, NODA, HIROKAWA, BURNSIDE AND ROSENBAUM **109**, 889.

Connexin 37 and 43
caged $InsP_3$ crosses endothelial gap junctions: CARTER, CHEN, CARLILE, KALAPOTHAKIS, OGDEN AND EVANS **109**, 1765.

Connexin43
N-cadherin/catenin complex in cardiac cells: HERTIG, BUTZ, KOCH, EPPENBERGER-EBERHARDT, KEMLER AND EPPENBERGER **109**, 11.

Constitutive activation
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.

Constitutive secretion
effect of mechanical strain on GAG and PG secretion: XU, LIU, LIU, CANIGGIA AND POST **109**, 1605.

Contact inhibition
LPA and detyrosinated microtubules: NAGASAKI AND GUNDERSEN **109**, 2461.

Contractile ring
S. pombe actin ring mutants: CHANG, WOOLLARD AND NURSE **109**, 131.

Contractile vacuole
contractile vacuoles under hypertonic stress: ISHIDA, FOK, AIHARA AND ALLEN **109**, 229.
vacuolar proton pump of *Dictyostelium*: LIU AND CLARKE **109**, 1041.
V-H^+-ATPase in endosomes and contractile vacuoles: TEMESVARI, RODRIGUEZ-PARIS, BUSH, ZHANG AND CARDELLI **109**, 1479.

Corneal epithelium
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.

Corneal wound healing
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.

Cornified cell envelope
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.

Cortical flow
microtubule effects on actin organization: FISHKIND, SILVERMAN AND WANG **109**, 2041.

Corticosterone
steroid receptor domains in the nucleus: VAN STEENSEL, VAN BINNENDIJK, HORNSBY, VAN DER VOORT, KROZOWSKI, DE KLOET AND VAN DRIEL **109**, 787.

Coupled GTP hydrolysis
microtubule dynamics in sub-critical conditions: SYMMONS, MARTIN AND BAYLEY **109**, 2755.

Covalent cross-linking (transglutaminase
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.

Crane-fly spermatocyte
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.

Creatine kinase compartmentation
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.

Cross-correlation analysis
steroid receptor domains in the nucleus: VAN STEENSEL, VAN BINNENDIJK, HORNSBY, VAN DER VOORT, KROZOWSKI, DE KLOET AND VAN DRIEL **109**, 787.

Crypt
crypt electrophoresis: BROOKS AND WINTON **109**, 2061.

αB-Crystallin
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.

Crystalloid endoplasmic reticulum
crystalloid ER formation by msALDH: YAMAMOTO, MASAKI AND TASHIRO **109**, 1727.

CSF-1
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.

Cultured neuron
laminin-enhanced axonal growth and MAP: DITELLA, FEIGUIN, CARRI, KOSIK AND CACERES **109**, 467.

Cyclin
G_2 cyclins in the coelenterate hydra: SCHEURLEN, HOFFMEISTER AND SCHALLER **109**, 1063.
$p56^{cdc13}$ and $p80^{cdc25}$ kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
SPF activity of cyclins A and E: STRAUSFELD, HOWELL, DESCOMBES, CHEVALIER, REMPEL, ADAMCZEWSKI, MALLER, HUNT AND BLOW **109**, 1555.
Xenopus cyclin E: CHEVALIER, COUTURIER, CHARTRAIN, LE GUELLEC, BECKHELLING, LE GUELLEC, PHILIPPE AND FORD **109**, 1173.

Cyclin degradation
MAP kinase prevents cyclin degradation: ABRIEU, LORCA, LABBE, MORIN, KEYSE AND DOREE **109**, 239.

Cyclin dependent kinase
Xenopus cyclin E: CHEVALIER, COUTURIER, CHARTRAIN, LE GUELLEC, BECKHELLING, LE GUELLEC, PHILIPPE AND FORD **109**, 1173.

Cyclin destruction
cyclin A-mediated cyclin destruction: JONES AND SMYTHE **109**, 1071.

Cycloheximide-induced egg activation
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.

CYP1A1
transcriptional regulation using the *CYP1A1* promoter: CAMPBELL, CARLOTTI, HALL, CLARK AND WOLF **109**, 2619.

Cystic fibrosis
trafficking of CFTR: TOUSSON, FULLER AND BENOS **109**, 1325.

Cytokine
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
fast c-*fms* modulation in early monocytic progenitors: PANTERNE, HATZFELD, SANSILVESTRI, CARDOSO, MONIER, BATARD AND HATZFELD **109**, 1795.

Cytokinesis
actin movements in nematode embryos: HIRD **109**, 525.
CDC42Hs-mediated actin-cytoskeleton rearrangements: DUTARTRE, DAVOUST, GORVEL AND CHAVRIER **109**, 367.
flightless I function in *Drosophila* cellularisation: STRAUB, STELLA AND LEPTIN **109**, 263.
microtubule effects on actin organization: FISHKIND, SILVERMAN AND WANG **109**, 2041.
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.

Cytoplasmic dynein
dynein 1b isoform in ciliogenesis: CRISWELL, OSTROWSKI AND ASAI **109**, 1891.

Cytoplasmic localisation
actin movements in nematode embryos: HIRD **109**, 525.

Cytoplasmic myosin II
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.

Cytoskeletal-bound polysome
localization signal in c-*myc* mRNA: VEYRUNE, CAMPBELL, WISEMAN, BLANCHARD AND HESKETH **109**, 1185.

Cytoskeleton
Aplysia CAM and site-directed actin filament assembly in neuronal growth cones: THOMPSON, LIN AND FORSCHER **109**, 2843.
binding of actin by EF1α from metastatic tumors: EDMONDS, WYCKOFF, YEUNG, WANG, STANLEY, JONES, SEGALL AND CONDEELIS **109**, 2705.
characterization of *SAC3*: BAUER AND KOLLING **109**, 1575.
EMAP phosphorylation in vivo: BRISCH, DAGGETT AND SUPRENANAT **109**, 2885.
endothelial alignment with flow: MALEK AND IZUMO **109**, 713.
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.
flightless I function in *Drosophila* cellularisation: STRAUB, STELLA AND LEPTIN **109**, 263.
hisactophilin in *Dictyostelium* mutants: STOECKELHUBER, NOEGEL, ECKERSKORN, KOHLER, RIEGER AND SCHLEICHER **109**, 1825.
kinase associated with p127-myosin II complex: KALMES, MERDES, NEUMANN, STRAND AND MECHLER **109**, 1359.
LPA and detyrosinated microtubules: NAGASAKI AND GUNDERSEN **109**, 2461.
MAP2 repeat domain: LUDIN, ASHBRIDGE, FUNFSCHILLING AND MATUS **109**, 91.
neurofilament protein interactions: CARPENTER AND IP **109**, 2493.
nuclear transport of PKC α: SCHMALZ, KALKBRENNER, HUCHO AND BUCHNER **109**, 2401.
Rho-induced tyrosine phosphorylation: FLINN AND RIDLEY **109**, 1133.

Cytosol
assembly of rough and smooth ER: LAVOIE, LANOIX, KAN AND PAIEMENT **109**, 1415.
centrosomal and cytosolic γ-tubulin: MOUDJOU, BORDES, PAINTRAND AND BORNENS **109**, 875.

Cytosolic Ca^{2+}
integrin triggered Ca^{2+} signals in neutrophils: PETTIT AND HALLETT **109**, 1689.

Cytotactin
tenascin and osteoblast behaviour: MACKIE AND RAMSEY **109**, 1597.

Decorated spongiome
contractile vacuoles under hypertonic stress: ISHIDA, FOK, AIHARA AND ALLEN **109**, 229.

Degradation
protein degradation in endocytic organelles: TJELLE, BRECH, JUVET, GRIFFITHS AND BERG **109**, 2905.

Demethylation
CENP-B binding and methylation: MITCHELL, JEPPESEN, NICOL, MORRISON AND KIPLING **109**, 2199.

Dendrite
axonal vs dendritic organelle motility: OVERLY, RIEFF AND HOLLENBECK **109**, 971.

Desmoplakin
desmoplakin and endothelial cells: VALIRON, CHEVRIER, USSON, BREVIARIO, JOB AND DEJANA **109**, 2141.

Desmosome
armadillo related proteins: HATZFELD AND NACHTSHEIM **109**, 2767.
cadherin binding sites of plakoglobin:

TROYANOVSKY, CHITAEV AND TROYANOVSKY **109**, 3069.
functional domains of plakoglobin: WAHL, SACCO, MCGRANAHAN-SADLER, SAUPPE, WHEELOCK AND JOHNSON **109**, 1143.

Development
casein kinase 1 of *Drosophila*: SANTOS, LOGARINHO, TAPIA, ALLENDE, ALLENDE AND SUNKEL **109**, 1847.
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
role of the cortical actin cytoskeleton: RIVERO, KOPPEL, PERACINO, BOZZARO, SIEGERT, WEIJER, SCHLEICHER, ALBRECHT AND NOEGEL **109**, 2679.
SCO-spondin and thrombospondin family: GOBRON, MONNERIE, MEINIEL, CREVEAUX, LEHMANN, LAMALLE, DASTUGUE AND MEINIEL **109**, 1053.
two γ-tubulin polypeptides: LAJOIE-MAZENC, DETRAVES, ROTARU, GARES, TOLLON, JEAN, JULIAN, WRIGHT AND RAYNAUD-MESSINA **109**, 2483.

Dictyostelium
a novel component of the centrosome: KALT AND SCHLIWA **109**, 3103.
antisense RNA inhibition of V-H⁺-ATPase: XIE, COUKELL AND GOMBOS **109**, 489.
contractile vacuoles under hypertonic stress: ISHIDA, FOK, AIHARA AND ALLEN **109**, 229.
cellulose synthesis in *Dictyostelium*: GRIMSON, HAIGLER AND BLANTON **109**, 3079.
hisactophilin in *Dictyostelium* mutants: STOECKELHUBER, NOEGEL, ECKERSKORN, KOHLER, RIEGER AND SCHLEICHER **109**, 1825.
intracellular free calcium responses during chemotaxis of *Dictyostelium* cells: YUMURA, FURUYA AND TAKEUCHI **109**, 2673.
myosin Is in the endolysosomal pathway: TEMESVARI, BUSH, PETERSON, NOVAK, TITUS AND CARDELLI **109**, 663.
role of the cortical actin cytoskeleton: RIVERO, KOPPEL, PERACINO, BOZZARO, SIEGERT, WEIJER, SCHLEICHER, ALBRECHT AND NOEGEL **109**, 2679.
vacuolar proton pump of *Dictyostelium*: LIU AND CLARKE **109**, 1041.
V-H⁺-ATPase in endosomes and contractile vacuoles: TEMESVARI, RODRIGUEZ-PARIS, BUSH, ZHANG AND CARDELLI **109**, 1479.

Differentiation
cadherin function in keratinocytes: ZHU AND WATT **109**, 3013.
cardiogenesis in β_1 integrin-deficient ES cells: FASSLER, ROHWEDEL, MALTSEV, BLOCH, LENTINI, GUAN, GULLBERG, HESCHELER, ADDICKS AND WOBUS **109**, 2989.
conditional differentiation of muscle-derived cells: JAHN, SADOSHIMA, GREENE, PARKER, MORGAN AND IZUMO **109**, 397.
mineralisation of vascular pericytes: CANFIELD, SUTTON, HOYLAND AND SCHOR **109**, 343.
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.
the interstitial cell lineage of hydra: BODE **109**, 1155.

Dimerization
Hsp90α dimerization and subcellular localization: MENG, DEVIN, SULLIVAN, TOFT, BAULIEU AND CATELLI **109**, 1677.

Dinoflagellate
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.

dis3
PP6, a novel human serine/threonine protein phosphatase: BASTIANS AND PONSTINGL **109**, 2865.

Dithionite assay
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.

DMBODIPY
polar FL-DHP localization in *Fucus*: SHAW AND QUATRANO **109**, 335.

DNA damage
casein kinase 1 of *Drosophila*: SANTOS, LOGARINHO, TAPIA, ALLENDE, ALLENDE AND SUNKEL **109**, 1847.
oxidative stress and p53 activation: RENZING, HANSEN AND LANE **109**, 1105.

DNA-dependent protein kinase
cleavage and inactivation of DNA-PKcs: LE ROMANCER, COSULICH, JACKSON AND CLARKE **109**, 3121.

DNA polymerase α-primase
nuclear localization signal of mouse DNA primase: MIZUNO, OKAMOTO, YOKOI, IZUMI, KOBAYASHI, HACHIYA, TAMAI, INOUE AND HANAOKA **109**, 2627.

DNA repair
crypt electrophoresis: BROOKS AND WINTON **109**, 2061.
isolation of a *S. pombe RAD54* homologue: MURIS, VREEKEN, CARR, MURRAY, SMIT, LOHMAN AND PASTINK **109**, 73.

DNA replication
cyclin A-mediated cyclin destruction: JONES AND SMYTHE **109**, 1071.
isolation of a *S. pombe RAD54* homologue: MURIS, VREEKEN, CARR, MURRAY, SMIT, LOHMAN AND PASTINK **109**, 73.
localization of MCM homologs in *S. pombe*: OKISHIO, ADACHI AND YANAGIDA **109**, 319.
SPF activity of cyclins A and E: STRAUSFELD, HOWELL, DESCOMBES, CHEVALIER, REMPEL, ADAMCZEWSKI, MALLER, HUNT AND BLOW **109**, 1555.

Docking
ATP in platelet serotonin exocytosis: MORIMOTO AND OGIHARA **109**, 113.

Down-modulation
fast c-*fms* modulation in early monocytic progenitors: PANTERNE, HATZFELD, SANSILVESTRI, CARDOSO, MONIER, BATARD AND HATZFELD **109**, 1795.

Drosophila
casein kinase 1 of *Drosophila*: SANTOS, LOGARINHO, TAPIA, ALLENDE, ALLENDE AND SUNKEL **109**, 1847.
glutamine synthetase in *Drosophila* embryos: FRENZ AND GLOVER **109**, 2649.
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.
kinase associated with p127-myosin II complex: KALMES, MERDES, NEUMANN, STRAND AND MECHLER **109**, 1359.
meiosis arrest in *grau* and *cort* mutants: PAGE AND ORR-WEAVER **109**, 1707.
meiotic spindle in fertilized *Drosophila* oocyte: RIPARBELLI AND CALLAINI **109**, 911.
protein phosphatase 2A deficiency: SNAITH, ARMSTRONG, GUO, KAISER AND COHEN **109**, 3001.
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.

***Drosophila* oocyte**
transferrin receptors in oocytes: BRETSCHER **109**, 3113.

Dunaliella bioculata
SF-assemblin in *Dunaliella*: LECHTRECK, FRINS, BILSKI, TELTENKOTTER, WEBER AND MELKONIAN **109**, 827.

Dynamics
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.

Dynein
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.

Dynein arm
bidirectional power stroke of dynein arms: ISHIJIMA, KUBO-IRIE, MOHRI AND HAMAGUCHI **109**, 2833.

Dynein isoform
dynein 1b isoform in ciliogenesis: CRISWELL, OSTROWSKI AND ASAI **109**, 1891.

Dynein regulatory complex
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.

Dystroglycan
agrin and dystroglycan in developing electrocytes: CARTAUD, LUDOSKY, HAASEMANN, JUNG, CAMPBELL AND CARTAUD **109**, 1837.

Dystrophin
agrin and dystroglycan in developing electrocytes: CARTAUD, LUDOSKY, HAASEMANN, JUNG, CAMPBELL AND CARTAUD **109**, 1837.

E2F
regulation of E2F nuclear accumulation: DE LA LUNA, BURDEN, LEE AND LA THANGUE **109**, 2443.

EBT [1-1′-ethylidenebis(L-tryptophan)]
eosinophil focal contact redistribution: TOURKIN, BONNER, MANTROVA, LEROY AND HOFFMAN **109**, 2169.

ECM
astrocytoma cell migration on human tenascin: GIESE, LOO, NORMAN, TREASURYWALA AND BERENS **109**, 2161.

Ectoenzyme
localisation of endothelin-converting enzyme: BARNES, SHIMADA, TAKAHASHI, TANZAWA AND TURNER **109**, 919.

EF-1
subcellular localization of EF-1βγδ: SANDERS, BRANDSMA, JANSSEN, DIJK AND MOLLER **109**, 1113.

EGF
binding of actin by EF1α from metastatic tumors: EDMONDS, WYCKOFF, YEUNG, WANG, STANLEY, JONES, SEGALL AND CONDEELIS **109**, 2705.
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.

Egg activation
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.

Egg extract
Xenopus cyclin E: CHEVALIER, COUTURIER, CHARTRAIN, LE GUELLEC, BECKHELLING, LE GUELLEC, PHILIPPE AND FORD **109**, 1173.

EGS-seed
microtubule dynamics in sub-critical conditions: SYMMONS, MARTIN AND BAYLEY **109**, 2755.

Electric field
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.
galvanotaxis of human keratinocytes: NISHIMURA, ISSEROFF AND NUCCITELLI **109**, 199.

Electrocyte
agrin and dystroglycan in developing electrocytes: CARTAUD, LUDOSKY, HAASEMANN, JUNG, CAMPBELL AND CARTAUD **109**, 1837.

Electrophoresis
crypt electrophoresis: BROOKS AND WINTON **109**, 2061.

EM
immunolocalization of internalized βPP: YAMAZAKI, KOO AND SELKOE **109**, 999.

Embryogenesis
CAAF1: a novel calcium-binding protein: HITOMI, YAMAGUCHI, KIKUCHI, KIMURA, MARUYAMA AND NAGASAKI **109**, 805.
MT-MMP expression in mouse embryo: KINOH, SATO, TSUNEZUKA, TAKINO, KAWASHIMA, OKADA AND SEIKI **109**, 953.
polar FL-DHP localization in *Fucus*: SHAW AND QUATRANO **109**, 335.

Embryonic stem cell
cardiogenesis in β_1 integrin-deficient ES cells: FASSLER, ROHWEDEL, MALTSEV, BLOCH, LENTINI, GUAN, GULLBERG, HESCHELER, ADDICKS AND WOBUS **109**, 2989.
Encapsulation
role of granular cells in encapsulation: PECH AND STRAND **109**, 2053.
Endo-exonuclease
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.
Endo-lysosome
V-H^+-ATPase in endosomes and contractile vacuoles: TEMESVARI, RODRIGUEZ-PARIS, BUSH, ZHANG AND CARDELLI **109**, 1479.
Endocytic cycle
transferrin receptors in oocytes: BRETSCHER **109**, 3113.
Endocytosis
actin filaments facilitate two steps of endocytosis: DURRBACH, LOUVARD AND COUDRIER **109**, 457.
apical endocytosis in Caco-2 cells: SHURETY, BRIGHT AND LUZIO **109**, 2927.
ganglioside internalization in neurons: SOFER, SCHWARZMANN AND FUTERMAN **109**, 2111.
immunolocalization of internalized βPP: YAMAZAKI, KOO AND SELKOE **109**, 999.
plant clathrin heavy chain: BLACKBOURN AND JACKSON **109**, 777.
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.
trafficking of cell surface βPP: KOO, SQUAZZO, SELKOE AND KOO **109**, 991.
v-Src-induced macropinocytosis: VEITHEN, CUPERS, BAUDHUIN AND COURTOY **109**, 2005.
Endonuclease
an endonuclease dependent on Ca^{2+} or low pH: COLLINS, FURLONG, MALDE, ASCASO, OLIVER AND RIVAS **109**, 2393.
Endoplasmic reticulum
assembly of rough and smooth ER: LAVOIE, LANOIX, KAN AND PAIEMENT **109**, 1415.
Bip antibody identifies ER in Giardia: SOLTYS, FALAH AND GUPTA **109**, 1909.
crystalloid ER formation by msALDH: YAMAMOTO, MASAKI AND TASHIRO **109**, 1727.
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.
fidelity of thiol-mediated retention: BREWER AND CORLEY **109**, 2383.
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.
SRP and related small cytoplasmic RNPs: BOVIA AND STRUB **109**, 2601.
Endosome
myosin Is in the endolysosomal pathway: TEMESVARI, BUSH, PETERSON, NOVAK, TITUS AND CARDELLI **109**, 663.
primate homologues of rat TGN38: PONNAMBALAM, GIROTTI, YASPO, OWEN, PERRY, SUGANUMA, NILSSON, FRIED, BANTING AND WARREN **109**, 675.
protein degradation in endocytic organelles: TJELLE, BRECH, JUVET, GRIFFITHS AND BERG **109**, 2905.
transcytotic pathway in rat hepatocytes: HEMERY, DURAND-SCHNEIDER, FELDMANN, VAERMAN AND MAURICE **109**, 1215.
Endothelial cell
caged $InsP_3$ crosses endothelial gap junctions: CARTER, CHEN, CARLILE, KALAPOTHAKIS, OGDEN AND EVANS **109**, 1765.
GAGs modulate cell-matrix interactions: SCHAEFER, ROUX, STUHLSATZ, HERKEN, COULOMB, KRIEG AND SMOLA **109**, 479.
Endothelin-converting enzyme
localisation of endothelin-converting enzyme: BARNES, SHIMADA, TAKAHASHI, TANZAWA AND TURNER **109**, 919.
Endothelium
$\alpha_v\beta_3$ is a ligand for CD31: BUCKLEY, DOYONNAS, NEWTON, BLYSTONE, BROWN, WATT AND SIMMONS **109**, 437.
albumin inhibits endothelial apoptosis: ZOELLNER, HOFLER, BECKMANN, HUFNAGL, VANYEK, BIELEK, WOJTA, FABRY, LOCKIE AND BINDER **109**, 2571.
desmoplakin and endothelial cells: VALIRON, CHEVRIER, USSON, BREVIARIO, JOB AND DEJANA **109**, 2141.
Enucleation
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.
Eosinophil
eosinophil focal contact redistribution: TOURKIN, BONNER, MANTROVA, LEROY AND HOFFMAN **109**, 2169.
Epiboly
hydra epiboly: KISHIMOTO, MURATE AND SUGIYAMA **109**, 763.
Epidermal growth factor
$p27^{kip1}$ and cell cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.
Epidermal keratinocyte
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.
Epidermis
cadherin function in keratinocytes: ZHU AND WATT **109**, 3013.
sodium channel subunit mRNAs in skin: ROUDIER-PUJOL, ROCHAT, ESCOUBET, EUGENE, BARRANDON, BONVALET AND FARMAN **109**, 379.
Epithelial cell
characterization of VIP36: FIEDLER AND SIMONS **109**, 271.
TGFβ1-induced migration in epithelial tracheal cells: BOLAND, BOISVIEUX-ULRICH, HOUCINE, BAEZA-SQUIBAN, POUCHELET, SCHOEVAERT AND MARANO **109**, 2207.
Epithelial polarity
apical β1 integrin in polarized MDCK cells: ZUK AND MATLIN **109**, 1875.
transcytotic pathway in rat hepatocytes: HEMERY, DURAND-SCHNEIDER, FELDMANN, VAERMAN AND MAURICE **109**, 1215.
Epithelium
α6Bβ1 and kidney tubulogenesis in vitro: FALK, SALMIVIRTA, DURBEEJ, LARSSON, EKBLOM, VESTWEBER AND EKBLOM **109**, 2801.
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
regulated polarity of RET-PE2 antigen: MARMORSTEIN, BONILHA, CHIFLET, NEILL AND RODRIGUEZ-BOULAN **109**, 3025.
skin stem cell analysis with keratin 19: MICHEL, TOROK, GODBOUT, LUSSIER, GAUDREAU, ROYAL AND GERMAIN **109**, 1017.
Epitope tag
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.
subcellular localization of a *Trypanosoma cruzi* glycoprotein: HAYNES, RUSSELL AND CROSS **109**, 2979.
ER (see Endoplasmic reticulum)
Erythroblast
the role of BM macrophages in erythropoiesis: BARBE, HUITINGA, DOPP, BAUER AND DIJKSTRA **109**, 2937.
Erythroleukemia cell
activation of 2-5A synthase in FL cells: SALZBERG, HELLER, ZOU, COLLART AND HUBERMAN **109**, 1517.
Espin
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.
Estrogen receptor
Hsp90α dimerization and subcellular localization: MENG, DEVIN, SULLIVAN, TOFT, BAULIEU AND CATELLI **109**, 1677.
Exocytosis
ATP in platelet serotonin exocytosis: MORIMOTO AND OGIHARA **109**, 113.
calcium mobilization and influx: SPUNGIN AND BREITBART **109**, 1947.
functional link between Rab3 and the SNAREs: JOHANNES, DOUSSAU, CLABECQ, HENRY, DARCHEN AND POULAIN **109**, 2875.
Rab3 isoforms and insulin secretion: REGAZZI, RAVAZZOLA, IEZZI, LANG, ZAHRAOUI, ANDEREGGEN, MOREL, TAKAI AND WOLLHEIM **109**, 2265.
α-SNAP and exocytosis: KIBBLE, BARNARD AND BURGOYNE **109**, 2417.
Extracellular matrix
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.
cell modification of laminin-5r: PLOPPER, FALK-MARZILLIER, GLASER, FITCHMUN, GIANNELLI, ROMANO, JONES AND QUARANTA **109**, 1965.
ECM turnover in serially passaged mesangial cells: SCHNAPER, KOPP, PONCELET, HUBCHAK, STETLER-STEVENSON, KLOTMAN AND KLEINMAN **109**, 2521.
fibulin-2 biosynthesis: SASAKI, WIEDEMANN, MATZNER, CHU AND TIMPL **109**, 2895.
tenascin and osteoblast behaviour: MACKIE AND RAMSEY **109**, 1597.
Extracellular matrix protease
ECM turnover in serially passaged mesangial cells: SCHNAPER, KOPP, PONCELET, HUBCHAK, STETLER-STEVENSON, KLOTMAN AND KLEINMAN **109**, 2521.
Extracellular matrix protein
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
3F3/2
kinetochores are, on average, under tension: WATERS, SKIBBENS AND SALMON **109**, 2823.
F3
the GPI-anchored F3 molecule in adhesion: CERVELLO, MATRANGA, DURBEC, ROUGON AND GOMEZ **109**, 699.
F-actin
calcium mobilization and influx: SPUNGIN AND BREITBART **109**, 1947.
novel tropomodulin isoform in neurons: WATAKABE, KOBAYASHI AND HELFMAN **109**, 2299.
Factor
transcription factor IIIA: SHASTRY **109**, 535.
FAK
FAK/Src binding increases cell migration: CARY, CHANG AND GUAN **109**, 1787.
FAK/Src association
FAK/Src binding increases cell migration: CARY, CHANG AND GUAN **109**, 1787.
fbp1
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
Fertility
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.
Fertilization
epididymal processing of sperm antigen 2B1: JONES, MA, HOU, SHALGI AND HALL **109**, 2561.
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.
Fetal rat calvarial osteoblast
fibronectin regulates calvarial osteoblast differentiation: MOURSI, DAMSKY, LULL, ZIMMERMAN, DOTY, AOTA AND GLOBUS **109**, 1369.

Fibrillarin
localisation of Ki-67 within the nucleolus: KILL **109**, 1253.
Fibroblast
annexins in human foreskin fibroblasts: BARWISE AND WALKER **109**, 247.
fibulin-2 biosynthesis: SASAKI, WIEDEMANN, MATZNER, CHU AND TIMPL **109**, 2895.
GAGs modulate cell-matrix interactions: SCHAEFER, ROUX, STUHLSATZ, HERKEN, COULOMB, KRIEG AND SMOLA **109**, 479.
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.
Fibronectin
FAK/Src binding increases cell migration: CARY, CHANG AND GUAN **109**, 1787.
fibronectin domain stimulates cell migration: SCHOR, ELLIS, DOLMAN, BANYARD, HUMPHRIES, MOSHER, GREY, MOULD, SOTTILE AND SCHOR **109**, 2581.
fibronectin regulates calvarial osteoblast differentiation: MOURSI, DAMSKY, LULL, ZIMMERMAN, DOTY, AOTA AND GLOBUS **109**, 1369.
integrins and gene expression: DIKE AND INGBER **109**, 2855.
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
Filament
filamentous assembly of NuMA: SAREDI, HOWARD AND COMPTON **109**, 619.
Fimbrin
CDC42Hs-mediated actin-cytoskeleton rearrangements: DUTARTRE, DAVOUST, GORVEL AND CHAVRIER **109**, 367.
Fish
vimentin in fish: HERRMANN, MUNICK, BRETTEL, FOUQUET AND MARKL **109**, 569.
Fission yeast
a novel protein involved in polarised growth: TODA, NIWA, NEMOTO, DHUT, EDDISON, MATSUSAKA, YANAGIDA AND HIRATA **109**, 2331.
isolation of a *S. pombe RAD54* homologue: MURIS, VREEKEN, CARR, MURRAY, SMIT, LOHMAN AND PASTINK **109**, 73.
$p56^{cdc13}$ and $p80^{cdc25}$ kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
wis1 and cAMP signalling pathways in fission yeast: STETTLER, WARBRICK, PROCHNIK, MACKIE AND FANTES **109**, 1927.
FLA10
kinesin-like protein in basal bodies and centrioles: VASHISHTHA, WALTHER AND HALL **109**, 541.
Flagellum
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.
Flagellar radial spoke
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.
Flexural rigidity
flexural rigidity of microtubules: FELGNER, FRANK AND SCHLIWA **109**, 509.
Flip-Flop
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.
Fluorescence imaging
HLA DR single particle tracking: WILSON, MORRISON, SMITH, FERNANDEZ AND CHERRY **109**, 2101.
Fluorescence in situ hybridization
organizatior of rRNA processing: BEVEN, LEE, RAZAZ, LEADER, BROWN AND SHAW **109**, 1241.
Fluorescent-dihydropyridine (FL-DHP)
polar FL-DHP localization in *Fucus*: SHAW AND QUATRANO **109**, 335.
c-*fms*
fast c-*fms* modulation in early monocytic progenitors: PANTERNE, HATZFELD, SANSILVESTRI, CARDOSO, MONIER, BATARD AND HATZFELD **109**, 1795.
Focal adhesion
PKG and focal adhesions: MURPHY-ULLRICH, PALLERO, BOERTH, GREENWOOD, LINCOLN AND CORNWELL **109**, 2499.
talin contains three actin-binding sites: HEMMINGS, REES, OHANIAN, BOLTON, GILMORE, PATEL, PRIDDLE, TREVITHICK, HYNES AND CRITCHLEY **109**, 2715.
Focal adhesion kinase
Rho-induced tyrosine phosphorylation: FLINN AND RIDLEY **109**, 1133.
Focal contact
eosinophil focal contact redistribution: TOURKIN, BONNER, MANTROVA, LEROY AND HOFFMAN **109**, 2169.
Folic acid
intracellular free calcium responses during chemotaxis of *Dictyostelium* cells: YUMURA, FURUYA AND TAKEUCHI **109**, 2673.
Forked
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.
c-*fos*
integrins and gene expression: DIKE AND INGBER **109**, 2855.
Freeze fracture
cellulose synthesis in *Dictyostelium*: GRIMSON, HAIGLER AND BLANTON **109**, 3079.
overexpression of occludin: FURUSE, FUJIMOTO, SATO, HIRASE, TSUKITA AND TSUKITA **109**, 429.
Freeze-fracture replica labeling
membrane phospholipid labeling: FUJIMOTO, UMEDA AND FUJIMOTO **109**, 2453.
Fucus
polar FL-DHP localization in *Fucus*: SHAW AND QUATRANO **109**, 335.
Fura-pe3
regulation of pigment granule motility: KING-SMITH, CHEN, GARCIA, REY AND BURNSIDE **109**, 33.
Fusome
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.
G_0
a dormant state in fission yeast: SU, TANAKA, SAMEJIMA, TANAKA AND YANAGIDA **109**, 1347.
G_1 arrest
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.
G_1 phase
a dormant state in fission yeast: SU, TANAKA, SAMEJIMA, TANAKA AND YANAGIDA **109**, 1347.
G_2/M transition
G_2 cyclins in the coelenterate hydra: SCHEURLEN, HOFFMEISTER AND SCHALLER **109**, 1063.
G protein
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.
G protein subunit α_o
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.
β-Galactosidase
late monocytes are osteoclast precursors: SOLARI, FLAMANT, CHEREL, WYERS AND JURDIC **109**, 1203.
Galvanotaxis
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.
galvanotaxis of human keratinocytes: NISHIMURA, ISSEROFF AND NUCCITELLI **109**, 199.
Galvanotropism
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.
Ganglioside
ganglioside internalization in neurons: SOFER, SCHWARZMANN AND FUTERMAN **109**, 2111.
GAP
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
Gap junction
caged $InsP_3$ crosses endothelial gap junctions: CARTER, CHEN, CARLILE, KALAPOTHAKIS, OGDEN AND EVANS **109**, 1765.
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
N-cadherin in cardiac cell contacts: HERTIG, EPPENBERGER-EBERHARDT, KOCH AND EPPENBERGER **109**, 1.
Gastrulation
flightless I function in *Drosophila* cellularisation: STRAUB, STELLA AND LEPTIN **109**, 263.
GDP assay
microtubule dynamics in sub-critical conditions: SYMMONS, MARTIN AND BAYLEY **109**, 2755.
Gelatinase A (MMP-2)
interstitial collagenase in endometrium: KOKORINE, MARBAIX, HENRIET, OKADA, DONNEZ, EECKHOUT AND COURTOY **109**, 2151.
MT-MMP expression in mouse embryo: KINOH, SATO, TSUNEZUKA, TAKINO, KAWASHIMA, OKADA AND SEIKI **109**, 953.
Gelation factor (120 kDa)
role of the cortical actin cytoskeleton: RIVERO, KOPPEL, PERACINO, BOZZARO, SIEGERT, WEIJER, SCHLEICHER, ALBRECHT AND NOEGEL **109**, 2679.
Gene
transcription factor IIIA: SHASTRY **109**, 535.
Gene expression
acquisition of meiotic competence in the mouse: MITRA AND SCHULTZ **109**, 2407.
nuclear localization of E2F: MAGAE, WU, ILLENYE, HARLOW AND HEINTZ **109**, 1717.
somatic association in Sertoli cells: CHANDLEY, SPEED AND LEITCH **109**, 773.
Gephyrin
axonal targeting of agrin: ESCHER, BECHADE, LEVI AND TRILLER **109**, 2959.
GFP
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.
Giardia
Bip antibody identifies ER in Giardia: SOLTYS, FALAH AND GUPTA **109**, 1909.
Glomerulosclerosis
ECM turnover in serially passaged mesangial cells: SCHNAPER, KOPP, PONCELET, HUBCHAK, STETLER-STEVENSON, KLOTMAN AND KLEINMAN **109**, 2521.
Glucocorticoid
downregulation of tenascin-X by glucocorticoids: SAKAI, FURUKAWA, CHIQUET-EHRISMANN, NAKAMURA, KITAGAWA, IKEMURA AND MATSUMOTO **109**, 2069.
Glucose transporter
a unique vesicular compartment in β cells: THORENS AND ROTH **109**, 1311.
GLUT4
GLUT4 in cultured muscle cells: RALSTON AND PLOUG **109**, 2967.
Glutamine synthetase
glutamine synthetase in *Drosophila* embryos: FRENZ AND GLOVER **109**, 2649.
Glutamylation
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.

Glycosaminoglycan
effect of mechanical strain on GAG and PG secretion: XU, LIU, LIU, CANIGGIA AND POST **109**, 1605.
GAGs modulate cell-matrix interactions: SCHAEFER, ROUX, STUHLSATZ, HERKEN, COULOMB, KRIEG AND SMOLA **109**, 479.
Glycosylation
subcellular localization of a *Trypanosoma cruzi* glycoprotein: HAYNES, RUSSELL AND CROSS **109**, 2979.
Golgi
p230 associated with TGN vesicles: GLEESON, ANDERSON, STOW, GRIFFITHS, TOH AND MATHESON **109**, 2811.
role of the membrane-spanning domain and stalk region of NAGT I: NILSSON, RABOUILLE, HUI, WATSON AND WARREN **109**, 1975.
unusual phospholipid in Golgi membranes: CLUETT AND MACHAMER **109**, 2121.
Golgi apparatus
Bip antibody identifies ER in Giardia: SOLTYS, FALAH AND GUPTA **109**, 1909.
in vitro Golgi to plasma membrane transport: MAYER, IVANOV, GRAVOTTA, ADESNIK AND SABATINI **109**, 1667.
rArl1 is associated with the Golgi complex: LOWE, WONG AND HONG **109**, 209.
Golgi complex
GLUT4 in cultured muscle cells: RALSTON AND PLOUG **109**, 2967.
implications of altered NIF organization: STRAUBE-WEST, LOOMIS, OPAL AND GOLDMAN **109**, 2319.
Golgi transport
suppressors for *YPT6* deletion: TSUKADA AND GALLWITZ **109**, 2471.
GP55
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.
gp64
antisense RNA inactivation of gene: FUNAMOTO AND OCHIAI **109**, 1009.
GPI anchor
functional GPI anchored RV hemagglutinin: BERNASCONI, FASEL AND WITTEK **109**, 1195.
the GPI-anchored F3 molecule in adhesion: CERVELLO, MATRANGA, DURBEC, ROUGON AND GOMEZ **109**, 699.
Green fluorescent protein
GFP-tagged TGN38 in stable transfectants: GIROTTI AND BANTING **109**, 2915.
Growth cone
role of actin filaments in growth cone turning: CHALLACOMBE, SNOW AND LETOURNEAU **109**, 2031.
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.
Growth factor
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.
Growth plate
collagens in tibial dyschondroplasia: WARDALE AND DUANCE **109**, 1119.
hyaluronan of hypertrophic lacunae: PAVASANT, SHIZARI AND UNDERHILL **109**, 327.
GTP
assembly of rough and smooth ER: LAVOIE, LANOIX, KAN AND PAIEMENT **109**, 1415.
GTP-binding
site-directed mutagenesis of tubulins: ZABALA, FONTALBA AND AVILA **109**, 1471.
GTPase
Ran GTPase: its regulators and effectors: AVIS AND CLARKE **109**, 2423.
rArl1 is associated with the Golgi complex: LOWE, WONG AND HONG **109**, 209.
GTR1
Gtr1p and RanGTPase: NAKASHIMA, HAYASHI, NOGUCHI AND NISHIMOTO **109**, 2311.
Guanylate cyclase
distribution of OS guanylate cyclase: HALLETT, DELAAT, ARIKAWA, SCHLAMP, KONG AND WILLIAMS **109**, 1803.
Haemocyte
role of granular cells in encapsulation: PECH AND STRAND **109**, 2053.
Hair follicle
CD24/HSA in keratinocytes: MAGNALDO AND BARRANDON **109**, 3035.
sodium channel subunit mRNAs in skin: ROUDIER-PUJOL, ROCHAT, ESCOUBET, EUGENE, BARRANDON, BONVALET AND FARMAN **109**, 379.
Haptotaxis
CD44 and melanoma cells: GOEBELER, KAUFMANN, BROCKER AND KLEIN **109**, 1957.
hCdc21
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
hCdc46
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
Heat shock
a dormant state in fission yeast: SU, TANAKA, SAMEJIMA, TANAKA AND YANAGIDA **109**, 1347.
Heat shock factor
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.
Heat shock protein
partial reactions of Hsc70: BUXBAUM AND WOODMAN **109**, 705.
Heavy chain sequence
plant clathrin heavy chain: BLACKBOURN AND JACKSON **109**, 777.
HeLa cell
HSV-1 induced rRNA alterations: BESSE AND PUVION-DUTILLEUL **109**, 119.
Hemagglutinin
functional GPI anchored RV hemagglutinin: BERNASCONI, FASEL AND WITTEK **109**, 1195.
Hematopoietic progenitor
fast c-*fms* modulation in early monocytic progenitors: PANTERNE, HATZFELD, SANSILVESTRI, CARDOSO, MONIER, BATARD AND HATZFELD **109**, 1795.
Hemidesmosome
signal transduction by the α6β4 integrin: GIANCOTTI **109**, 1165.
Heparan-sulfate proteoglycan
anosmin-1 in the embryonic chicken brain: SOUSSI-YANICOSTAS, HARDELIN, DEL MAR ARROYO-JIMENEZ, ARDOUIN, LEGOUIS, LEVILLIERS, TRAINCARD, BETTON, CABANIE AND PETIT **109**, 1749.
Hepatoma hybrid WIF-B9
simple epithelial to hepatic polarity in WIF-B9: DECAENS, RODRIGUEZ, BOUCHAUD AND CASSIO **109**, 1623.
Hereditary
deficiency of β4 in PA-JEB: NIESSEN, VAN DER RAAIJ-HELMER, HULSMAN, VAN DER NEUT, JONKMAN AND SONNENBERG **109**, 1695.
Hermes-1
CD44 and melanoma cells: GOEBELER, KAUFMANN, BROCKER AND KLEIN **109**, 1957.
Heterochromatin
characterization of the murine Ki-67 gene: STARBORG, GELL, BRUNDELL AND HOOG **109**, 143.
chromatin organization in HSRs: NICOL AND JEPPESEN **109**, 2221.
mediators of Swi6p localisation in *S. pombe*: EKWALL, NIMMO, JAVERZAT, BORGSTROM, EGEL, CRANSTON AND ALLSHIRE **109**, 2637.
HGF/SF
Met signalling in a variant MDCK cell line: WEBB, LANE, DAWSON, VANDE WOUDE AND WARN **109**, 2371.
Histone H1 kinase
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.
Histone H4 acetylation
chromatin organization in HSRs: NICOL AND JEPPESEN **109**, 2221.
HIV-1 Rev protein
HIV-1 Rev protein in mitosis: DUNDR, LENO, LEWIS, REKOSH, HAMMARSKJOLD AND OLSON **109**, 2239.
HL-60 cell
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
HMP
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.
Homeostasis
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
Hsc70
partial reactions of Hsc70: BUXBAUM AND WOODMAN **109**, 705.
HSG cell
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.
HSP
centrosomal and cytosolic γ-tubulin: MOUDJOU, BORDES, PAINTRAND AND BORNENS **109**, 875.
HSP27
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.
Hsp90
Hsp90α dimerization and subcellular localization: MENG, DEVIN, SULLIVAN, TOFT, BAULIEU AND CATELLI **109**, 1677.
HSR (Homogeneously staining region)
chromatin organization in HSRs: NICOL AND JEPPESEN **109**, 2221.
HSV-1 infection
HSV-1 induced rRNA alterations: BESSE AND PUVION-DUTILLEUL **109**, 119.
HTLV-I
E-cadherin expression in PC12 by HTLV-I Tax: KITAJIMA, KAWAHARA, HANYU, SHIN, TOKIOKA, SOEJIMA, TSUTSUI, OZAWA, SHIMAYAMA AND MARUYAMA **109**, 609.
Human
albumin inhibits endothelial apoptosis: ZOELLNER, HOFLER, BECKMANN, HUFNAGL, VANYEK, BIELEK, WOJTA, FABRY, LOCKIE AND BINDER **109**, 2571.
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.
Human cell
centrosomal and cytosolic γ-tubulin: MOUDJOU, BORDES, PAINTRAND AND BORNENS **109**, 875.
Human spermatogenesis
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
Hyaluronan
hyaluronan of hypertrophic lacunae: PAVASANT, SHIZARI AND UNDERHILL **109**, 327.
Hydra
G_2 cyclins in the coelenterate hydra: SCHEURLEN, HOFFMEISTER AND SCHALLER **109**, 1063.
hydra epiboly: KISHIMOTO, MURATE AND SUGIYAMA **109**, 763.
the interstitial cell lineage of hydra: BODE **109**, 1155.
Hypertonicity
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.
Hysteresis
dynamics of microtubule modifications: LAURENT AND FLEURY **109**, 419.

Ig superfamily
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.
IGF
IGF, MyoD, autonomous myoblast differentiation: MONTARRAS, AURADE, JOHNSON, ILAN, GROS AND PINSET **109**, 551.
IgLON
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.
IgM
fidelity of thiol-mediated retention: BREWER AND CORLEY **109**, 2383.
Image restoration
steroid receptor domains in the nucleus: VAN STEENSEL, VAN BINNENDIJK, HORNSBY, VAN DER VOORT, KROZOWSKI, DE KLOET AND VAN DRIEL **109**, 787.
Imaging
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.
Immortalized cell
immortalized cells from the mouse UGR: CAPEL, HAWKINS, HIRST, KIOUSSIS AND LOVELL-BADGE **109**, 899.
Immunocytochemical localization
p27^{kip1} and cell cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.
Immunocytochemistry
distribution of OS guanylate cyclase: HALLETT, DELAAT, ARIKAWA, SCHLAMP, KONG AND WILLIAMS **109**, 1803.
endothelial transport of insulin and albumin: BENDAYAN AND RASIO **109**, 1857.
Immunoelectron microscopy
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.
Immunofluorescence
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.
Immunofluorescence microscopy
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
Immunogold electron microscopy
membrane phospholipid labeling: FUJIMOTO, UMEDA AND FUJIMOTO **109**, 2453.
Immunoperoxidase
interstitial collagenase in endometrium: KOKORINE, MARBAIX, HENRIET, OKADA, DONNEZ, EECKHOUT AND COURTOY **109**, 2151.
Immunoprecipitation
neurofilament-associated kinases: STARR, HALL AND MONTEIRO **109**, 1565.
Immunostaining
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.
In situ hybridization
HSV-1 induced rRNA alterations: BESSE AND PUVION-DUTILLEUL **109**, 119.
interstitial collagenase in endometrium: KOKORINE, MARBAIX, HENRIET, OKADA, DONNEZ, EECKHOUT AND COURTOY **109**, 2151.
sodium channel subunit mRNAs in skin: ROUDIER-PUJOL, ROCHAT, ESCOUBET, EUGENE, BARRANDON, BONVALET AND FARMAN **109**, 379.
In vitro
assembly of rough and smooth ER: LAVOIE, LANOIX, KAN AND PAIEMENT **109**, 1415.
In vitro transport
in vitro Golgi to plasma membrane transport: MAYER, IVANOV, GRAVOTTA, ADESNIK AND SABATINI **109**, 1667.
In vivo
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.
Incompatible connexin
expression of connexin31 and connexin43: DAHL, WINTERHAGER, REUSS, TRAUB, BUTTERWECK AND WILLECKE **109**, 191.
Influenza virus
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
Inhibitory molecule
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.
Inner cell mass
expression of connexin31 and connexin43: DAHL, WINTERHAGER, REUSS, TRAUB, BUTTERWECK AND WILLECKE **109**, 191.
Insect immunity
role of granular cells in encapsulation: PECH AND STRAND **109**, 2053.
InsP$_3$
caged InsP$_3$ crosses endothelial gap junctions: CARTER, CHEN, CARLILE, KALAPOTHAKIS, OGDEN AND EVANS **109**, 1765.
Integrin
allosteric control of integrin activity: MOULD **109**, 2613.
astrocytoma cell migration on human tenascin: GIESE, LOO, NORMAN, TREASURYWALA AND BERENS **109**, 2161.
α6Bβ1 and kidney tubulogenesis in vitro: FALK, SALMIVIRTA, DURBEEJ, LARSSON, EKBLOM, VESTWEBER AND EKBLOM **109**, 2801.
$\alpha_v\beta_3$ is a ligand for CD31: BUCKLEY, DOYONNAS, NEWTON, BLYSTONE, BROWN, WATT AND SIMMONS **109**, 437.
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.
cell adhesion to collagen V: RUGGIERO, COMTE, CABANAS AND GARRONE **109**, 1865.
cell adhesion to transglutaminase: UEKI, TAKAGI AND SAITO **109**, 2727.
deficiency of β4 in PA-JEB: NIESSEN, VAN DER RAAIJ-HELMER, HULSMAN, VAN DER NEUT, JONKMAN AND SONNENBERG **109**, 1695.
integrin dynamics on cell rear: PALECEK, SCHMIDT, LAUFFENBURGER AND HORWITZ **109**, 941.
integrin triggered Ca^{2+} signals in neutrophils: PETTIT AND HALLETT **109**, 1689.
laminin-5 and hemidesmosomes: BAKER, HOPKINSON, FITCHMUN, ANDREASON, FRASIER, PLOPPER, QUARANTA AND JONES **109**, 2509.
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
Integrin α6β4
signal transduction by the α6β4 integrin: GIANCOTTI **109**, 1165.
Integrin α7
myoblasts use α7 integrin for migration on laminins: YAO, ZIOBER, SUTHERLAND, MENDRICK AND KRAMER **109**, 3139.
Integrin β1
apical β1 integrin in polarized MDCK cells: ZUK AND MATLIN **109**, 1875.
cardiogenesis in β_1 integrin-deficient ES cells: FASSLER, ROHWEDEL, MALTSEV, BLOCH, LENTINI, GUAN, GULLBERG, HESCHELER, ADDICKS AND WOBUS **109**, 2989.
Integrin β2
L-selectin modulation of F-actin assembly: NG-SIKORSKI, LINDEN, EIERMAN, FRANZEN, MOLONY AND ANDERSSON **109**, 2361.
Integrin ectodomain
integrin ectodomain influences cell spreading and motility: FILARDO, DEMING AND CHERESH **109**, 1615.
Intercellular communication
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
Interchromatin granule
HSV-1 induced rRNA alterations: BESSE AND PUVION-DUTILLEUL **109**, 119.
Interferon
activation of 2-5A synthase in FL cells: SALZBERG, HELLER, ZOU, COLLART AND HUBERMAN **109**, 1517.
Intermediate filament
implications of altered NIF organization: STRAUBE-WEST, LOOMIS, OPAL AND GOLDMAN **109**, 2319.
neurofilament protein interactions: CARPENTER AND IP **109**, 2493.
skin stem cell analysis with keratin 19: MICHEL, TOROK, GODBOUT, LUSSIER, GAUDREAU, ROYAL AND GERMAIN **109**, 1017.
swapping of filensin domains: GOULIELMOS, REMINGTON, SCHWESINGER, GEORGATOS AND GOUNARI **109**, 447.
vimentin filaments and adipose conversion: LIEBER AND EVANS **109**, 3047.
vimentin in fish: HERRMANN, MUNICK, BRETTEL, FOUQUET AND MARKL **109**, 569.
Inter-membrane space
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.
Interphotoreceptor matrix
regulated polarity of RET-PE2 antigen: MARMORSTEIN, BONILHA, CHIFLET, NEILL AND RODRIGUEZ-BOULAN **109**, 3025.
Interstitial collagenase (MMP-1)
interstitial collagenase in endometrium: KOKORINE, MARBAIX, HENRIET, OKADA, DONNEZ, EECKHOUT AND COURTOY **109**, 2151.
Intestine
crypt electrophoresis: BROOKS AND WINTON **109**, 2061.
Intracellular calcium
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
Intracellular distribution
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.
Intracellular pH
nuclear membrane may present a barrier to H^+: SEKSEK AND BOLARD **109**, 257.
Intracompartmental protein sorting
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.
Invasion
coordinated expression of E-cadherin and syndecan-1: LEPPA, VLEMINCKX, VAN ROY AND JALKANEN **109**, 1393.
Ion channel
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
Ionizing radiation
oxidative stress and p53 activation: RENZING, HANSEN AND LANE **109**, 1105.
Ionophore
annexins in human foreskin fibroblasts: BARWISE AND WALKER **109**, 247.
IPTG inducible expression
occludin a tight junction component: MCCARTHY, SKARE, STANKEWICH, FURUSE, TSUKITA, ROGERS, LYNCH AND SCHNEEBERGER **109**, 2287.
Islets of Langerhans
Rab3 isoforms and insulin secretion: REGAZZI, RAVAZZOLA, IEZZI, LANG, ZAHRAOUI, ANDEREGGEN, MOREL, TAKAI AND WOLLHEIM **109**, 2265.

Isoform
Z-disk layout of titin: GAUTEL, GOULDING, BULLARD, WEBER AND FURST **109**, 2747.
Isoprenylation
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.
Isoprotein family
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.
c-jun
integrins and gene expression: DIKE AND INGBER **109**, 2855.
junB
integrins and gene expression: DIKE AND INGBER **109**, 2855.
Junction
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.
***KAL* gene**
anosmin-1 in the embryonic chicken brain: SOUSSI-YANICOSTAS, HARDELIN, DEL MAR ARROYO-JIMENEZ, ARDOUIN, LEGOUIS, LEVILLIERS, TRAINCARD, BETTON, CABANIE AND PETIT **109**, 1749.
Kallmann's syndrome
anosmin-1 in the embryonic chicken brain: SOUSSI-YANICOSTAS, HARDELIN, DEL MAR ARROYO-JIMENEZ, ARDOUIN, LEGOUIS, LEVILLIERS, TRAINCARD, BETTON, CABANIE AND PETIT **109**, 1749.
Katanin
katanin is concentrated at centrosomes: MCNALLY, OKAWA, IWAMATSU AND VALE **109**, 561.
Keratin
skin stem cell analysis with keratin 19: MICHEL, TOROK, GODBOUT, LUSSIER, GAUDREAU, ROYAL AND GERMAIN **109**, 1017.
Keratinocyte
cadherin function in keratinocytes: ZHU AND WATT **109**, 3013.
CD24/HSA in keratinocytes: MAGNALDO AND BARRANDON **109**, 3035.
deficiency of β4 in PA-JEB: NIESSEN, VAN DER RAAIJ-HELMER, HULSMAN, VAN DER NEUT, JONKMAN AND SONNENBERG **109**, 1695.
galvanotaxis of human keratinocytes: NISHIMURA, ISSEROFF AND NUCCITELLI **109**, 199.
Ki-67
localisation of Ki-67 within the nucleolus: KILL **109**, 1253.
Kidney
α6Bβ1 and kidney tubulogenesis in vitro: FALK, SALMIVIRTA, DURBEEJ, LARSSON, EKBLOM, VESTWEBER AND EKBLOM **109**, 2801.
Kin recognition
role of the membrane-spanning domain and stalk region of NAGT I: NILSSON, RABOUILLE, HUI, WATSON AND WARREN **109**, 1975.
Kinesin
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.
kinesin-like proteins in RIS-ROS: BEECH, PAGH-ROEHL, NODA, HIROKAWA, BURNSIDE AND ROSENBAUM **109**, 889.
Kinesin homologous protein
kinesin-like protein in basal bodies and centrioles: VASHISHTHA, WALTHER AND HALL **109**, 541.
Kinetochore
CENP-E is kinetochore associated throughout anaphase-A: BROWN, WOOD AND CLEVELAND **109**, 961.
mediators of Swi6p localisation in *S. pombe*: EKWALL, NIMMO, JAVERZAT, BORGSTROM, EGEL, CRANSTON AND ALLSHIRE **109**, 2637.
morphogenesis of the prekinetochore: HE AND BRINKLEY **109**, 2693.
protein phosphatase 2A deficiency: SNAITH, ARMSTRONG, GUO, KAISER AND COHEN **109**, 3001.
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.
Kinetochore directional instability
kinetochores are, on average, under tension: WATERS, SKIBBENS AND SALMON **109**, 2823.
Kinetoplastidae
mitochondrial protein import in trypanosomatids: HAUSER, PYPAERT, HEUSLER, HORN AND SCHNEIDER **109**, 517.
Ku
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.
L-selectin
L-selectin modulation of F-actin assembly: NG-SIKORSKI, LINDEN, EIERMAN, FRANZEN, MOLONY AND ANDERSSON **109**, 2361.
Lamin-associated egg vesicle
lamin L_I in *Xenopus* oocytes and eggs: LOURIM, KEMPF AND KROHNE **109**, 1775.
Lamin B
degradation of nuclear matrix in apoptosis: WEAVER, CARSON, WALKER, CHALY, LACH, RAYMOND, BROWN AND SIKORSKA **109**, 45.
Laminin
α6Bβ1 and kidney tubulogenesis in vitro: FALK, SALMIVIRTA, DURBEEJ, LARSSON, EKBLOM, VESTWEBER AND EKBLOM **109**, 2801.
cell modification of laminin-5r: PLOPPER, FALK-MARZILLIER, GLASER, FITCHMUN, GIANNELLI, ROMANO, JONES AND QUARANTA **109**, 1965.
eosinophil focal contact redistribution: TOURKIN, BONNER, MANTROVA, LEROY AND HOFFMAN **109**, 2169.
laminin-enhanced axonal growth and MAP: DITELLA, FEIGUIN, CARRI, KOSIK AND CACERES **109**, 467.
myoblasts use α7 integrin for migration on laminins: YAO, ZIOBER, SUTHERLAND, MENDRICK AND KRAMER **109**, 3139.
osteoclast laminin interaction: COLUCCI, GIANNELLI, GRANO, FACCIO, QUARANTA AND ZAMBONIN ZALLONE **109**, 1527.
Laminin-1
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.
Lamin synthesis
lamin L_I in *Xenopus* oocytes and eggs: LOURIM, KEMPF AND KROHNE **109**, 1775.
LAMP
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.
Laser microspectrofluorimetry
nuclear membrane may present a barrier to H^+: SEKSEK AND BOLARD **109**, 257.
Laser-scanning confocal microscopy
acquisition of meiotic competence in the mouse: MITRA AND SCHULTZ **109**, 2407.
Lens
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
Leukaemic cell
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.
Leukocyte
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
lgp120
effects of wortmannin on endosomes: REAVES, BRIGHT, MULLOCK AND LUZIO **109**, 749.
Licensing factor
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
Lipid
unusual phospholipid in Golgi membranes: CLUETT AND MACHAMER **109**, 2121.
Lipid droplet
vimentin filaments and adipose conversion: LIEBER AND EVANS **109**, 3047.
Lipophilic structure
pronuclear envelope assembly: COLLAS AND POCCIA **109**, 1275.
Localization
subcellular localization of EF-1βγδ: SANDERS, BRANDSMA, JANSSEN, DIJK AND MOLLER **109**, 1113.
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.
Location
annexins in human foreskin fibroblasts: BARWISE AND WALKER **109**, 247.
Locomotor behaviour
ultradian clock in *Paramecium tetraurelia*: KIPPERT **109**, 867.
Loricrin
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.
Lymphocyte
somatic association in Sertoli cells: CHANDLEY, SPEED AND LEITCH **109**, 773.
Lysosome
myosin Is in the endolysosomal pathway: TEMESVARI, BUSH, PETERSON, NOVAK, TITUS AND CARDELLI **109**, 663.
M-CSF
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
protein degradation in endocytic organelles: TJELLE, BRECH, JUVET, GRIFFITHS AND BERG **109**, 2905.
Macrophage
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
the role of BM macrophages in erythropoiesis: BARBE, HUITINGA, DOPP, BAUER AND DIJKSTRA **109**, 2937.
Macropinocytosis
v-Src-induced macropinocytosis: VEITHEN, CUPERS, BAUDHUIN AND COURTOY **109**, 2005.
Malignant transformation
coordinated expression of E-cadherin and syndecan-1: LEPPA, VLEMINCKX, VAN ROY AND JALKANEN **109**, 1393.
Mammary gland
basement membrane suppresses apoptosis: PULLAN, WILSON, METCALFE, EDWARDS, GOBERDHAN, TILLY, HICKMAN, DIVE AND STREULI **109**, 631.
Mannitol flux
occludin a tight junction component: MCCARTHY, SKARE, STANKEWICH, FURUSE, TSUKITA, ROGERS, LYNCH AND SCHNEEBERGER **109**, 2287.
MAP
flexural rigidity of microtubules: FELGNER, FRANK AND SCHLIWA **109**, 509.
MAP kinase
a novel protein involved in polarised growth: TODA, NIWA, NEMOTO, DHUT, EDDISON, MATSUSAKA, YANAGIDA AND HIRATA **109**, 2331.
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.
MAP kinase prevents cyclin degradation: ABRIEU, LORCA, LABBE, MORIN, KEYSE AND DOREE **109**, 239.
wis1 and cAMP signalling pathways in fission yeast: STETTLER, WARBRICK, PROCHNIK, MACKIE AND FANTES **109**, 1927.
MAP2
MAP2d induced cytoskeletal organization: FERHAT, REPRESA, BERNARD, BEN-ARI AND KHRESTCHATISKY **109**, 1095.
structural microtubule-associated protein from *C. elegans*: GOEDERT, BAUR, AHRINGER, JAKES, HASEGAWA, SPILLANTINI, SMITH AND HILL **109**, 2661.

MAP4
structural microtubule-associated protein from *C. elegans*: GOEDERT, BAUR, AHRINGER, JAKES, HASEGAWA, SPILLANTINI, SMITH AND HILL **109**, 2661.
MAR
electroelutability of Mar/SARs: HEMPEL AND STRATLING **109**, 1459.
Mastigoneme
a mAb against mastigonemes: NAKAMURA, TANAKA, MAEDA, KAMIYA, MATSUNAGA AND NIKAIDO **109**, 57.
Matrigel
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.
Matrix
laminin-5 and hemidesmosomes: BAKER, HOPKINSON, FITCHMUN, ANDREASON, FRASIER, PLOPPER, QUARANTA AND JONES **109**, 2509.
Matrix targeting sequence
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.
Maturation
Xenopus cyclin E: CHEVALIER, COUTURIER, CHARTRAIN, LE GUELLEC, BECKHELLING, LE GUELLEC, PHILIPPE AND FORD **109**, 1173.
Mcm-protein
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
MCM protein
localization of MCM homologs in *S. pombe*: OKISHIO, ADACHI AND YANAGIDA **109**, 319.
MDCK
apical β1 integrin in polarized MDCK cells: ZUK AND MATLIN **109**, 1875.
Met signalling in a variant MDCK cell line: WEBB, LANE, DAWSON, VANDE WOUDE AND WARN **109**, 2371.
Mechanical force
effect of mechanical strain on GAG and PG secretion: XU, LIU, LIU, CANIGGIA AND POST **109**, 1605.
Mechanical stimulation
cell-to-cell calcium signaling: CHURCHILL, ATKINSON AND LOUIS **109**, 355.
Mechanical stress
endothelial alignment with flow: MALEK AND IZUMO **109**, 713.
Mechanotransduction
endothelial alignment with flow: MALEK AND IZUMO **109**, 713.
Meiosis
acquisition of meiotic competence in the mouse: MITRA AND SCHULTZ **109**, 2407.
meiosis arrest in *grau* and *cort* mutants: PAGE AND ORR-WEAVER **109**, 1707.
meiotic spindle in fertilized *Drosophila* oocyte: RIPARBELLI AND CALLAINI **109**, 911.
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
Meiotic arrest
meiosis arrest in *grau* and *cort* mutants: PAGE AND ORR-WEAVER **109**, 1707.
Melanin
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.
Melanocyte
CD44 and melanoma cells: GOEBELER, KAUFMANN, BROCKER AND KLEIN **109**, 1957.
α-Melanocyte stimulating hormone
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.
Melanoma
CD44 and melanoma cells: GOEBELER, KAUFMANN, BROCKER AND KLEIN **109**, 1957.
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.
Membrane
membrane phospholipid labeling: FUJIMOTO, UMEDA AND FUJIMOTO **109**, 2453.
vaccinia virus and membrane-actin interactions: CUDMORE, RECKMANN, GRIFFITHS AND WAY **109**, 1739.
Membrane binding
pronuclear envelope assembly: COLLAS AND POCCIA **109**, 1275.
Membrane domain
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
Membrane dynamics
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.
Membrane exchange
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.
Membrane fusion
calcium mobilization and influx: SPUNGIN AND BREITBART **109**, 1947.
pronuclear envelope assembly: COLLAS AND POCCIA **109**, 1275.
Membrane-spanning domain
role of the membrane-spanning domain and stalk region of NAGT I: NILSSON, RABOUILLE, HUI, WATSON AND WARREN **109**, 1975.
Membrane traffic
a unique vesicular compartment in β cells: THORENS AND ROTH **109**, 1311.
Membrane tubulation
tubulation of the plasma membrane: VAN DEURS, VON BULOW, VILHARDT, KAAE HOLM AND SANDVIG **109**, 1655.
Membrane-type matrix metalloproteinase
MT-MMP expression in mouse embryo: KINOH, SATO, TSUNEZUKA, TAKINO, KAWASHIMA, OKADA AND SEIKI **109**, 953.
Mesangial cell
ECM turnover in serially passaged mesangial cells: SCHNAPER, KOPP, PONCELET, HUBCHAK, STETLER-STEVENSON, KLOTMAN AND KLEINMAN **109**, 2521.
Met
Met signalling in a variant MDCK cell line: WEBB, LANE, DAWSON, VANDE WOUDE AND WARN **109**, 2371.
Metalloendopeptidase
NRD convertase expression in male germ cells: CHESNEAU, PRAT, SEGRETAIN, HOSPITAL, DUPAIX, FOULON, JEGOU AND COHEN **109**, 2737.
Metallopeptidase
localisation of endothelin-converting enzyme: BARNES, SHIMADA, TAKAHASHI, TANZAWA AND TURNER **109**, 919.
Methotrexate resistance
chromatin organization in HSRs: NICOL AND JEPPESEN **109**, 2221.
MHC
HLA DR single particle tracking: WILSON, MORRISON, SMITH, FERNANDEZ AND CHERRY **109**, 2101.
Microcystin-LR
dephosphorylation of histone H1 by PP1: PAULSON, PATZLAFF AND VALLIS **109**, 1437.
Microfibril
fibulin-2 biosynthesis: SASAKI, WIEDEMANN, MATZNER, CHU AND TIMPL **109**, 2895.
Microfibril terminal complex
cellulose synthesis in *Dictyostelium*: GRIMSON, HAIGLER AND BLANTON **109**, 3079.
Microfilament
actin movements in nematode embryos: HIRD **109**, 525.
MAP2d induced cytoskeletal organization: FERHAT, REPRESA, BERNARD, BEN-ARI AND KHRESTCHATISKY **109**, 1095.
Microfilament dynamics
profilin stabilizes microfilaments: ROTHKEGEL, MAYBORODA, ROHDE, WUCHERPFENNIG, VALENTA AND JOCKUSCH **109**, 83.
Microinjection
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.
nuclear transport of PKC α: SCHMALZ, KALKBRENNER, HUCHO AND BUCHNER **109**, 2401.
Microsomal aldehyde dehydrogenase
crystalloid ER formation by msALDH: YAMAMOTO, MASAKI AND TASHIRO **109**, 1727.
Microsporogenesis
RNA distribution within microsporocytes: MAJEWSKA-SAWKA AND RODRIGUEZ-GARCIA **109**, 859.
Microtubular transport
kinesin-like proteins in RIS-ROS: BEECH, PAGH-ROEHL, NODA, HIROKAWA, BURNSIDE AND ROSENBAUM **109**, 889.
Microtubule
actin filaments facilitate two steps of endocytosis: DURRBACH, LOUVARD AND COUDRIER **109**, 457.
cdc25B regulates spindle formation: GABRIELLI, DE SOUZA, TONKS, CLARK, HAYWARD AND ELLEM **109**, 1081.
dynamics of microtubule modifications: LAURENT AND FLEURY **109**, 419.
flexural rigidity of microtubules: FELGNER, FRANK AND SCHLIWA **109**, 509.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.
katanin is concentrated at centrosomes: MCNALLY, OKAWA, IWAMATSU AND VALE **109**, 561.
MAP2 repeat domain: LUDIN, ASHBRIDGE, FUNFSCHILLING AND MATUS **109**, 91.
MAP2d induced cytoskeletal organization: FERHAT, REPRESA, BERNARD, BEN-ARI AND KHRESTCHATISKY **109**, 1095.
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.
microtubule-based peroxisome movement: RAPP, SAFFRICH, ANTON, JAKLE, ANSORGE, GORGAS AND JUST **109**, 837.
microtubules in tau/GSK-3β transfected cells: WAGNER, UTTON, GALLO AND MILLER **109**, 1537.
protein phosphatase 2A deficiency: SNAITH, ARMSTRONG, GUO, KAISER AND COHEN **109**, 3001.
role of actin filaments in growth cone turning: CHALLACOMBE, SNOW AND LETOURNEAU **109**, 2031.
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.
tubulation of the plasma membrane: VAN DEURS, VON BULOW, VILHARDT, KAAE HOLM AND SANDVIG **109**, 1655.
Microtubule-associated fiber
SF-assemblin in *Dunaliella*: LECHTRECK, FRINS, BILSKI, TELTENKOTTER, WEBER AND MELKONIAN **109**, 827.
Microtubule-associated protein
laminin-enhanced axonal growth and MAP: DITELLA, FEIGUIN, CARRI, KOSIK AND CACERES **109**, 467.
MAP2 repeat domain: LUDIN, ASHBRIDGE, FUNFSCHILLING AND MATUS **109**, 91.
novel MAP in embryonic neurons: ZACHOW AND BENTLEY **109**, 1497.
structural microtubule-associated protein from *C. elegans*: GOEDERT, BAUR, AHRINGER, JAKES, HASEGAWA, SPILLANTINI, SMITH AND HILL **109**, 2661.

the role of p53 in neuronal differentiation: FERREIRA AND KOSIK **109**, 1509.

Microtubule motor
CENP-E is kinetochore associated throughout anaphase-A: BROWN, WOOD AND CLEVELAND **109**, 961.
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.

Microtubule nucleation
microtubule dynamics in sub-critical conditions: SYMMONS, MARTIN AND BAYLEY **109**, 2755.
role of γ-tubulin in yeast spindle formation: MASUDA AND SHIBATA **109**, 165.

Microtubule organizing center
a novel component of the centrosome: KALT AND SCHLIWA **109**, 3103.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.
meiotic spindle in fertilized *Drosophila* oocyte: RIPARBELLI AND CALLAINI **109**, 911.
two γ-tubulin polypeptides: LAJOIE-MAZENC, DETRAVES, ROTARU, GARES, TOLLON, JEAN, JULIAN, WRIGHT AND RAYNAUD-MESSINA **109**, 2483.

Microtubule polarity
axonal vs dendritic organelle motility: OVERLY, RIEFF AND HOLLENBECK **109**, 971.

Microtubule sliding
bidirectional power stroke of dynein arms: ISHIJIMA, KUBO-IRIE, MOHRI AND HAMAGUCHI **109**, 2833.
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.

Microtubule stability
dynamics of microtubule modifications: LAURENT AND FLEURY **109**, 419.

Microtubule stabilization
laminin-enhanced axonal growth and MAP: DITELLA, FEIGUIN, CARRI, KOSIK AND CACERES **109**, 467.

Migration
astrocytoma cell migration on human tenascin: GIESE, LOO, NORMAN, TREASURYWALA AND BERENS **109**, 2161.
deficiency of β4 in PA-JEB: NIESSEN, VAN DER RAAIJ-HELMER, HULSMAN, VAN DER NEUT, JONKMAN AND SONNENBERG **109**, 1695.
osteoclast laminin interaction: COLUCCI, GIANNELLI, GRANO, FACCIO, QUARANTA AND ZAMBONIN ZALLONE **109**, 1527.
pS2 causes epithelial cell dispersion: WILLIAMS, STAMP, GILBERT, PIGNATELLI AND LALANI **109**, 63.
TGFβ1-induced migration in epithelial tracheal cells: BOLAND, BOISVIEUX-ULRICH. HOUCINE, BAEZA-SQUIBAN, POUCHELET, SCHOEVAERT AND MARANO **109**, 2207.

MIP26
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.

Mitochondrial biogenesis
mitochondrial protein import in trypanosomatids: HAUSER, PYPAERT, HEUSLER, HORN AND SCHNEIDER **109**, 517.

Mitochondrion
axonal vs dendritic organelle motility: OVERLY, RIEFF AND HOLLENBECK **109**, 971.
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.

Mitosis
cdc25B regulates spindle formation: GABRIELLI, DE SOUZA, TONKS, CLARK, HAYWARD AND ELLEM **109**, 1081.
CENP-E is kinetochore associated throughout anaphase-A: BROWN, WOOD AND CLEVELAND **109**, 961.
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.
characterization of *SAC3*: BAUER AND KOLLING **109**, 1575.
characterization of the murine Ki-67 gene: STARBORG, GELL, BRUNDELL AND HOOG **109**, 143.
dephosphorylation of histone H1 by PP1: PAULSON, PATZLAFF AND VALLIS **109**, 1437.
glutamine synthetase in *Drosophila* embryos: FRENZ AND GLOVER **109**, 2649.
EMAP phosphorylation in vivo: BRISCH, DAGGETT AND SUPRENANAT **109**, 2885.
filamentous assembly of NuMA: SAREDI, HOWARD AND COMPTON **109**, 619.
HIV-1 Rev protein in mitosis: DUNDR, LENO, LEWIS, REKOSH, HAMMARSKJOLD AND OLSON **109**, 2239.
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.
kinetochores are, on average, under tension: WATERS, SKIBBENS AND SALMON **109**, 2823.
microtubule effects on actin organization: FISHKIND, SILVERMAN AND WANG **109**, 2041.
morphogenesis of the prekinetochore: HE AND BRINKLEY **109**, 2693.
NuMA cleavage in mitosis and apoptosis: HSU AND YEH **109**, 277.
$p56^{cdc13}$ and $p80^{cdc25}$ kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
protein phosphatase 2A deficiency: SNAITH, ARMSTRONG, GUO, KAISER AND COHEN **109**, 3001.
role of γ-tubulin in yeast spindle formation: MASUDA AND SHIBATA **109**, 165.
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.
two γ-tubulin polypeptides: LAJOIE-MAZENC, DETRAVES, ROTARU, GARES, TOLLON, JEAN, JULIAN, WRIGHT AND RAYNAUD-MESSINA **109**, 2483.
vimentin phosphorylation: CHOU, OPAL, QUINLAN AND GOLDMAN **109**, 817.

Mitotic control
$p56^{cdc13}$ and $p80^{cdc25}$ kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.

Mitotic signal
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.

Mitotic spindle
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.

Mitral cell
anosmin-1 in the embryonic chicken brain: SOUSSI-YANICOSTAS, HARDELIN, DEL MAR ARROYO-JIMENEZ, ARDOUIN, LEGOUIS, LEVILLIERS, TRAINCARD, BETTON, CABANIE AND PETIT **109**, 1749.

Molecular genetics
hisactophilin in *Dictyostelium* mutants: STOECKELHUBER, NOEGEL, ECKERSKORN, KOHLER, RIEGER AND SCHLEICHER **109**, 1825.

Molecular motor
mechanism of regulation of flagellar dynein: HABERMACHER AND SALE **109**, 1899.

Monoclonal antibody
a mAb against mastigonemes: NAKAMURA, TANAKA, MAEDA, KAMIYA, MATSUNAGA AND NIKAIDO **109**, 57.
cell modification of laminin-5r: PLOPPER, FALK-MARZILLIER, GLASER, FITCHMUN, GIANNELLI, ROMANO, JONES AND QUARANTA **109**, 1965.
characterization of mitofilin: ODGREN, TOUKATLY, BANGS, GILMORE AND FEY **109**, 2253.
plant clathrin heavy chain: BLACKBOURN AND JACKSON **109**, 777.
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.

Monocyte
$\alpha_v\beta_3$ is a ligand for CD31: BUCKLEY, DOYONNAS, NEWTON, BLYSTONE, BROWN, WATT AND SIMMONS **109**, 437.
fast c-*fms* modulation in early monocytic progenitors: PANTERNE, HATZFELD, SANSILVESTRI, CARDOSO, MONIER, BATARD AND HATZFELD **109**, 1795.
late monocytes are osteoclast precursors: SOLARI, FLAMANT, CHEREL, WYERS AND JURDIC **109**, 1203.

Morphogenesis
flightless I function in *Drosophila* cellularisation: STRAUB, STELLA AND LEPTIN **109**, 263.
MAP2 repeat domain: LUDIN, ASHBRIDGE, FUNFSCHILLING AND MATUS **109**, 91.

Motility
myoblasts use α7 integrin for migration on laminins: YAO, ZIOBER, SUTHERLAND, MENDRICK AND KRAMER **109**, 3139.

Motor protein
kinesin-like proteins in RIS-ROS: BEECH, PAGH-ROEHL, NODA, HIROKAWA, BURNSIDE AND ROSENBAUM **109**, 889.

Mouse
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.

Mouse egg
cycloheximide-induced egg activation: MOOS, KOPF AND SCHULTZ **109**, 739.

MPF
EMAP phosphorylation in vivo: BRISCH, DAGGETT AND SUPRENANAT **109**, 2885.

mRNA localisation
localization signal in c-*myc* mRNA: VEYRUNE, CAMPBELL, WISEMAN, BLANCHARD AND HESKETH **109**, 1185.

mRNA stability
mRNA binding and neuronal differentiation: GAO AND KEENE **109**, 579.

MTOC (see Microtubule organizing center)

Mucin
primate homologues of rat TGN38: PONNAMBALAM, GIROTTI, YASPO, OWEN, PERRY, SUGANUMA, NILSSON, FRIED, BANTING AND WARREN **109**, 675.

Muscle
conditional differentiation of muscle-derived cells: JAHN, SADOSHIMA, GREENE, PARKER, MORGAN AND IZUMO **109**, 397.
GLUT4 in cultured muscle cells: RALSTON AND PLOUG **109**, 2967.

Muscle protein
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.

Mutagenesis
Hsp90α dimerization and subcellular localization: MENG, DEVIN, SULLIVAN, TOFT, BAULIEU AND CATELLI **109**, 1677.

MyBP-C
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.

c-*myc*
integrins and gene expression: DIKE AND INGBER **109**, 2855.
localization signal in c-*myc* mRNA: VEYRUNE, CAMPBELL, WISEMAN, BLANCHARD AND HESKETH **109**, 1185.

Myoblast
myoblasts use α7 integrin for migration on laminins: YAO, ZIOBER, SUTHERLAND, MENDRICK AND KRAMER **109**, 3139.

MyoD
IGF, MyoD, autonomous myoblast differentiation: MONTARRAS, AURADE, JOHNSON, ILAN, GROS AND PINSET **109**, 551.

Myofiber
protein trafficking in muscle fibers: RAHKILA,

ALAKANGAS, VAANANEN AND METSIKKO **109**, 1585.
Myofibril
N-cadherin in cardiac cell contacts: HERTIG, EPPENBERGER-EBERHARDT, KOCH AND EPPENBERGER **109**, 1.
Myofibril assembly
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
Myofibrillogenesis
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.
Myogenesis
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
IGF, MyoD, autonomous myoblast differentiation: MONTARRAS, AURADE, JOHNSON, ILAN, GROS AND PINSET **109**, 551.
muscle cell remodeling by v-Src: CASTELLANI, REEDY, AIREY, GALLO, CIOTTI, FALCONE AND ALEMA **109**, 1335.
Myosin
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
Myosin(s)
myosin Is in the endolysosomal pathway: TEMESVARI, BUSH, PETERSON, NOVAK, TITUS AND CARDELLI **109**, 663.
Myosin-I
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
Myosin II
kinase associated with p127-myosin II complex: KALMES, MERDES, NEUMANN, STRAND AND MECHLER **109**, 1359.
Myosin light chain
sorting specificity of MLC isoproteins: KOMIYAMA, SOLDATI, VON ARX AND PERRIARD **109**, 2089.
***N*-acetylcysteine**
oxidative stress and p53 activation: RENZING, HANSEN AND LANE **109**, 1105.
***N*-acetylglucosaminyltransferase I**
role of the membrane-spanning domain and stalk region of NAGT I: NILSSON, RABOUILLE, HUI, WATSON AND WARREN **109**, 1975.
N-cadherin
N-cadherin/catenin complex in cardiac cells: HERTIG, BUTZ, KOCH, EPPENBERGER-EBERHARDT, KEMLER AND EPPENBERGER **109**, 11.
N-cadherin in cardiac cell contacts: HERTIG, EPPENBERGER-EBERHARDT, KOCH AND EPPENBERGER **109**, 1.
N-cadherin mutant
N-cadherin in cardiac cell contacts: HERTIG, EPPENBERGER-EBERHARDT, KOCH AND EPPENBERGER **109**, 1.
NAB
a novel component of the centrosome: KALT AND SCHLIWA **109**, 3103.
Na^+/H^+ antiporter
integrins and gene expression: DIKE AND INGBER **109**, 2855.
Na^+-H^+ exchanger
Na^+/H^+ antiporter membrane targeting: NOEL, ROUX AND POUYSSEGUR **109**, 929.
Na^+-K^+-ATPase
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.
Nascent RNA
transcription factories: IBORRA, POMBO, JACKSON AND COOK **109**, 1427.
Native electrophoresis
site-directed mutagenesis of tubulins: ZABALA, FONTALBA AND AVILA **109**, 1471.
Ncd
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.
Nerve growth factor
PI3-kinase in neurite outgrowth: JACKSON, BLADER, HAMMONDS-ODIE, BURGA, COOKE, HAWKINS, WOLF, HELDMAN AND THEIBERT **109**, 289.
Neurite outgrowth
PI3-kinase in neurite outgrowth: JACKSON, BLADER, HAMMONDS-ODIE, BURGA, COOKE, HAWKINS, WOLF, HELDMAN AND THEIBERT **109**, 289.
Neurofilament
implications of altered NIF organization: STRAUBE-WEST, LOOMIS, OPAL AND GOLDMAN **109**, 2319.
neurofilament-associated kinases: STARR, HALL AND MONTEIRO **109**, 1565.
Neurogenesis
the role of p53 in neuronal differentiation: FERREIRA AND KOSIK **109**, 1509.
Neuron
Aplysia CAM and site-directed actin filament assembly in neuronal growth cones: THOMPSON, LIN AND FORSCHER **109**, 2843.
ganglioside internalization in neurons: SOFER, SCHWARZMANN AND FUTERMAN **109**, 2111.
MAP2 repeat domain: LUDIN, ASHBRIDGE, FUNFSCHILLING AND MATUS **109**, 91.
novel MAP in embryonic neurons: ZACHOW AND BENTLEY **109**, 1497.
Neuronal aggregation
SCO-spondin and thrombospondin family: GOBRON, MONNERIE, MEINIEL, CREVEAUX, LEHMANN, LAMALLE, DASTUGUE AND MEINIEL **109**, 1053.
Neuronal cytoskeleton
novel tropomodulin isoform in neurons: WATAKABE, KOBAYASHI AND HELFMAN **109**, 2299.
Neurotoxin
functional link between Rab3 and the SNAREs: JOHANNES, DOUSSAU, CLABECQ, HENRY, DARCHEN AND POULAIN **109**, 2875.
Neurotrimin
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.
Neutrophil
integrin triggered Ca^{2+} signals in neutrophils: PETTIT AND HALLETT **109**, 1689.
L-selectin modulation of F-actin assembly: NG-SIKORSKI, LINDEN, EIERMAN, FRANZEN, MOLONY AND ANDERSSON **109**, 2361.
NGF
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.
NHE isoform
Na^+/H^+ antiporter membrane targeting: NOEL, ROUX AND POUYSSEGUR **109**, 929.
Ninein
cDNA cloning of a novel centrosomal protein: BOUCKSON-CASTAING, MOUDJOU, FERGUSON, MUCKLOW, BELKAID, MILON AND CROCKER **109**, 179.
Nuclear compartment
transcription factories: IBORRA, POMBO, JACKSON AND COOK **109**, 1427.
Nuclear envelope
nuclear and annulate lamellae pore complexes: EWALD, KOSSNER, SCHEER AND DABAUVALLE **109**, 1813.
pronuclear envelope assembly: COLLAS AND POCCIA **109**, 1275.
Nuclear export
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.
Nuclear export signal
HIV-1 Rev protein in mitosis: DUNDR, LENO, LEWIS, REKOSH, HAMMARSKJOLD AND OLSON **109**, 2239.
Nuclear lamin
in vivo studies of nuclear lamin mitotic breakdown: PADDY, SAUMWEBER, AGARD AND SEDAT **109**, 591.
Nuclear lamina
nuclear matrix organization: ZHANG, JENKINS, GOLDBERG, ALLEN AND HUTCHISON **109**, 2275.
Nuclear localization signal
nuclear localization signal of mouse DNA primase: MIZUNO, OKAMOTO, YOKOI, IZUMI, KOBAYASHI, HACHIYA, TAMAI, INOUE AND HANAOKA **109**, 2627.
nuclear transport of PKC α: SCHMALZ, KALKBRENNER, HUCHO AND BUCHNER **109**, 2401.
Nuclear matrix
electroelutability of Mar/SARs: HEMPEL AND STRATLING **109**, 1459.
filamentous assembly of NuMA: SAREDI, HOWARD AND COMPTON **109**, 619.
nuclear matrix organization: ZHANG, JENKINS, GOLDBERG, ALLEN AND HUTCHISON **109**, 2275.
Nuclear membrane
nuclear membrane may present a barrier to H^+: SEKSEK AND BOLARD **109**, 257.
Nuclear pH
nuclear membrane may present a barrier to H^+: SEKSEK AND BOLARD **109**, 257.
Nuclear pore complex
nuclear and annulate lamellae pore complexes: EWALD, KOSSNER, SCHEER AND DABAUVALLE **109**, 1813.
nuclear membrane may present a barrier to H^+: SEKSEK AND BOLARD **109**, 257.
Nuclear positioning
control of septation in *A. nidulans*: WOLKOW, HARRIS AND HAMER **109**, 2179.
Nuclear protein
localization of MCM homologs in *S. pombe*: OKISHIO, ADACHI AND YANAGIDA **109**, 319.
Nuclear protein import
RCC1 and Ran in nuclear protein import in vivo: DICKMANNS, BISCHOFF, MARSHALLSAY, LUHRMANN, PONSTINGL AND FANNING **109**, 1449.
Nuclear speckle
transcription factories: IBORRA, POMBO, JACKSON AND COOK **109**, 1427.
Nuclear transport
nuclear transport of PKC α: SCHMALZ, KALKBRENNER, HUCHO AND BUCHNER **109**, 2401.
Nuclease
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.
Nucleolar protein
characterization of the murine Ki-67 gene: STARBORG, GELL, BRUNDELL AND HOOG **109**, 143.
Nucleologenesis
HIV-1 Rev protein in mitosis: DUNDR, LENO, LEWIS, REKOSH, HAMMARSKJOLD AND OLSON **109**, 2239.
Nucleolus
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
localisation of Ki-67 within the nucleolus: KILL **109**, 1253.
organization of rRNA processing: BEVEN, LEE, RAZAZ, LEADER, BROWN AND SHAW **109**, 1241.
Nucleoporin
nuclear and annulate lamellae pore complexes: EWALD, KOSSNER, SCHEER AND DABAUVALLE **109**, 1813.
Nucleus
characterization of *SAC3*: BAUER AND KOLLING **109**, 1575.
endo-exonuclease in apoptosis: FRASER, TYNAN, PAPAIOANNOU, IRELAND AND PITTMAN **109**, 2343.

filamentous assembly of NuMA: SAREDI, HOWARD AND COMPTON **109**, 619.
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.
morphogenesis of the prekinetochore: HE AND BRINKLEY **109**, 2693.
regulation of E2F nuclear accumulation: DE LA LUNA, BURDEN, LEE AND LA THANGUE **109**, 2443.

NUF1
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.

Null mutation
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.

NuMA
degradation of nuclear matrix in apoptosis: WEAVER, CARSON, WALKER, CHALY, LACH, RAYMOND, BROWN AND SIKORSKA **109**, 45.
filamentous assembly of NuMA: SAREDI, HOWARD AND COMPTON **109**, 619.
NuMA cleavage in mitosis and apoptosis: HSU AND YEH **109**, 277.

Nutrient monitoring
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.

OBCAM
inhibitory protein GP55 is a member of the IgLON family: WILSON, KIM, CLARKE, MARSHALL-CLARKE AND MOSS **109**, 3129.

Occludin
occludin a tight junction component: MCCARTHY, SKARE, STANKEWICH, FURUSE, TSUKITA, ROGERS, LYNCH AND SCHNEEBERGER **109**, 2287.
overexpression of occludin: FURUSE, FUJIMOTO, SATO, HIRASE, TSUKITA AND TSUKITA **109**, 429.

Okadaic acid
dephosphorylation of histone H1 by PP1: PAULSON, PATZLAFF AND VALLIS **109**, 1437.

Oncogene
conditional differentiation of muscle-derived cells: JAHN, SADOSHIMA, GREENE, PARKER, MORGAN AND IZUMO **109**, 397.

Oocyte
meiosis arrest in *grau* and *cort* mutants: PAGE AND ORR-WEAVER **109**, 1707.

Oogenesis
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.

Optical tweezers
flexural rigidity of microtubules: FELGNER, FRANK AND SCHLIWA **109**, 509.

Organelle motility
axonal vs dendritic organelle motility: OVERLY, RIEFF AND HOLLENBECK **109**, 971.

Organelle transport
tropomyosin regulates organelle transport: PELHAM, JUNG-CHING LIN AND WANG **109**, 981.

Osmoregulation
contractile vacuoles under hypertonic stress: ISHIDA, FOK, AIHARA AND ALLEN **109**, 229.

Osteoblast differentiation
fibronectin regulates calvarial osteoblast differentiation: MOURSI, DAMSKY, LULL, ZIMMERMAN, DOTY, AOTA AND GLOBUS **109**, 1369.

Osteoclast
late monocytes are osteoclast precursors: SOLARI, FLAMANT, CHEREL, WYERS AND JURDIC **109**, 1203.
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
osteoclast laminin interaction: COLUCCI, GIANNELLI, GRANO, FACCIO, QUARANTA AND ZAMBONIN ZALLONE **109**, 1527.

Osteogenesis
mineralisation of vascular pericytes: CANFIELD, SUTTON, HOYLAND AND SCHOR **109**, 343.

Outer segment
Xenopus homologs of rds/peripherin: KEDZIERSKI, MOGHRABI, ALLEN, JABLONSKI-STIEMKE, AZARIAN, BOK AND TRAVIS **109**, 2551.

Ovalbumin
protein degradation in endocytic organelles: TJELLE, BRECH, JUVET, GRIFFITHS AND BERG **109**, 2905.

Oxidative stress
oxidative stress and p53 activation: RENZING, HANSEN AND LANE **109**, 1105.

P1Mcm3
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.

P25
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.

p34^{cdc2} kinase
EMAP phosphorylation in vivo: BRISCH, DAGGETT AND SUPRENANAT **109**, 2885.

p53
oxidative stress and p53 activation: RENZING, HANSEN AND LANE **109**, 1105.

p53 down-regulation
the role of p53 in neuronal differentiation: FERREIRA AND KOSIK **109**, 1509.

p56^{cdc13}
p56^{cdc13} and p80^{cdc25} kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.

p80^{cdc25}
p56^{cdc13} and p80^{cdc25} kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.

p120
armadillo related proteins: HATZFELD AND NACHTSHEIM **109**, 2767.

p230
p230 associated with TGN vesicles: GLEESON, ANDERSON, STOW, GRIFFITHS, TOH AND MATHESON **109**, 2811.

Pancreas
Rab3 isoforms and insulin secretion: REGAZZI, RAVAZZOLA, IEZZI, LANG, ZAHRAOUI, ANDEREGGEN, MOREL, TAKAI AND WOLLHEIM **109**, 2265.

Paramecium multimicronucleatum
contractile vacuoles under hypertonic stress: ISHIDA, FOK, AIHARA AND ALLEN **109**, 229.

Paramecium tetraurelia
ultradian clock in *Paramecium tetraurelia*: KIPPERT **109**, 867.

Paraneoplastic disease
mRNA binding and neuronal differentiation: GAO AND KEENE **109**, 579.

Patch-clamp
caged $InsP_3$ crosses endothelial gap junctions: CARTER, CHEN, CARLILE, KALAPOTHAKIS, OGDEN AND EVANS **109**, 1765.

Pattern formation
expression of connexin31 and connexin43: DAHL, WINTERHAGER, REUSS, TRAUB, BUTTERWECK AND WILLECKE **109**, 191.

PC12
E-cadherin expression in PC12 by HTLV-I Tax: KITAJIMA, KAWAHARA, HANYU, SHIN, TOKIOKA, SOEJIMA, TSUTSUI, OZAWA, SHIMAYAMA AND MARUYAMA **109**, 609.

PC12 cell
PI3-kinase in neurite outgrowth: JACKSON, BLADER, HAMMONDS-ODIE, BURGA, COOKE, HAWKINS, WOLF, HELDMAN AND THEIBERT **109**, 289.
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.

Pea cotyledon
storage protein transport: HOHL, ROBINSON, CHRISPEELS AND HINZ **109**, 2539.

Pericyte
mineralisation of vascular pericytes: CANFIELD, SUTTON, HOYLAND AND SCHOR **109**, 343.

Peripherin
Xenopus homologs of rds/peripherin: KEDZIERSKI, MOGHRABI, ALLEN, JABLONSKI-STIEMKE, AZARIAN, BOK AND TRAVIS **109**, 2551.

Peroxisome motility
microtubule-based peroxisome movement: RAPP, SAFFRICH, ANTON, JAKLE, ANSORGE, GORGAS AND JUST **109**, 837.

Pertussis toxin
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.

pH
an endonuclease dependent on Ca^{2+} or low pH: COLLINS, FURLONG, MALDE, ASCASO, OLIVER AND RIVAS **109**, 2393.

Phosphoinositide kinase
CDC42Hs-mediated actin-cytoskeleton rearrangements: DUTARTRE, DAVOUST, GORVEL AND CHAVRIER **109**, 367.

Phospholipase
LPA and detyrosinated microtubules: NAGASAKI AND GUNDERSEN **109**, 2461.

Phospholipase C
calcium mobilization and influx: SPUNGIN AND BREITBART **109**, 1947.

Phospholipid
membrane phospholipid labeling: FUJIMOTO, UMEDA AND FUJIMOTO **109**, 2453.
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.

Phospholipid asymmetry
redistribution of lipids in fibroblasts: POMORSKI, MULLER, ZIMMERMANN, BURGER, DEVAUX AND HERRMANN **109**, 687.

Phosphoramidon
localisation of endothelin-converting enzyme: BARNES, SHIMADA, TAKAHASHI, TANZAWA AND TURNER **109**, 919.

Phosphorylation
ATP in platelet serotonin exocytosis: MORIMOTO AND OGIHARA **109**, 113.
degradation of nuclear matrix in apoptosis: WEAVER, CARSON, WALKER, CHALY, LACH, RAYMOND, BROWN AND SIKORSKA **109**, 45.
microtubules in tau/GSK-3β transfected cells: WAGNER, UTTON, GALLO AND MILLER **109**, 1537.
neurofilament-associated kinases: STARR, HALL AND MONTEIRO **109**, 1565.
Z-disk layout of titin: GAUTEL, GOULDING, BULLARD, WEBER AND FURST **109**, 2747.

Phosphotyrosine
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.

Photoreceptor
kinesin-like proteins in RIS-ROS: BEECH, PAGH-ROEHL, NODA, HIROKAWA, BURNSIDE AND ROSENBAUM **109**, 889.
Xenopus homologs of rds/peripherin: KEDZIERSKI, MOGHRABI, ALLEN, JABLONSKI-STIEMKE, AZARIAN, BOK AND TRAVIS **109**, 2551.

Photoreceptor cell
distribution of OS guanylate cyclase: HALLETT, DELAAT, ARIKAWA, SCHLAMP, KONG AND WILLIAMS **109**, 1803.

Phycobiliprotein
HLA DR single particle tracking: WILSON, MORRISON, SMITH, FERNANDEZ AND CHERRY **109**, 2101.

Physarum
two γ-tubulin polypeptides: LAJOIE-MAZENC, DETRAVES, ROTARU, GARES, TOLLON, JEAN, JULIAN, WRIGHT AND RAYNAUD-MESSINA **109**, 2483.

Physiological stress
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.

PI3-kinase
effects of wortmannin on endosomes: REAVES, BRIGHT, MULLOCK AND LUZIO **109**, 749.
PI3-kinase in neurite outgrowth: JACKSON, BLADER, HAMMONDS-ODIE, BURGA, COOKE, HAWKINS, WOLF, HELDMAN AND THEIBERT **109**, 289.

Piggy-back binding transport
nuclear localization signal of mouse DNA primase: MIZUNO, OKAMOTO, YOKOI, IZUMI, KOBAYASHI, HACHIYA, TAMAI, INOUE AND HANAOKA **109**, 2627.
Pigment granule migration
regulation of pigment granule motility: KING-SMITH, CHEN, GARCIA, REY AND BURNSIDE **109**, 33.
PKA
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
PKG
PKG and focal adhesions: MURPHY-ULLRICH, PALLERO, BOERTH, GREENWOOD, LINCOLN AND CORNWELL **109**, 2499.
Plakoglobin
cadherin binding sites of plakoglobin: TROYANOVSKY, CHITAEV AND TROYANOVSKY **109**, 3069.
functional domains of plakoglobin: WAHL, SACCO, MCGRANAHAN-SADLER, SAUPPE, WHEELOCK AND JOHNSON **109**, 1143.
Plant profilin
profilin stabilizes microfilaments: ROTHKEGEL, MAYBORODA, ROHDE, WUCHERPFENNIG, VALENTA AND JOCKUSCH **109**, 83.
Plasma membrane
in vitro Golgi to plasma membrane transport: MAYER, IVANOV, GRAVOTTA, ADESNIK AND SABATINI **109**, 1667.
kinase associated with p127-myosin II complex: KALMES, MERDES, NEUMANN, STRAND AND MECHLER **109**, 1359.
LPA and detyrosinated microtubules: NAGASAKI AND GUNDERSEN **109**, 2461.
localisation of endothelin-converting enzyme: BARNES, SHIMADA, TAKAHASHI, TANZAWA AND TURNER **109**, 919.
Plasmalemmal vesicle
endothelial transport of insulin and albumin: BENDAYAN AND RASIO **109**, 1857.
Platelet
ATP in platelet serotonin exocytosis: MORIMOTO AND OGIHARA **109**, 113.
Polarised cell
apical endocytosis in Caco-2 cells: SHURETY, BRIGHT AND LUZIO **109**, 2927.
Polarised growth
a novel protein involved in polarised growth: TODA, NIWA, NEMOTO, DHUT, EDDISON, MATSUSAKA, YANAGIDA AND HIRATA **109**, 2331.
Polarity
laminin-enhanced axonal growth and MAP: DITELLA, FEIGUIN, CARRI, KOSIK AND CACERES **109**, 467.
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
polar FL-DHP localization in *Fucus*: SHAW AND QUATRANO **109**, 335.
Pollen tube
plant clathrin heavy chain: BLACKBOURN AND JACKSON **109**, 777.
Poly(ADP-ribosyl)transferase
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
Polyglycylation
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.
Polysphondylium pallidum
antisense RNA inactivation of gene: FUNAMOTO AND OCHIAI **109**, 1009.
Post-translational modification
dynamics of microtubule modifications: LAURENT AND FLEURY **109**, 419.
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.
Power stroke
bidirectional power stroke of dynein arms: ISHIJIMA, KUBO-IRIE, MOHRI AND HAMAGUCHI **109**, 2833.
PPV
PP6, a novel human serine/threonine protein phosphatase: BASTIANS AND PONSTINGL **109**, 2865.
Prekinetochore
morphogenesis of the prekinetochore: HE AND BRINKLEY **109**, 2693.
Prelysosome
protein degradation in endocytic organelles: TJELLE, BRECH, JUVET, GRIFFITHS AND BERG **109**, 2905.
Prenucleolar bodies
HIV-1 Rev protein in mitosis: DUNDR, LENO, LEWIS, REKOSH, HAMMARSKJOLD AND OLSON **109**, 2239.
Primary culture
TGFβ1-induced migration in epithelial tracheal cells: BOLAND, BOISVIEUX-ULRICH, HOUCINE, BAEZA-SQUIBAN, POUCHELET, SCHOEVAERT AND MARANO **109**, 2207.
Primordial germ cell
immortalized cells from the mouse UGR: CAPEL, HAWKINS, HIRST, KIOUSSIS AND LOVELL-BADGE **109**, 899.
Profilin overexpression
profilin stabilizes microfilaments: ROTHKEGEL, MAYBORODA, ROHDE, WUCHERPFENNIG, VALENTA AND JOCKUSCH **109**, 83.
Programmed cell death
cleavage and inactivation of DNA-PKcs: LE ROMANCER, COSULICH, JACKSON AND CLARKE **109**, 3121.
Proliferation
$p27^{kip1}$ and cell cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.
Proline-rich protein
sorting of proline-rich proteins: STAHL, WRIGHT, CASTLE AND CASTLE **109**, 1637.
Promoter
transcriptional regulation using the *CYP1A1* promoter: CAMPBELL, CARLOTTI, HALL, CLARK AND WOLF **109**, 2619.
Pronucleus
pronuclear envelope assembly: COLLAS AND POCCIA **109**, 1275.
Proprotein processing
NRD convertase expression in male germ cells: CHESNEAU, PRAT, SEGRETAIN, HOSPITAL, DUPAIX, FOULON, JEGOU AND COHEN **109**, 2737.
Protease
cleavage and inactivation of DNA-PKcs: LE ROMANCER, COSULICH, JACKSON AND CLARKE **109**, 3121.
Protected zone
eosinophil focal contact redistribution: TOURKIN, BONNER, MANTROVA, LEROY AND HOFFMAN **109**, 2169.
Protein import
mitochondrial protein import in trypanosomatids: HAUSER, PYPAERT, HEUSLER, HORN AND SCHNEIDER **109**, 517.
Protein kinase
casein kinase 1 of *Drosophila*: SANTOS, LOGARINHO, TAPIA, ALLENDE, ALLENDE AND SUNKEL **109**, 1847.
Protein kinase C
a novel protein involved in polarised growth: TODA, NIWA, NEMOTO, DHUT, EDDISON, MATSUSAKA, YANAGIDA AND HIRATA **109**, 2331.
nuclear transport of PKC α: SCHMALZ, KALKBRENNER, HUCHO AND BUCHNER **109**, 2401.
Protein phosphatase
protein phosphatase 2A deficiency: SNAITH, ARMSTRONG, GUO, KAISER AND COHEN **109**, 3001.
Protein phosphorylation
casein kinase 1 of *Drosophila*: SANTOS, LOGARINHO, TAPIA, ALLENDE, ALLENDE AND SUNKEL **109**, 1847.\
dephosphorylation of histone H1 by PP1: PAULSON, PATZLAFF AND VALLIS **109**, 1437.
vimentin phosphorylation: CHOU, OPAL, QUINLAN AND GOLDMAN **109**, 817.
Protein-protein interaction
neurofilament protein interactions: CARPENTER AND IP **109**, 2493.
Protein sorting
sorting of proline-rich proteins: STAHL, WRIGHT, CASTLE AND CASTLE **109**, 1637.
Protein storage vacuole
storage protein transport: HOHL, ROBINSON, CHRISPEELS AND HINZ **109**, 2539.
Protein synthesis
binding of actin by EF1α from metastatic tumors: EDMONDS, WYCKOFF, YEUNG, WANG, STANLEY, JONES, SEGALL AND CONDEELIS **109**, 2705.
subcellular localization of EF-1βγδ: SANDERS, BRANDSMA, JANSSEN, DIJK AND MOLLER **109**, 1113.
Protein targeting
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
Protein trafficking
nuclear localization of E2F: MAGAE, WU, ILLENYE, HARLOW AND HEINTZ **109**, 1717.
Protein tyrosine kinase
the GPI-anchored F3 molecule in adhesion: CERVELLO, MATRANGA, DURBEC, ROUGON AND GOMEZ **109**, 699.
Protein with tau-like repeats
structural microtubule-associated protein from *C. elegans*: GOEDERT, BAUR, AHRINGER, JAKES, HASEGAWA, SPILLANTINI, SMITH AND HILL **109**, 2661.
Proteoglycan
effect of mechanical strain on GAG and PG secretion: XU, LIU, LIU, CANIGGIA AND POST **109**, 1605.
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.
Proteoliposome
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.
Protocadherin
cadherin superfamily: SUZUKI **109**, 2609.
pS2
pS2 causes epithelial cell dispersion: WILLIAMS, STAMP, GILBERT, PIGNATELLI AND LALANI **109**, 63.
Purkinje cell
anosmin-1 in the embryonic chicken brain: SOUSSI-YANICOSTAS, HARDELIN, DEL MAR ARROYO-JIMENEZ, ARDOUIN, LEGOUIS, LEVILLIERS, TRAINCARD, BETTON, CABANIE AND PETIT **109**, 1749.
pyp1
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
Quality control
fidelity of thiol-mediated retention: BREWER AND CORLEY **109**, 2383.
Quantitation of oocyte lamin
lamin L_1 in *Xenopus* oocytes and eggs: LOURIM, KEMPF AND KROHNE **109**, 1775.
Rab
functional link between Rab3 and the SNAREs: JOHANNES, DOUSSAU, CLABECQ, HENRY, DARCHEN AND POULAIN **109**, 2875.
identification of a novel Rab8 isotype:

ARMSTRONG, THOMPSON, SQUIRE, SMITH, HAYES AND SOLARI **109**, 1265.
rac
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
RAD54
isolation of a *S. pombe RAD54* homologue: MURIS, VREEKEN, CARR, MURRAY, SMIT, LOHMAN AND PASTINK **109**, 73.
Rainbow trout
vimentin in fish: HERRMANN, MUNICK, BRETTEL, FOUQUET AND MARKL **109**, 569.
Ran (TC4)
Gtr1p and RanGTPase: NAKASHIMA, HAYASHI, NOGUCHI AND NISHIMOTO **109**, 2311.
Ran GTPase: its regulators and effectors: AVIS AND CLARKE **109**, 2423.
RCC1 and Ran in nuclear protein import in vivo: DICKMANNS, BISCHOFF, MARSHALLSAY, LUHRMANN, PONSTINGL AND FANNING **109**, 1449.
Ran GTPase
PP6, a novel human serine/threonine protein phosphatase: BASTIANS AND PONSTINGL **109**, 2865.
Ran mutant
RCC1 and Ran in nuclear protein import in vivo: DICKMANNS, BISCHOFF, MARSHALLSAY, LUHRMANN, PONSTINGL AND FANNING **109**, 1449.
Rate change point
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
RCC1
Gtr1p and RanGTPase: NAKASHIMA, HAYASHI, NOGUCHI AND NISHIMOTO **109**, 2311.
Ran GTPase: its regulators and effectors: AVIS AND CLARKE **109**, 2423.
RCC1 and Ran in nuclear protein import in vivo: DICKMANNS, BISCHOFF, MARSHALLSAY, LUHRMANN, PONSTINGL AND FANNING **109**, 1449.
rds
Xenopus homologs of rds/peripherin: KEDZIERSKI, MOGHRABI, ALLEN, JABLONSKI-STIEMKE, AZARIAN, BOK AND TRAVIS **109**, 2551.
Reaction mechanism
partial reactions of Hsc70: BUXBAUM AND WOODMAN **109**, 705.
Receptor
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.
Receptor-mediated endocytosis
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.
Receptor mobility
HLA DR single particle tracking: WILSON, MORRISON, SMITH, FERNANDEZ AND CHERRY **109**, 2101.
Recycling
immunolocalization of internalized βPP: YAMAZAKI, KOO AND SELKOE **109**, 999.
Regeneration
hydra epiboly: KISHIMOTO, MURATE AND SUGIYAMA **109**, 763.
Regulatable
transcriptional regulation using the *CYP1A1* promoter: CAMPBELL, CARLOTTI, HALL, CLARK AND WOLF **109**, 2619.
Regulated secretion
dual regulated secretory pathways: CASTLE AND CASTLE **109**, 2591.
sorting of proline-rich proteins: STAHL, WRIGHT, CASTLE AND CASTLE **109**, 1637.
Regulation
allosteric control of integrin activity: MOULD **109**, 2613.
Regulatory secretion
effect of mechanical strain on GAG and PG secretion: XU, LIU, LIU, CANIGGIA AND POST **109**, 1605.
Remodelling
albumin inhibits endothelial apoptosis: ZOELLNER, HOFLER, BECKMANN, HUFNAGL, VANYEK, BIELEK, WOJTA, FABRY, LOCKIE AND BINDER **109**, 2571.
Renin
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.
Replication
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.
Xenopus cyclin E: CHEVALIER, COUTURIER, CHARTRAIN, LE GUELLEC, BECKHELLING, LE GUELLEC, PHILIPPE AND FORD **109**, 1173.
Replication focus
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
Retention
role of the membrane-spanning domain and stalk region of NAGT I: NILSSON, RABOUILLE, HUI, WATSON AND WARREN **109**, 1975.
Retinal pigment epithelium
CD36 in the phagocytosis of rod outer segments: RYEOM, SPARROW AND SILVERSTEIN **109**, 387.
Retinoblastoma protein
regulation of E2F nuclear accumulation: DE LA LUNA, BURDEN, LEE AND LA THANGUE **109**, 2443.
RGD sequence
fibronectin regulates calvarial osteoblast differentiation: MOURSI, DAMSKY, LULL, ZIMMERMAN, DOTY, AOTA AND GLOBUS **109**, 1369.
Rho
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
Rho-induced tyrosine phosphorylation: FLINN AND RIDLEY **109**, 1133.
Rho GTPase
CDC42Hs-mediated actin-cytoskeleton rearrangements: DUTARTRE, DAVOUST, GORVEL AND CHAVRIER **109**, 367.
***rhp54*⁺**
isolation of a *S. pombe RAD54* homologue: MURIS, VREEKEN, CARR, MURRAY, SMIT, LOHMAN AND PASTINK **109**, 73.
Ribosomal RNA
HSV-1 induced rRNA alterations: BESSE AND PUVION-DUTILLEUL **109**, 119.
Ribosomal transcription
immunological pADPRT detection: MOSGOELLER, STEINER, HOZAK, PENNER AND WESIERSKA-GADEK **109**, 409.
Ring canal
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.
RNA binding protein
mRNA binding and neuronal differentiation: GAO AND KEENE **109**, 579.
RNA polymerase II
transcription factories: IBORRA, POMBO, JACKSON AND COOK **109**, 1427.
RNA1
Gtr1p and RanGTPase: NAKASHIMA, HAYASHI, NOGUCHI AND NISHIMOTO **109**, 2311.
RNase protection
sodium channel subunit mRNAs in skin: ROUDIER-PUJOL, ROCHAT, ESCOUBET, EUGENE, BARRANDON, BONVALET AND FARMAN **109**, 379.
Rod
kinesin-like proteins in RIS-ROS: BEECH, PAGH-ROEHL, NODA, HIROKAWA, BURNSIDE AND ROSENBAUM **109**, 889.
Rod outer segment
CD36 in the phagocytosis of rod outer segments: RYEOM, SPARROW AND SILVERSTEIN **109**, 387.
Rooster
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.
RPE
regulation of pigment granule motility: KING-SMITH, CHEN, GARCIA, REY AND BURNSIDE **109**, 33.
rRNA distribution
RNA distribution within microsporocytes: MAJEWSKA-SAWKA AND RODRIGUEZ-GARCIA **109**, 859.
rRNA processing
organization of rRNA processing: BEVEN, LEE, RAZAZ, LEADER, BROWN AND SHAW **109**, 1241.
Rubella virus (RV)
functional GPI anchored RV hemagglutinin: BERNASCONI, FASEL AND WITTEK **109**, 1195.
Ruffled border
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
5 S RNA
transcription factor IIIA: SHASTRY **109**, 535.
7SL RNA
SRP and related small cytoplasmic RNPs: BOVIA AND STRUB **109**, 2601.
S phase
localisation of human Mcm proteins during S-phase: KRUDE, MUSAHL, LASKEY AND KNIPPERS **109**, 309.
S100 protein family
CAAF1: a novel calcium-binding protein: HITOMI, YAMAGUCHI, KIKUCHI, KIMURA, MARUYAMA AND NAGASAKI **109**, 805.
Saccharomyces cerevisiae
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.
suppressors for *YPT6* deletion: TSUKADA AND GALLWITZ **109**, 2471.
Salivary gland
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.
Salivary protein
dual regulated secretory pathways: CASTLE AND CASTLE **109**, 2591.
SAR
electroelutability of Mar/SARs: HEMPEL AND STRATLING **109**, 1459.
Sarcomere
cardiogenesis in β_1 integrin-deficient ES cells: FASSLER, ROHWEDEL, MALTSEV, BLOCH, LENTINI, GUAN, GULLBERG, HESCHELER, ADDICKS AND WOBUS **109**, 2989.
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
muscle cell remodeling by v-Src: CASTELLANI, REEDY, AIREY, GALLO, CIOTTI, FALCONE AND ALEMA **109**, 1335.
Z-disk layout of titin: GAUTEL, GOULDING, BULLARD, WEBER AND FURST **109**, 2747.
Sarcoplasmic reticulum
protein trafficking in muscle fibers: RAHKILA, ALAKANGAS, VAANANEN AND METSIKKO **109**, 1585.
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.
Scaffold
electroelutability of Mar/SARs: HEMPEL AND STRATLING **109**, 1459.
Scattering
Met signalling in a variant MDCK cell line: WEBB, LANE, DAWSON, VANDE WOUDE AND WARN **109**, 2371.
Schizosaccharomyces pombe
localization of MCM homologs in *S. pombe*: OKISHIO, ADACHI AND YANAGIDA **109**, 319.
mediators of Swi6p localisation in *S. pombe*: EKWALL, NIMMO, JAVERZAT, BORGSTROM, EGEL, CRANSTON AND ALLSHIRE **109**, 2637.

p56^{cdc13} and p80^{cdc25} kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
S. pombe actin ring mutants: CHANG, WOOLLARD AND NURSE **109**, 131.
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.

SCO-spondin
SCO-spondin and thrombospondin family: GOBRON, MONNERIE, MEINIEL, CREVEAUX, LEHMANN, LAMALLE, DASTUGUE AND MEINIEL **109**, 1053.

Sea urchin
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.

Secretion
fidelity of thiol-mediated retention: BREWER AND CORLEY **109**, 2383.
identification of a novel Rab8 isotype: ARMSTRONG, THOMPSON, SQUIRE, SMITH, HAYES AND SOLARI **109**, 1265.
α-SNAP and exocytosis: KIBBLE, BARNARD AND BURGOYNE **109**, 2417.

Segmented coiled coil
SF-assemblin in *Dunaliella*: LECHTRECK, FRINS, BILSKI, TELTENKOTTER, WEBER AND MELKONIAN **109**, 827.

Semilysobisphosphatidic acid
unusual phospholipid in Golgi membranes: CLUETT AND MACHAMER **109**, 2121.

Seminal plasma
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.

Seminiferous epithelium
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.

Septation
control of septation in *A. nidulans*: WOLKOW, HARRIS AND HAMER **109**, 2179.

Septin
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.

SERCA1
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.

SERCA2
SR dynamics: KAPRIELIAN, ROBINSON, FAMBROUGH AND KESSLER **109**, 2529.

Serine kinase
kinase associated with p127-myosin II complex: KALMES, MERDES, NEUMANN, STRAND AND MECHLER **109**, 1359.

Sertoli cell
somatic association in Sertoli cells: CHANDLEY, SPEED AND LEITCH **109**, 773.

Serum
corneal epithelium in dc electric field: ZHAO, AGIUS-FERNANDEZ, FORRESTER AND MCCAIG **109**, 1405.

Serum and Ca^{2+} depletion
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.

Sex steroid
interstitial collagenase in endometrium: KOKORINE, MARBAIX, HENRIET, OKADA, DONNEZ, EECKHOUT AND COURTOY **109**, 2151.

SF-assemblin
SF-assemblin in *Dunaliella*: LECHTRECK, FRINS, BILSKI, TELTENKOTTER, WEBER AND MELKONIAN **109**, 827.

Shedding
CD44 and melanoma cells: GOEBELER, KAUFMANN, BROCKER AND KLEIN **109**, 1957.

shibire
transferrin receptors in oocytes: BRETSCHER **109**, 3113.

Signal transduction
integrin ectodomain influences cell spreading and motility: FILARDO, DEMING AND CHERESH **109**, 1615.
Rho-induced tyrosine phosphorylation: FLINN AND RIDLEY **109**, 1133.

Signalling
integrin triggered Ca^{2+} signals in neutrophils: PETTIT AND HALLETT **109**, 1689.
signal transduction by the α6β4 integrin: GIANCOTTI **109**, 1165.

Simple epithelial-hepatic polarity
simple epithelial to hepatic polarity in WIF-B9: DECAENS, RODRIGUEZ, BOUCHAUD AND CASSIO **109**, 1623.

Site-directed mutant
site-directed mutagenesis of tubulins: ZABALA, FONTALBA AND AVILA **109**, 1471.

Site-specific proteolysis
degradation of nuclear matrix in apoptosis: WEAVER, CARSON, WALKER, CHALY, LACH, RAYMOND, BROWN AND SIKORSKA **109**, 45.

Size control
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.

Skin
skin stem cell analysis with keratin 19: MICHEL, TOROK, GODBOUT, LUSSIER, GAUDREAU, ROYAL AND GERMAIN **109**, 1017.

Small proline-rich protein
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.

SNAP-25
functional link between Rab3 and the SNAREs: JOHANNES, DOUSSAU, CLABECQ, HENRY, DARCHEN AND POULAIN **109**, 2875.

α-SNAP
α-SNAP and exocytosis: KIBBLE, BARNARD AND BURGOYNE **109**, 2417.

SNARF-1
nuclear membrane may present a barrier to H^+: SEKSEK AND BOLARD **109**, 257.

snoRNA
organization of rRNA processing: BEVEN, LEE, RAZAZ, LEADER, BROWN AND SHAW **109**, 1241.

Somatic association
somatic association in Sertoli cells: CHANDLEY, SPEED AND LEITCH **109**, 773.

Somatostatin
Ku responds to cell contact and growth factors: FEWELL AND KUFF **109**, 1937.

Sorting
characterization of VIP36: FIEDLER AND SIMONS **109**, 271.

SPARC
PKG and focal adhesions: MURPHY-ULLRICH, PALLERO, BOERTH, GREENWOOD, LINCOLN AND CORNWELL **109**, 2499.

Spc110p
Spc110p targetting of calmodulin: SPANG, GREIN AND SCHIEBEL **109**, 2229.

SPC110
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.

Sperm
calcium mobilization and influx: SPUNGIN AND BREITBART **109**, 1947.

Sperm antigen processing
epididymal processing of sperm antigen 2B1: JONES, MA, HOU, SHALGI AND HALL **109**, 2561.

Sperm cell development
sp42, a male germ cell-specific tyrosine kinase: BERRUTI AND BORGONOVO **109**, 851.

Sperm flagellum
bidirectional power stroke of dynein arms: ISHIJIMA, KUBO-IRIE, MOHRI AND HAMAGUCHI **109**, 2833.

Sperm motility
creatine kinase isoenzymes in spermatozoa: KALDIS, STOLZ, WYSS, ZANOLLA, ROTHEN-RUTISHAUSER, VORHERR AND WALLIMANN **109**, 2079.
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.

Spermatogenesis
epididymal processing of sperm antigen 2B1: JONES, MA, HOU, SHALGI AND HALL **109**, 2561.
ring canal assembly in the male germ line: HIME, BRILL AND FULLER **109**, 2779.
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.

Spermatozoa
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.

Spermatozoan motility
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.

Spermiogenesis
espin and the ectoplasmic specialization: BARTLES, WIERDA AND ZHENG **109**, 1229.
NRD convertase expression in male germ cells: CHESNEAU, PRAT, SEGRETAIN, HOSPITAL, DUPAIX, FOULON, JEGOU AND COHEN **109**, 2737.

SPF
SPF activity of cyclins A and E: STRAUSFELD, HOWELL, DESCOMBES, CHEVALIER, REMPEL, ADAMCZEWSKI, MALLER, HUNT AND BLOW **109**, 1555.

Spinal cord
axonal targeting of agrin: ESCHER, BECHADE, LEVI AND TRILLER **109**, 2959.

Spindle
centrosome and spindle function of the Ncd motor: ENDOW AND KOMMA **109**, 2429.
mediators of Swi6p localisation in *S. pombe*: EKWALL, NIMMO, JAVERZAT, BORGSTROM, EGEL, CRANSTON AND ALLSHIRE **109**, 2637.

Spindle apparatus
microtubule effects on actin organization: FISHKIND, SILVERMAN AND WANG **109**, 2041.

Spindle fibre
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.

Spindle interzone
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.

Spindle microtubule
role of γ-tubulin in yeast spindle formation: MASUDA AND SHIBATA **109**, 165.

Spindle organization
meiotic spindle in fertilized *Drosophila* oocyte: RIPARBELLI AND CALLAINI **109**, 911.

Spindle pole body
role of γ-tubulin in yeast spindle formation: MASUDA AND SHIBATA **109**, 165.
spc110 mutants: STIRLING, RAYNER, PRESCOTT AND STARK **109**, 1297.
Spc110p targetting of calmodulin: SPANG, GREIN AND SCHIEBEL **109**, 2229.

Splicing
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.

Squamous epithelial cell differentiation
CAAF1: a novel calcium-binding protein: HITOMI, YAMAGUCHI, KIKUCHI, KIMURA, MARUYAMA AND NAGASAKI **109**, 805.

Sry
immortalized cells from the mouse UGR: CAPEL, HAWKINS, HIRST, KIOUSSIS AND LOVELL-BADGE **109**, 899.

SSD1
PP6, a novel human serine/threonine protein phosphatase: BASTIANS AND PONSTINGL **109**, 2865.
Stalk region
role of the membrane-spanning domain and stalk region of NAGT I: NILSSON, RABOUILLE, HUI, WATSON AND WARREN **109**, 1975.
Stem cell
skin stem cell analysis with keratin 19: MICHEL, TOROK, GODBOUT, LUSSIER, GAUDREAU, ROYAL AND GERMAIN **109**, 1017.
the interstitial cell lineage of hydra: BODE **109**, 1155.
Storage polypeptide
storage protein transport: HOHL, ROBINSON, CHRISPEELS AND HINZ **109**, 2539.
Stress (mechanical)
synthesis/structure in loaded cartilage: BUSCHMANN, HUNZIKER, KIM AND GRODZINSKY **109**, 499.
Stress response
wis1 and cAMP signalling pathways in fission yeast: STETTLER, WARBRICK, PROCHNIK, MACKIE AND FANTES **109**, 1927.
Stroma
the role of BM macrophages in erythropoiesis: BARBE, HUITINGA, DOPP, BAUER AND DIJKSTRA **109**, 2937.
Stromal-epithelial interaction
downregulation of tenascin-X by glucocorticoids: SAKAI, FURUKAWA, CHIQUET-EHRISMANN, NAKAMURA, KITAGAWA, IKEMURA AND MATSUMOTO **109**, 2069.
Stromelysin-1 (MMP-3)
interstitial collagenase in endometrium: KOKORINE, MARBAIX, HENRIET, OKADA, DONNEZ, EECKHOUT AND COURTOY **109**, 2151.
Subcellular fractionation
protein degradation in endocytic organelles: TJELLE, BRECH, JUVET, GRIFFITHS AND BERG **109**, 2905.
Subcellular localization
Hsp90α dimerization and subcellular localization: MENG, DEVIN, SULLIVAN, TOFT, BAULIEU AND CATELLI **109**, 1677.
βγ-Subunit
subcellular localization of G proteins: NUSSE AND NEER **109**, 221.
Surface glycoprotein 72
subcellular localization of a *Trypanosoma cruzi* glycoprotein: HAYNES, RUSSELL AND CROSS **109**, 2979.
Swapping mutant
swapping of filensin domains: GOULIELMOS, REMINGTON, SCHWESINGER, GEORGATOS AND GOUNARI **109**, 447.
Sweat gland
sodium channel subunit mRNAs in skin: ROUDIER-PUJOL, ROCHAT, ESCOUBET, EUGENE, BARRANDON, BONVALET AND FARMAN **109**, 379.
Synaptobrevin
functional link between Rab3 and the SNAREs: JOHANNES, DOUSSAU, CLABECQ, HENRY, DARCHEN AND POULAIN **109**, 2875.
Synaptogenesis
agrin and dystroglycan in developing electrocytes: CARTAUD, LUDOSKY, HAASEMANN, JUNG, CAMPBELL AND CARTAUD **109**, 1837.
Synchronous culture
$p56^{cdc13}$ and $p80^{cdc25}$ kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
Syndecan-1
coordinated expression of E-cadherin and syndecan-1: LEPPA, VLEMINCKX, VAN ROY AND JALKANEN **109**, 1393.
***SYS* gene**
suppressors for *YPT6* deletion: TSUKADA AND GALLWITZ **109**, 2471.
T antigen
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.
T-antigen mouse
immortalized cells from the mouse UGR: CAPEL, HAWKINS, HIRST, KIOUSSIS AND LOVELL-BADGE **109**, 899.
Targeted mutagenesis
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.
Tau
structural microtubule-associated protein from *C. elegans*: GOEDERT, BAUR, AHRINGER, JAKES, HASEGAWA, SPILLANTINI, SMITH AND HILL **109**, 2661.
Tau/GSK-3β
microtubules in tau/GSK-3β transfected cells: WAGNER, UTTON, GALLO AND MILLER **109**, 1537.
Tax
E-cadherin expression in PC12 by HTLV-I Tax: KITAJIMA, KAWAHARA, HANYU, SHIN, TOKIOKA, SOEJIMA, TSUTSUI, OZAWA, SHIMAYAMA AND MARUYAMA **109**, 609.
Taxol
flexural rigidity of microtubules: FELGNER, FRANK AND SCHLIWA **109**, 509.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.
TC4 (Ran)
Ran GTPase: its regulators and effectors: AVIS AND CLARKE **109**, 2423.
Telomere
mediators of Swi6p localisation in *S. pombe*: EKWALL, NIMMO, JAVERZAT, BORGSTROM, EGEL, CRANSTON AND ALLSHIRE **109**, 2637.
Temperature sensitivity
vimentin in fish: HERRMANN, MUNICK, BRETTEL, FOUQUET AND MARKL **109**, 569.
Tenascin
astrocytoma cell migration on human tenascin: GIESE, LOO, NORMAN, TREASURYWALA AND BERENS **109**, 2161.
PKG and focal adhesions: MURPHY-ULLRICH, PALLERO, BOERTH, GREENWOOD, LINCOLN AND CORNWELL **109**, 2499.
tenascin-mediated cell migration: DERYUGINA AND BOURDON **109**, 643.
Tenascin family
downregulation of tenascin-X by glucocorticoids: SAKAI, FURUKAWA, CHIQUET-EHRISMANN, NAKAMURA, KITAGAWA, IKEMURA AND MATSUMOTO **109**, 2069.
Tension
kinetochores are, on average, under tension: WATERS, SKIBBENS AND SALMON **109**, 2823.
Terminal differentiation
variability of the cornified cell envelope: JARNIK, KARTASOVA, STEINERT, LICHTI AND STEVEN **109**, 1381.
Testis
NRD convertase expression in male germ cells: CHESNEAU, PRAT, SEGRETAIN, HOSPITAL, DUPAIX, FOULON, JEGOU AND COHEN **109**, 2737.
Testis development
immortalized cells from the mouse UGR: CAPEL, HAWKINS, HIRST, KIOUSSIS AND LOVELL-BADGE **109**, 899.
TGF-β1
TGFβ1-induced migration in epithelial tracheal cells: BOLAND, BOISVIEUX-ULRICH, HOUCINE, BAEZA-SQUIBAN, POUCHELET, SCHOEVAERT AND MARANO **109**, 2207.
TGF-β3
salivary gland acinar differentiation: HOFFMAN, KIBBEY, LETTERIO AND KLEINMAN **109**, 2013.
TGN38
primate homologues of rat TGN38: PONNAMBALAM, GIROTTI, YASPO, OWEN, PERRY, SUGANUMA, NILSSON, FRIED, BANTING AND WARREN **109**, 675.
TGN46
primate homologues of rat TGN38: PONNAMBALAM, GIROTTI, YASPO, OWEN, PERRY, SUGANUMA, NILSSON, FRIED, BANTING AND WARREN **109**, 675.
Thick filament
domains of MyBP-C: GILBERT, KELLY, MIKAWA AND FISCHMAN **109**, 101.
Thiol-mediated retention
fidelity of thiol-mediated retention: BREWER AND CORLEY **109**, 2383.
Thiorphan
localisation of endothelin-converting enzyme: BARNES, SHIMADA, TAKAHASHI, TANZAWA AND TURNER **109**, 919.
Thrombospondin
mineralisation of vascular pericytes: CANFIELD, SUTTON, HOYLAND AND SCHOR **109**, 343.
PKG and focal adhesions: MURPHY-ULLRICH, PALLERO, BOERTH, GREENWOOD, LINCOLN AND CORNWELL **109**, 2499.
Thrombospondin family
SCO-spondin and thrombospondin family: GOBRON, MONNERIE, MEINIEL, CREVEAUX, LEHMANN, LAMALLE, DASTUGUE AND MEINIEL **109**, 1053.
Thyrotropin
$p27^{kip1}$ and cell cycle induced by cAMP: DEPOORTERE, DUMONT AND ROGER **109**, 1759.
Tibial dyschondroplasia
collagens in tibial dyschondroplasia: WARDALE AND DUANCE **109**, 1119.
Tight junction
occludin a tight junction component: MCCARTHY, SKARE, STANKEWICH, FURUSE, TSUKITA, ROGERS, LYNCH AND SCHNEEBERGER **109**, 2287.
overexpression of occludin: FURUSE, FUJIMOTO, SATO, HIRASE, TSUKITA AND TSUKITA **109**, 429.
simple epithelial to hepatic polarity in WIF-B9: DECAENS, RODRIGUEZ, BOUCHAUD AND CASSIO **109**, 1623.
Time-lapse film
size control of fission yeast: SVEICZER, NOVAK AND MITCHISON **109**, 2947.
α-TIP
storage protein transport: HOHL, ROBINSON, CHRISPEELS AND HINZ **109**, 2539.
Tissue remodeling
MT-MMP expression in mouse embryo: KINOH, SATO, TSUNEZUKA, TAKINO, KAWASHIMA, OKADA AND SEIKI **109**, 953.
Tissue specificity
sp42, a male germ cell-specific tyrosine kinase: BERRUTI AND BORGONOVO **109**, 851.
Titin
Z-disk layout of titin: GAUTEL, GOULDING, BULLARD, WEBER AND FURST **109**, 2747.
TNF
chemotaxis in macrophages: WEBB, POLLARD AND JONES **109**, 793.
Trafficking
actin filaments facilitate two steps of endocytosis: DURRBACH, LOUVARD AND COUDRIER **109**, 457.
trafficking of cell surface βPP: KOO, SQUAZZO, SELKOE AND KOO **109**, 991.
Transcription
functional compartmentalization of the nucleus: STROUBOULIS AND WOLFFE **109**, 1991.
regulation of E2F nuclear accumulation: DE LA LUNA, BURDEN, LEE AND LA THANGUE **109**, 2443.
transcription factor IIIA: SHASTRY **109**, 535.
transcription factories: IBORRA, POMBO, JACKSON AND COOK **109**, 1427.
Transcription factor
steroid receptor domains in the nucleus: VAN STEENSEL, VAN BINNENDIJK, HORNSBY, VAN DER VOORT, KROZOWSKI, DE KLOET AND VAN DRIEL **109**, 787.

Transcriptional control
wis1 and cAMP signalling pathways in fission yeast: STETTLER, WARBRICK, PROCHNIK, MACKIE AND FANTES **109**, 1927.
Transcriptional regulation
stress regulation of αB-crystallin: HEAD, HURWITZ AND GOLDMAN **109**, 1029.
Transcytosis
transcytotic pathway in rat hepatocytes: HEMERY, DURAND-SCHNEIDER, FELDMANN, VAERMAN AND MAURICE **109**, 1215.
Transepithelial electrical resistance
occludin a tight junction component: MCCARTHY, SKARE, STANKEWICH, FURUSE, TSUKITA, ROGERS, LYNCH AND SCHNEEBERGER **109**, 2287.
Transfection
MAP2d induced cytoskeletal organization: FERHAT, REPRESA, BERNARD, BEN-ARI AND KHRESTCHATISKY **109**, 1095.
MC1 receptor transfection in melanoma cells: CHLUBA-DE TAPIA, BAGUTTI, COTTI AND EBERLE **109**, 2023.
occludin a tight junction component: MCCARTHY, SKARE, STANKEWICH, FURUSE, TSUKITA, ROGERS, LYNCH AND SCHNEEBERGER **109**, 2287.
Transferrin receptor
transferrin receptors in oocytes: BRETSCHER **109**, 3113.
Transgenic
transcriptional regulation using the *CYP1A1* promoter: CAMPBELL, CARLOTTI, HALL, CLARK AND WOLF **109**, 2619.
Transgenic mouse
properties of immortalised mouse submandibular epthelial cell lines: LAOIDE, COURTY, GASTINNE, THIBAUT, KELLERMANN AND ROUGEON **109**, 2789.
Transglutaminase
cell adhesion to transglutaminase: UEKI, TAKAGI AND SAITO **109**, 2727.
***Trans*-Golgi network**
GFP-tagged TGN38 in stable transfectants: GIROTTI AND BANTING **109**, 2915.
membrane proteins binding to AP1: MALLET AND BRODSKY **109**, 3059.
p230 associated with TGN vesicles: GLEESON, ANDERSON, STOW, GRIFFITHS, TOH AND MATHESON **109**, 2811.
primate homologues of rat TGN38: PONNAMBALAM, GIROTTI, YASPO, OWEN, PERRY, SUGANUMA, NILSSON, FRIED, BANTING AND WARREN **109**, 675.
two domains in basolateral signal: REICH, MOSTOV AND AROETI **109**, 2133.
Translational elongation
SRP and related small cytoplasmic RNPs: BOVIA AND STRUB **109**, 2601.
Translocation
SRP and related small cytoplasmic RNPs: BOVIA AND STRUB **109**, 2601.
Transverse tubule
muscle cell remodeling by v-Src: CASTELLANI, REEDY, AIREY, GALLO, CIOTTI, FALCONE AND ALEMA **109**, 1335.
protein trafficking in muscle fibers: RAHKILA, ALAKANGAS, VAANANEN AND METSIKKO **109**, 1585.
Trefoil peptide
pS2 causes epithelial cell dispersion: WILLIAMS, STAMP, GILBERT, PIGNATELLI AND LALANI **109**, 63.
Triad
muscle cell remodeling by v-Src: CASTELLANI, REEDY, AIREY, GALLO, CIOTTI, FALCONE AND ALEMA **109**, 1335.
Trophectoderm
expression of connexin31 and connexin43: DAHL, WINTERHAGER, REUSS, TRAUB, BUTTERWECK AND WILLECKE **109**, 191.
Tropomodulin
novel tropomodulin isoform in neurons: WATAKABE, KOBAYASHI AND HELFMAN **109**, 2299.
Tropomyosin
novel tropomodulin isoform in neurons: WATAKABE, KOBAYASHI AND HELFMAN **109**, 2299.
tropomyosin regulates organelle transport: PELHAM, JUNG-CHING LIN AND WANG **109**, 981.
Trypanosoma cruzi
subcellular localization of a *Trypanosoma cruzi* glycoprotein: HAYNES, RUSSELL AND CROSS **109**, 2979.
Tubulin
centrosomal and cytosolic γ-tubulin: MOUDJOU, BORDES, PAINTRAND AND BORNENS **109**, 875.
hepatocyte, cytoskeleton and endocytosis: NOVIKOFF, CAMMER, TAO, ODA, STOCKERT, WOLKOFF AND SATIR **109**, 21.
microtubule dynamics in sub-critical conditions: SYMMONS, MARTIN AND BAYLEY **109**, 2755.
role of γ-tubulin in yeast spindle formation: MASUDA AND SHIBATA **109**, 165.
tubulin polyglutamylation and motility: GAGNON, WHITE, COSSON, HUITOREL, EDDE, DESBRUYERES, PATURLE-LAFANECHERE, MULTIGNER, JOB AND CIBERT **109**, 1545.
tubulin polyglycylation in axonemes: BRE, REDEKER, QUIBELL, DARMANADEN-DELORME, BRESSAC, COSSON, HUITOREL, SCHMITTER, ROSSIER, JOHNSON, ADOUTTE AND LEVILLIERS **109**, 727.
two γ-tubulin polypeptides: LAJOIE-MAZENC, DETRAVES, ROTARU, GARES, TOLLON, JEAN, JULIAN, WRIGHT AND RAYNAUD-MESSINA **109**, 2483.
Tubulin folding
site-directed mutagenesis of tubulins: ZABALA, FONTALBA AND AVILA **109**, 1471.
Tubulocyst
apical β1 integrin in polarized MDCK cells: ZUK AND MATLIN **109**, 1875.
Tumour suppression
tumour suppression: HARRIS, RAWLINS AND SHARPS **109**, 2189.
Tumour suppressor gene *l(2)gl*
kinase associated with p127-myosin II complex: KALMES, MERDES, NEUMANN, STRAND AND MECHLER **109**, 1359.
β-Turn
two domains in basolateral signal: REICH, MOSTOV AND AROETI **109**, 2133.
Turning
role of actin filaments in growth cone turning: CHALLACOMBE, SNOW AND LETOURNEAU **109**, 2031.
Tyrosine kinase
muscle cell remodeling by v-Src: CASTELLANI, REEDY, AIREY, GALLO, CIOTTI, FALCONE AND ALEMA **109**, 1335.
sp42, a male germ cell-specific tyrosine kinase: BERRUTI AND BORGONOVO **109**, 851.
Tyrosine phosphatase
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
Tyrosine phosphorylation
Met signalling in a variant MDCK cell line: WEBB, LANE, DAWSON, VANDE WOUDE AND WARN **109**, 2371.
Rho-induced tyrosine phosphorylation: FLINN AND RIDLEY **109**, 1133.
Ultradian clock
ultradian clock in *Paramecium tetraurelia*: KIPPERT **109**, 867.
Ultrastructure
HSV-1 induced rRNA alterations: BESSE AND PUVION-DUTILLEUL **109**, 119.
Ultraviolet microbeam
signals between half-bivalents in meiosis: YIN AND FORER **109**, 155.
Unconventional myosin
human myosin-IXB: WIRTH, JENSEN, POST, BEMENT AND MOOSEKER **109**, 653.
3′ Untranslated region
mRNA binding and neuronal differentiation: GAO AND KEENE **109**, 579.
Uropod
integrin dynamics on cell rear: PALECEK, SCHMIDT, LAUFFENBURGER AND HORWITZ **109**, 941.
UV-C
oxidative stress and p53 activation: RENZING, HANSEN AND LANE **109**, 1105.
V-ATPase
vacuolar proton pump of *Dictyostelium*: LIU AND CLARKE **109**, 1041.
V-H⁺-ATPase proteolipid
antisense RNA inhibition of V-H⁺-ATPase: XIE, COUKELL AND GOMBOS **109**, 489.
v-Src
muscle cell remodeling by v-Src: CASTELLANI, REEDY, AIREY, GALLO, CIOTTI, FALCONE AND ALEMA **109**, 1335.
v-Src-induced macropinocytosis: VEITHEN, CUPERS, BAUDHUIN AND COURTOY **109**, 2005.
Vaccinia virus
unusual phospholipid in Golgi membranes: CLUETT AND MACHAMER **109**, 2121.
vaccinia virus and membrane-actin interactions: CUDMORE, RECKMANN, GRIFFITHS AND WAY **109**, 1739.
Vacuolar ATPase
V-H⁺-ATPase in endosomes and contractile vacuoles: TEMESVARI, RODRIGUEZ-PARIS, BUSH, ZHANG AND CARDELLI **109**, 1479.
Vacuolar-type proton ATPase
contractile vacuoles under hypertonic stress: ISHIDA, FOK, AIHARA AND ALLEN **109**, 229.
Vesicle
integrin dynamics on cell rear: PALECEK, SCHMIDT, LAUFFENBURGER AND HORWITZ **109**, 941.
Vesicular stomatitis virus
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
Video microscopy
role of the cortical actin cytoskeleton: RIVERO, KOPPEL, PERACINO, BOZZARO, SIEGERT, WEIJER, SCHLEICHER, ALBRECHT AND NOEGEL **109**, 2679.
Vimentin
vimentin filaments and adipose conversion: LIEBER AND EVANS **109**, 3047.
vimentin in fish: HERRMANN, MUNICK, BRETTEL, FOUQUET AND MARKL **109**, 569.
vimentin phosphorylation: CHOU, OPAL, QUINLAN AND GOLDMAN **109**, 817.
Vinculin
talin contains three actin-binding sites: HEMMINGS, REES, OHANIAN, BOLTON, GILMORE, PATEL, PRIDDLE, TREVITHICK, HYNES AND CRITCHLEY **109**, 2715.
Viral glycoprotein
in vitro Golgi to plasma membrane transport: MAYER, IVANOV, GRAVOTTA, ADESNIK AND SABATINI **109**, 1667.
Virus
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.
Water permeability
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.
***weel* mutant**
$p56^{cdc13}$ and $p80^{cdc25}$ kinetics during the *S. pombe* cell cycle: CREANOR AND MITCHISON **109**, 1647.
WGA lectin
membrane domains in osteoclasts: SALO, METSIKKO, PALOKANGAS, LEHENKARI AND VAANANEN **109**, 301.

wis1
S. pombe pyp1 and nutrient monitoring: SANTO, BLANCHARD AND HOFFMAN **109**, 1919.
Wortmannin
effects of wortmannin on endosomes: REAVES, BRIGHT, MULLOCK AND LUZIO **109**, 749.
PI3-kinase in neurite outgrowth: JACKSON, BLADER, HAMMONDS-ODIE, BURGA, COOKE, HAWKINS, WOLF, HELDMAN AND THEIBERT **109**, 289.
Wound healing
fibronectin domain stimulates cell migration: SCHOR, ELLIS, DOLMAN, BANYARD, HUMPHRIES, MOSHER, GREY, MOULD, SOTTILE AND SCHOR **109**, 2581.
galvanotaxis of human keratinocytes: NISHIMURA, ISSEROFF AND NUCCITELLI **109**, 199.
Xenopus
centrin in animal cells: PAOLETTI, MOUDJOU, PAINTRAND, SALISBURY AND BORNENS **109**, 3089.
cleavage and inactivation of DNA-PKcs: LE ROMANCER, COSULICH, JACKSON AND CLARKE **109**, 3121.
cyclin A-mediated cyclin destruction: JONES AND SMYTHE **109**, 1071.
Xenopus homologs of rds/peripherin: KEDZIERSKI, MOGHRABI, ALLEN, JABLONSKI-STIEMKE, AZARIAN, BOK AND TRAVIS **109**, 2551.
***Xenopus* egg**
MAP kinase prevents cyclin degradation: ABRIEU, LORCA, LABBE, MORIN, KEYSE AND DOREE **109**, 239.
***Xenopus* egg extract**
lamin L_1 in *Xenopus* oocytes and eggs: LOURIM, KEMPF AND KROHNE **109**, 1775.
nuclear matrix organization: ZHANG, JENKINS, GOLDBERG, ALLEN AND HUTCHISON **109**, 2275.
***Xenopus* oocyte**
characterization of an insect aquaporin: LE CAHEREC, BRON, VERBAVATZ, GARRET, MOREL, CAVALIER, BONNEC, THOMAS, GOURANTON AND HUBERT **109**, 1285.
Yeast
Spc110p targetting of calmodulin: SPANG, GREIN AND SCHIEBEL **109**, 2229.
Yeast viability
Hsp90α dimerization and subcellular localization: MENG, DEVIN, SULLIVAN, TOFT, BAULIEU AND CATELLI **109**, 1677.
Ypt GTPase
suppressors for *YPT6* deletion: TSUKADA AND GALLWITZ **109**, 2471.
Z-disk
Z-disk layout of titin: GAUTEL, GOULDING, BULLARD, WEBER AND FURST **109**, 2747.
Zona pellucida
zona pellucida assembly: WASSARMAN, LIU AND LITSCHER **109**, 2001.
Zone of hypertrophy
hyaluronan of hypertrophic lacunae: PAVASANT, SHIZARI AND UNDERHILL **109**, 327.